

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, PUNE

Phone - (020) - 25811627
Fax - (020) - 25811029
Email : ropune@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



3rd Floor, "Jog Center"
Wakdevadi, Mumbai-Pune Road,
Pune - 411 003.

Red/S.S.I.

Consent order No: RO-PUNE/CONSENT/1911000515

Date: 08/11/2019

To,
M/s. Kolekar Hospital, Karad,
422 /B, Shaniwar Peth, Karad,
Tal. Karad Dist. Satara

Subject: Combined Consent to Operate and BMW Authorization under RED category to Health Care Establishment (HCE).

Ref: Your Combine CAA Application vide UAN Nos. : MPCB- CONSENT-0000071080 and MPCB-BMW_AUTH-0000022574

For: Combined Consent to Operate and BMW Authorization under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 6 of the Hazardous and Other Wastes (M&TM) Rules 2016 and Biomedical Waste Management Rules 2016, as amended is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. The combined consent to operate and BMW authorization is granted for a period valid upto 31.12.2021
2. The actual capital investment of the Health Care Establishment is Rs. 21.02 Lakhs (As per C.A. certificate submitted by applicant)
3. The Combined Consent is valid for the Activity of -

Sr. No.	Activity	UoM
1	Hospital	
	a) Beds	30 Nos
	b) Total Plot Area	1115.0 Sq.m.
	c) Total Built up Area	1580.0 Sq.m.

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	--	N.A.	60% treated effluent shall be recycled/reused for secondary purposes and remaining shall be discharged in Local Body sewerage.
2.	Domestic effluent	4.0	As per Schedule -I	

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No.	Description of stack/ source	Number Of Stack	Standards to be achieved
1	DG set 32 KVA	01	As per Schedule II

6. Conditions under Hazardous and Other Waste (M&TM) Rules, 2016 for treatment and disposal of hazardous waste:

Sr. No.	HW category	Type Of Waste	Quantity	UOM	Treatment	Disposal
--	--	--	--	--	--	--

7. Non-Hazardous Solid Wastes:

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
		--N.A.--			

8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the Hospital.

9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

10. This consent is issued subject to conditions mentioned below,

- i) The "authorized Person" Director Administrator of M/s. **Kolekar Hospital, Karad, 422 /B, Shaniwar Peth, Karad, Tal. Karad Dist. Satara** shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- i) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
- ii) If the Built up Area exceeds more than 20,000 Sq. Mtrs. And if the hospital is commissioned after 14.09.2006, the project proponent shall comply EIA Notification 14.09.2006 by obtaining Environment Clearance.
- iii) You shall submit details of Management and Handling of outdated, discarded, unused **Cytotoxic drugs** generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 31st January every year.
- iv) You shall manage the **Mercury Waste** in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
- v) You shall ensure phase out of chlorinated plastic bags, glows and blood bags by HCEs within 02 years.
- vi) You shall establish Bar Code System within 01 year.

- vii) You shall insure that liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water (P&CP) Act, 1974.
- viii) You shall maintain day to day basis and display the monthly record including Annual Report on its web site within 02 years from the date of publication of the Bio Medical Waste Management (Amendment), Rules, 2018.
- ix) You shall submit compliance of Bank guarantee conditions every six months to regional Officer, Pune for verification purpose.
- x) You shall submit application for renewal of Combined Consent & Biomedical Waste Authorization before 120 days along with appropriate fees.



For AND ON BEHALF OF M.P.C. BOARD

(Dilip Khedkar)
Regional Officer, Pune

Authorization Fees Received:-

Sr. No.	Amount (Rs)	Transaction No./ D.R. No.	Date
1	7500.0	TXN1905001246	14-05-2019
2	7500.0	TXN1905001749	20.05.2019

Copy to:

- 1) Sub-Regional Officer, MPCB, Satara- They are directed to ensure the compliance of the CCA conditions.
- 2) Chief Accounts Officer, MPCB, Mumbai- For information

Schedule-I
Terms & Conditions for compliance of Water Pollution Control

1) Trade Effluent :

- A) You shall provide combined waste water primary treatment for the trade effluent and domestic sewage generated from the Hospital and thereafter the treated effluent shall be discharged into Sewage Treatment Plant with the adequate design capacity followed by U.V. or Ozonation & 60% treated effluent shall be recycled/reused for secondary purposes and remaining shall be used for land application / disposal to Local Body Sewerage System after achieving prescribed standards prescribed below.
- B) The applicant shall operate the combined waste water treatment plant to treat the trade and domestic effluent so as to achieve the following standards prescribed by the Board or under Environment Protection Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Discharge Standards applicable		
		Between		
1	pH	Between	6.5 to 9.0	
2	Oil & Grease	Not to exceed	10	mg/l.
3	BOD 3 days 27 Deg. C.	Not to exceed	30	mg/l.
4	COD	Not to exceed	250	mg/l.
5	Total Suspended Solids	Not to exceed	100	mg/l.
8	Bio Assay Test	90 % survival of fish after 96 hours in 100% effluent.		

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 3) The Hospital shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines if applicable.
- 5) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various category of water consumption. In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

ii) Conditions under Water (Prevention & Control of Pollution) CESS Act, 1977 as amended

The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water Consumption quantity CMD
1.	Industrial Cooling, boiler feed etc.,	Nil
2.	Domestic purpose	5.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	Nil
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil
5	Other such as agriculture, gardening, etc	---



Schedule-II
Terms & conditions for compliance of Air Pollution Control

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type Of Fuel	Qty.	UOM
1	DG Set (32 KVA)	Acoustic enclosure	2.0 above roof	Diesel	1.5	Ltr/Hr

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
--------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. **Conditions for DG Set :-**
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 65 dB(A) during day time and 55 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - D.G. Set shall be operated only in case of power failure
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17/5/2002 regarding noise limit for generators sets run with diesel.

Schedule-III

I) Terms & Conditions for compliance of Biomedical Waste Management

- The "authorized Person" Administrator M/s. Kolekar Hospital, Karad, 422 /B, Shaniwar Peth, Karad, Tal. Karad Dist. Satara shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- The combined consent is granted for generation and disposal of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Description	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	4.0	Yellow coloured non Chlorinated bag	CBMWTDF
		b) Soiled waste	30.0		CBMWTDF
		h) Microbiology, Biotechnology & Other clinical laboratory waste	0.5	Autoclave safe plastic bags or containers	CBMWTDF
2	Yellow	Expired or Discarded medicines & Cytotoxic drugs	--	Yellow coloured non Chlorinated bag	CBMWTDF
3	Red	Contaminated waste (recyclable) Without needles & fixed syringes	20.0	Red coloured non Chlorinated bag or containers	CHWTSDf
4	White (Translucent)	Waste Sharps including Metals	15.0	Puncture proof, Leak proof, tamper proof containers	Autoclaving or micro-vaing / hydroclaving followed by mutilation & shredding to CBMWTDF

No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to BMW Treatment & Disposal Facility i.e. M/s Karad Hospital Association Trust, BMWTDF, Karad Dist. Satara authorized by MPCB

- BMW shall not be mixed with other wastes or reused or sold in any form.
 - BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-I prior to storage, treatment and disposal. The containers shall be labeled according to Schedule IV of BMW Rules 2016
 - If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall,

apart from the Label prescribed in Schedule IV, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.

- v) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.
- (vi) Necessary protective wear for the waste handlers shall be provided by the hospital Authority.
- (vii) You shall ensure proper collection of mercury spillage arising mainly due to breakage of thermometers pressure gauges (Sphygmomanometers) other equipments used in health care facilities (HCFs) as well as its storage in accordance with the Hazardous and Other waste (Management & Transboundary Movement) Rules (presently these Rules has to be read as 'Hazardous and Other Waste (Management & Trans boundary Movement) Rules, 2016) and returning it to the instrument manufacturers apart from necessary taking steps to ensure that the spilled mercury does not become a part of bio-medical or other solid wastes generated from the HCFs.
- (viii) Authorized person shall obtain prior permission from MPCB for generation & disposal, if Bio-Medical waste quantity of category specified exceed the limits authorized at condition No. 1. Above
4. (i) You shall submit an Annual Report to the prescribed authority in Form-IV by on or before 30th June every year for the period from January to December of the preceding year including information about the categories and quantities of BMW handled.
 - (ii) You shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
 - (iii) All records shall be subject to inspection and verification by the prescribed authority at any time.
5. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
6. You shall submit valid registration copy of Bombay Nursing Home Act to Board.
7. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.



Schedule - IV : Bank Guarantee

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely Compliance to be observed by M/s. Kolekar Hospital, Karad, 422 /B, Shaniwar Peth, Karad, Tal. Karad Dist. Satara -

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
I (A)	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	25,000/-
2	To provide combined waste water treatment plant to achieve prescribed discharged standards.	Continuous	25,000/-
I (B)	Records		
1	To Maintain records of BMW, generation, transportation, treatment & disposal and submission of Annual Report in Form -II before 31 st January every year.	Continuous	15,000/-
2	To maintain records of BMW material delivered to CBMWTF	Continuous	10,000/-
II	Performance		
1	To provide Separate BMW storage facility As per guidelines of CPCB.	Six	50,000/-
2	Towards Operation & Maintenance of pollution control systems.	Continuous	50,000/-
Total			1,75,000/-
(In words : Rs. One Lakhs Seventy Five Thousand Only)			

- (i) The above Bank Guarantees shall be submitted by the applicant at the Regional Office, M.P.C. Board, Pune within 15 days of the date of issue of Combined Consent and Authorization (CCA).
- (ii) The Bank Guarantee(s) shall be valid for additional 4 months period after the validity of your granted Combined Consent and Authorization (CCA).



Schedule-V

General Conditions

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Hospital should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The Hospital shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The Hospital should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the combine consent & authorisation at least 120 days before the date of the expiry of the consent.**
- 11) Hospital shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and Hospital specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 12) The Hospital shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) The Hospital should not cause any nuisance in surrounding area.

- 17) The Hospital shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 65 dB (A) during day time and 55 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 18) The applicant shall maintain good housekeeping.
- 19) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 20) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 21) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The Hospital will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 22) The Hospital shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 23) The Hospital shall submit official e-mail address and any change will be duly informed to the MPCB.
- 24) The Hospital shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
- 25) You shall Observe provisions of E-Waste (Management and Handling) Rules, 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

-----0000-----

