

**MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE – PUNE**

Phone : 020-25811627
Fax : 020-25811701
Email : ropune@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Jog Center, 3rd floor, Mumbai Pune Road, S.No. 21/5, F.P.No.28, Wakdewadi, Shivajinagar, Pune - 411003

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation, Storage, Disposal of Bio-Medical Wastes under Rule 7(4)]

I. File number of authorisation and date of issue

MPCB/ROP/BMW-AUTH/ 2107000371

2021 Date 19/07/2021

II. M/s. Aadhar Hospital Multi Speciality & ICU . is hereby granted an authorization for generation of biomedical waste on the premises situated, DR GANESH M RAUT, Old Pune Mumbai Highway, Dehuroad, Pune 412101.

III. Your Application: MPCB- BMW_AUTH- 0000029894

IV. This authorisation shall be in force for a period up to 31.08.2021

V. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation.

VI. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

VII. No of Bed : 40

with smile

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.

MPCB-BMW_AUTH-0000029894



Page 1 of 5

6. The authorisation is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Description	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	Human Anatomical Waste	7.85	Yellow	Incineration
		Solied Waste: Items contaminated with blood		Yellow	
		Expired or Discarded Medicine		Yellow	Incineration
		Clinical Laboratory Waste		Yellow	Incineration
		Chemical Liquid Waste	As per Actual	Separate collection system leading to ETP	After resource recovery, the chemicals liquid waste shall be pre-treated before mixing with other wastewater. The combine discharge shall conform to discharge norms given in Schedule-III of BMW Rules
		X-ray hypo solution (fixture)			
2	Red	Contaminated Waste(Recyclable)		Red	Autoclaving followed by shredding
3	Blue	Waste Sharps	0.71	Blue / white translucent	Disinfection (chemical treatment)and mutilation / shredding

No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility i.e. M/s. Life Secure Enterprises, M.I.M.E.R. Medical College Campus, Talegaon Dabhade, Tal. Maval, Dist. Pune

7. The hospital authority shall proper collection of mercury spillage arising due to breakage of thermometer, pressure gauges & other equipments used in health care facilities as well as the storage shall be in accordance with Hazardous Waste (Management, Handling & Transboundry Movement) Rules, 2008 and returning it to instrument manufacturing apart from taking necessary steps to ensure that the spilled mercury does not become a part of Bio-Medical Waste or other solid waste generated from Health Care Facilities.
8. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.

- (12) The daily quantity of trade effluent shall not exceed Nil
- (ii) The daily quantity of sewage effluent shall not exceed 3.0 M³
9. BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
10. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.

Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating Bio- Medical Waste,

(I) When operating a gravity flow autoclave, medical waste shall be subjected to:

- (i) A temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes;
or
- (ii) A temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;
or
- (iii) A temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.

(II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.

- (12) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes;
or
- (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or

- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters*, - Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing*. - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be Bacillus stearothermophilus spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) Routine Test.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different locations to ensure that the inner content of the package has been adequately autoclaved.

12. Conditions for D.G. Set

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b. Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
- d. Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- e. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- f. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- g. D.G. Set shall be operated only in case of power failure
- h. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

13. Standards for Stack Emissions:

The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
----	-----	-----	-----

(i) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
1	DG Set (150 KVA)	1.5 above the roof

(ii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

(iii) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Other Conditions:

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor ambient air quality regularly.

14. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.

15. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.

(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.

16. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.

17. The applicant shall submit Bank Guarantees at the Regional Office, M.P.C. Board, Pune within 15 days of the date of issue of Authorization. The Bank Guarantee(s) shall be valid up to validity 30.11.2021 of this authorization. The details of Bank Guarantees to be submitted are as below.

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
I (A)	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	25,000/-
I (B)	Records		
1	To Maintain records of BMW, generation, transportation, treatment & disposal and submission of Annual Report in Form -II before 31 st January every year.	Continuous	15,000/-
II	Performance		
1	To provide Separate BMW storage facility As per guidelines of CPCB.	Six	25,000/-
2	Towards Operation & Maintenance of pollution control systems.	Continuous	25,000/-
3	Effluent Treatment Plant Not provided	Six	50000/-

18. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time



For and on behalf of the
Maharashtra Pollution Control Board

Nitin Shinde
15/11/21
(Nitin Shinde)
I/c Regional Officer, Pune

To,
M/s. Aadhar Hospital Multi Speciality & ICU,
DR GANESH M RAUT,
Old Pune Mumbai Highway, Dehuroad,
Pune 412101.

Authorization Fees Received:-

Sr. No.	Amount (Rs.)	Transaction No.	Date
1.	12500/-	TXN2011000115	02-11-2020

Copy to:

- Sub-Regional Officer, MPCB -P -I / P -II / P.C. / Satara / Solapur
- For Information & with instruction to Monitor the Necessary Compliance of the Condition stipulated in the Letter of Auhorization
- Chief Accounts Officer, MPCB, Mumbai