

## MAHARASHTRA POLLUTION CONTROL BOARD

Website : mpcb.gov.in  
e-mail : ronagpur@mpcb.gov.in  
Fax : 2560851  
Phone : 2565308, 2560139



Regional Office,  
5th Floor, Udyog Bhawan,  
Civil lines,  
Nagpur – 440001.

No. MPCB/18/UAN No. 190/1805000017

Date:- 21/05/2018

To,  
M/s. Sarda Industries,  
Kh. No. 689/2, Near Swapnil Dhaba,  
Wadoda, Bhandara Road, Nagpur.

Sub :- Amendment in consent .

Ref :- 1. Consent No. MPCB/1703001714 dtd 23/03/2017  
valid upto 31/01/2021.  
2. Online application for Amendment UAN No 0000000190  
received from SRO Nagpur-I dtd 16/02/2018.

-----  
The Consent to Operate was granted under provision of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981 and authorization under Hazardous Waste & Other Waste (M & T M) Rules, 2016 to **M/s. Sarda Industries, Kh No 689/2, Near Swapnil Dhaba, Wadoda, Bhandara Road, Nagpur** is hereby amended is below:-

Earlier fuel pattern as per consent granted dtd 23/03/2017 valid upto 31/01/2021 is as below:-

**The condition no. 6 of Ref. No. 1–**

(i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity
1	Wood	2 MT/Day
2	Briquettes	1 MT/Day

Consequent to your application dtd. 16/02/2018 as per ref. no. 2. regarding additional fuel pattern for existing chimney attached to bhatti, following amendment is issued.

**The condition no. 5 (i) a. Control Equipment of Ref. No. 1 shall be read as -**  
Dust collector of sufficient capacity shall be operate and maintain properly.

**The condition no. 6 of Ref. No. 1 shall be read as –**

(i) The applicant shall observe the following fuel pattern: -

Sr. No.	Type Of Fuel	Quantity
1	Wood	2 MT/Day
2	Briquettes	1 MT/Day
3	Coal	10 MT/Day




(ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
1	Bhatti	20
2	Furnace	18

- (iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- (iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- (vi) Other Conditions:  
1) The industry should not cause any nuisance in surrounding area.  
2) The industry should monitor stack emissions and ambient air quality Regularly.

**Category of industry shall be termed as Orange Category.**

All other conditions prescribed in above consent (ref. 1) shall remain unchanged.

  
(Rahul M. Wankhede)  
Regional Officer,

Copy submitted to :-  
The Member Secretary, M.P.C. Board, Mumbai, for information.

Copy forwarded for information to :-  
The Chief Accounts Officer, M.P.C. Board, Mumbai.

Copy to :- Sub-Regional Officer-I, M.P.C. Board, Nagpur-I.

