

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: ast@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/S.S.I (R22)

Date: 09/06/2026

No:- Format1.0/AS(T)/UAN No.MPCB-
CONSENT_AMMENDMENT-0000020035/CO/2606000072

To,
INDO SPECIALITY CHEMICALS PRIVATE LIMITED
Plot No. C-62, C-70, MIDC Mahad
TAL- Mahad, DIST- Raigad.



Sub: Grant of Amendment in Consent to Operate (Change in Name) under RED/SSI

- Ref:**
1. Your application for grant of Amendment in Consent to Operate (UAN No. MPCB-CONSENT_AMMENDMENT-0000020035)
 2. Consent to Operate accorded vide No. Format1.0/AS(T)/UAN No. 0000130067/CR/2210001007, dated 13/10/2022, which was valid upto 31/03/2024.
 3. Consent to Establish for Expansion accorded vide No. Format1.0/AS(T)/UAN No.0000189354/CE/2402001661, dated 21/02/2024.
 4. Environmental Clearance accorded vide No. SIA/MH/IND3/432057/2023, dated 15/12/2023.

Your application No.MPCB-CONSENT_AMMENDMENT-0000020035 Dated 26.03.2026

For: Grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to operate is granted for a period up to 31/03/2029**
2. **The capital investment of the project is Rs.6.6821 Crs. (As per undertaking submitted by pp Existing CI is-Rs. 1.94 Crs + Expansion in C.I. - Rs. 4.7421 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	1,1-Bis(4-hydroxy-3-methyl phenyl) cyclohexane(DMPBC) or 1,1,1-tris(4-hydroxyphenyl) ethane (THPE)	100	MT/M

Sr No	Product	Maximum Quantity	UOM
2	EO Condensate : EO Condensate of Fatty Alcohol (Lauryl Alcohol, Stearyl Alcohol, Tridecyl Alcohol, Decyl Alcohol, Oleyl Cetyl Alcohol, Oleyl Alcohol, Cetyl Stearyl Alcohol, Behenyl Alcohol, Cetyl Alcohol, 2-Ethyl Hexanol) OR	800	MT/M
	EO condensate of Fatty Amine (Tallow Amine, Lauryl Amine, Stearyl Amine, Coco Amine, Oleyl Amine, Soya Amine, Octyl Amine, Decyl Amine, Behenyl Amine, Myristyl Amine, Palm/Cetyl Amine) OR		
	EO condensate of Fatty Acid (Lauric Acid, Stearyl Acid, Oleic Acid, Coconut Acid, Octanic Acid, Decanoic Acid, Myristic Acid, Palmitic Acid, Behenic Acid) OR		
	EO condensate of Oil (Castor Oil, Hydrogenated Castor Oil, Soyabean oil, Rapeseed oil) OR		
	EO condensate of Phenol (Nonyl Phenol, Tristyrenated Phenol, Phenol, Octyl Phenol, Trioctyl Phenol, Card Phenol/Bis Phenol OR		
	EO condensate of Sorbitan esters (Sorbitan Monolaurate, Sorbitan Monostearate, Sorbitan Monooleate, Sorbitan trioleate) OR		
	EO condensate of Methyl Carbitol (MEPG 500, MEPG 700, MEPG 1000, MEPG 2200) OR		
	EO condensate of Methyl Allyl Alcohol(VPEG 500, VPEG 700, VPEG 1000, VPEG 2200) OR		
	EO condensate of Diethylene Glycol (PEG 200, PEG 400, PEG 600, PEG 800, PEG 1000, PEG 2000, PEG 4000) OR		
	EO condensate of Hydroquinone (Hydroquinone bis (2-hydroxyethyl) Ether(HQEE)) OR		
	EO condensate of Resorcinol(1,3-Bis(2-hydroxyethoxy)benzene(HER)) OR		
	EO condensate of Piperidine (Piperidine Ethanol) OR		
	EO condensate of Morpholine (4-Hydroxyethyl Morpholine) OR		
	EO condensate of Phenol(2Phenoxy Ethanol) OR		
	EO condensate of Thiophene (Thiophene 2 ethanol) OR		
EO condensate of HCL Gas(2Chloro Ethanol) OR			
EO condensate of Cynuric Acid (Tris-2- Hydroxyethyl isocyanurate(THIEC)) OR			
EO condensate of 2-Chloro Ethanol(2-Chloro Ethoxy Ethanol(2-CEE))			

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	2	As per Schedule - I	Recycle 100% to achieve ZLD
2.	Domestic effluent	2.75	As per Schedule - I	Recycle 100% to achieve ZLD

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S1	DG set (250 kVA)	1	As per Schedule -II
2	S2	Thermic Fluid Heater 6 Lakh KCal/Hr	1	As per Schedule -II
3	S3	Process Vent	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	NA	0	Lit/Day	NA	NA

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	37.3 Concentration or evaporation residues	0.05	Ton/D	Incineration	CHWTSDF

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
10. Industry shall comply with the conditions of Environmental Clearance accorded vide No. SIA/MH/IND3/432057/2023, dated 15/12/2023.
11. The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
12. The applicant shall not carry out any excess production or produce new products without Consent of the Board and without Environmental Clearance wherever it applicable.
13. The applicant shall properly collect, transport & regularly dispose-off the Hazardous Waste to CHWTSDF, in compliance of the Hazardous and other Waste (M & TH) Rule-2016 an keep proper manifest thereof.
14. This consent is issued as per the Office Order for Consent Management of the Board No. 12/2020 dtd. 23/12/2020.
15. Industry shall comply with online monitoring system i.e. IP Camera and flow meter to ensure the Zero Liquid Discharge and its connectivity to the MPCB server. Industry shall also ensure separate energy meter to the pollution control devices.

16. Industry shall install online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board server including separate energy meter for pollution control system.
17. The applicant shall make an application for renewal of consent 120 days prior to date of expiry of the consent.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2403003075	15/03/2024	Online Payment
2	65000.00	TXN2405000419	03/05/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Raigad and Sub-Regional Officer, MPCB, Mahad
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 0.00 CMD consisting of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Advanced treatment (Evaporator of 3 CMD capacity) for the treatment of 2 CMD of trade effluent.
B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing with metering system so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises.
C] Industry shall install online monitoring system i.e. IP Camera and flow meter to ensure the Zero Liquid Discharge and its connectivity to the MPCB server. Industry shall also ensure separate energy meter to the pollution control devices.
2. A] As per your application, primary treated sewage connected to Effluent Treatment Plant for further treatment & disposal.
B] Industry shall comply prescribed standards & disposal path as prescribed at Sr. No. 1B of schedule I.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	35.00
2.	Domestic purpose	3.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	1.3

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S1	DG set (250 kVA)	Acoustic Enclosure	4.00	Diesel 45.0 Ltr/Hr	150	TPM	50 Mg/Nm ³
						SO2	7.2 Kg/Day
S2	Thermic Fluid Heater 6 Lakh KCal/Hr	Multi Cyclone Separator with Bag Filters	30.00	Biomass Briquettes/Coal 5 MT/Day	0.5	TPM	50 Mg/Nm ³
						SO2	6 Select
S3	Process Vent	Scrubber	3.50	-	-	Acid Mist	35 Mg/Nm ³

Biomass Briquette will be the primary fuel, coal will be used only in case of non-availability of biomass briquette.

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Solvent Management shall be carried out as follows:
- Reactors shall be connected to Water / Chilled Water /Brine Condenser system.
 - Reactors and solvent handling pumps shall have mechanical seals to prevent the leakages.
 - The condensers shall be provided with adequate Heat transfer area (HTA) and residence time so as to achieve more than 97% overall recovery
 - Solvents shall be stored in a separate space specified with all safety measures.
 - Proper earthing shall be provided in all the equipment's, wherever solvent handling is done.
 - Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
 - All the solvent storage tanks shall be connected with vent condensers with Water / chilled water / Brine circulation.
 - Fugitive emissions shall be controlled at 99.95% with effective chillers.
 - Solvent transfer shall be through pump.
 - Metering and control of quantities of active ingredients to minimize wastes.
 - Use of automatic filling to minimize spillage.
 - Use of close feed system into batch reactors.
 - Venting equipment through vapour recovery system.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to O (existing to be extended)	Rs. 1 Lakh	15 days	Towards Compliance of consent conditions & O & M of Pollution control systems..	31/03/2029	30/09/2029
2	C to E (existing to be extended)	Rs. 2 Lakh	15 days	Towards Compliance of consent conditions.	31/03/2029	30/09/2029

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.

12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
14. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.

25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
26. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
34. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
35. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).

36. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
37. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.

