

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

RED/L.S.I (R58)  
No:- Format1.0/CC/UAN  
No.0000208827/CO/2501001252

Date: 14/01/2025

To,  
Honour Lab Limited  
Unit 3A, Plot no. D - 10, MIDC Kurkumbh,  
Tal Daund, District - Pune 413802



**Sub: Grant of Amendment in Consent to Operate under change in Product mix & Renewal of consent to Operate under RED/LSI**

- Ref:**
1. Renewal of consent to Operate accorded vide No. Format1.0/CC/UAN No.0000109773/CR/2206000215, dated 04/06/2022, which was valid upto 31/05/2024
  2. Environmental Clearance accorded vide No. SEAC-2015/CR-716/TC-2, dated 23/08/2016.
  3. Minutes of 4th Meeting of Technical Committee (2024-2025) for clarification about No Increase in Pollution Load held on 25/10/2024.
  4. Minutes of 12th Consent Committee meeting of 2024-2025 held on 12/12/2024.

Your application No.MPCB-CONSENT-0000208827 Dated 10.05.2024

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to operate is granted for a period up to 31/05/2026**
2. **The capital investment of the project is Rs.64.3899 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. Crs + Expansion/Increase in C.I. - Rs. Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
Products					
1	Amino butyramide	30	-16.5	13.5	MT/M
2	Amino chloro trifluoroacetophenone	50	-27.5	22.5	MT/M
3	Amino purine	50	-27.5	22.5	MT/M

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
4	Amino pyrimidinone	50	-27.5	22.5	MT/M
5	5 (Aminofluorooxopyrimidinyl)-oxathiolane carboxylic acid methyl ester	20	-11	9	MT/M
6	Bicyclo nonane	40	-22	18	MT/M
7	Aminodihydroxy butyloxy diphenyl hexane (BDH)	24	-13.2	10.8	MT/M
8	Butyl diazaspirononene	10	-5.5	4.5	MT/M
9	Carbonyl diimidazole	70	-38.5	31.5	MT/M
10	Chloro methyl isopropyl carbonate	30	-16.5	13.5	MT/M
11	Cyclopropyl amine	30	-16.5	13.5	MT/M
12	Dibenzothiazepinone	10	-5.5	4.5	MT/M
13	Dichlorophenyl dihydro-N-methyl naphthalenimine	25	-13.75	11.25	MT/M
14	Ethynyl cyclopropane	50	-27.5	22.5	MT/M
15	Ethyltoluenesulfonyl methylphosphate	30	-16.5	13.5	MT/M
16	Hylopyridine carboxylic acid	50	-27.5	22.5	MT/M
17	Magnesium tert Butoxide	71	-39.05	31.95	MT/M
18	5-Methyl uridine	60	-33	27	MT/M
19	Phthalimido Amlodipine	20	-11	9	MT/M
20	1-(3-Dimethyl amino propyl)-3-ethyl carbodimide Hydrochloride	0	10	10	MT/M
21	Moxifloxacin Hydrochloride	0	10	10	MT/M
22	Eplerenone	0	2	2	MT/M
23	Telmisartan	0	20	20	MT/M
24	Rupatadine Fumarate	0	4	4	MT/M
25	4,5-Dimethyl-1,3-Dioxol-2-One	0	10	10	MT/M
26	Teneligliptin Hydrobromide Hydrate	0	2	2	MT/M
27	Bempedoic Acid	0	2	2	MT/M
28	7-Chloro-1-cyclopropyl-6fluoro-4-oxo-1,4-dihydro-1,8-naphthyridine-3-carboxylic acid	0	6.66	6.66	MT/M
29	Bis(4-Nitrophenyl)carbonate	0	20	20	MT/M
30	Montelukast Sodium	0	10	10	MT/M
31	Olmesartan Medoxomil	0	5	5	MT/M
32	Deflazcort	0	4	4	MT/M
33	(2S,3S,5S)-2-(2,6-Dimethyl Phenoxyacetyl) Amino-3- Hydroxy-5-Amino-1, 6-Diphenyl hexane (NAMPALLY)	0	6.66	6.66	MT/M
34	Sodium Salt of R(+) Tetrahydro-2-thiofuroic acid (SWAPNA)	0	10	10	MT/M
35	6-Fluoro-3-Oxo-3,4-Dihydro Pyrazine-2- Carbonitrile Compound With Dicyclohexyl Amine (1:1) / PCO	0	10	10	MT/M
36	Favipiravir	0	10	10	MT/M
37	Nitazoxanide	0	10	10	MT/M
38	Dabigatran etexilate mesylate	0	2	2	MT/M
39	1,1-[carbonylbis(oxy)] bis 2,5-pyrrolidinedione	0	2	2	MT/M
40	Ticagrelor	0	2	2	MT/M
41	4,6-DICHLORO-2-(PROPYLTHIO) PYRIMIDIN-5-AMINE	0	10	10	MT/M
42	1-Oxo-1,3-Dihydroisobenzofuran-5-Carbonitrile	0	10	10	MT/M

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	157	As per Schedule-I	Recycle 100% to achieve ZLD
2.	Domestic effluent	15	As per Schedule-I	On land for gardening

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S1	Boiler I & Boiler II	1	As per Schedule -II
2	S2	DG set (600 KVA)	1	As per Schedule -II
3	S3	DG set (750 KVA) (Standby)	1	As per Schedule -II

<b>Sr No.</b>	<b>Stack No.</b>	<b>Description of stack / source</b>	<b>Number of Stack</b>	<b>Standards to be achieved</b>
4	S4	Process vent Scrubber 1	1	As per Schedule -II
5	S5	Process vent Scrubber 2	1	As per Schedule -II
6	S6	Process vent Scrubber 3	1	As per Schedule -II
7	S7	Process vent Scrubber 4	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

<b>Sr No</b>	<b>Type of Waste</b>	<b>Quantity</b>	<b>UoM</b>	<b>Treatment</b>	<b>Disposal</b>
1	Empty Carbuoys - HDPE /MS drums	300	No/D	Sale	Sale to authorized party
2	Glass bottles	300	No/D	Sale	Sale to authorized party
3	Briquette / Coal Ash	180	Ton/Y	Sale	Sale to Brick Manufacturer

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

<b>Sr No</b>	<b>Category No./ Type</b>	<b>Quantity</b>	<b>UoM</b>	<b>Treatment</b>	<b>Disposal</b>
1	35.3 Chemical sludge from waste water treatment	1244	MT/A	Landfill	CHWTSDF
2	28.1 Process Residue and wastes	950	MT/A	Incineration	CHWTSDF
3	37.3 Concentration or evaporation residues	778	MT/A	Incineration	CHWTSDF
4	5.1 Used or spent oil	0.4	MT/A	Recycle*	Sale to authorised party / CHWTSDF
5	28.6 Spent organic solvents	1083	MT/A	Recycle*	Sale to authorised party / CHWTSDF
6	28.3 Spent carbon	510	MT/A	Incineration	CHWTSDF
7	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	3600	Nos./Y	Recycle*	Sale to authorised party / CHWTSDF

**\* Industry shall ensure disposal to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016**

8. **Conditions under Batteries (Management & Handling) Rules, 2001:**

<b>Sr No</b>	<b>Type of Waste</b>	<b>Quantity</b>	<b>UoM</b>	<b>Disposal Path</b>
1	Used batteries	30.00	Nos./Y	Authorized Recycler

**Specific Conditions for used Batteries:**

- i. The applicant shall ensure that used batteries are not disposed of in any manner other than by depositing with the authorized dealer/ manufacturer/ registered recycler/ importer/ re-conditioner or at the designated collection center.
- ii. The applicant shall file half-yearly return in Form VIII to the M.P.C. Board.
- iii. Bulk consumers to their user units may auction used batteries to registered recyclers only.

**9. Conditions under Plastic Waste Management Rules, 2016 (Notification dtd. 18/03/2016):**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Lined & poly Bags	300.00	Kg/Day	Authorized Recycler

**10. Conditions under E-Waste Management:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	E-Waste	0.30	MT/A	Authorized Recycler

**11. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Soiled Waste	10.00	Yellow colored non-chlorinated plastic bags or containers	CBMWTSDF

12. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
13. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
14. The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
15. The applicant shall not carry out any excess production or produce new products without Consent of the Board and without Environmental Clearance wherever it applicable.
16. The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. SEAC-2015/CR-716/TC-2, dated 23/08/2016 and ensure display/upload six monthly compliance monitoring report on their official website.
17. The applicant shall properly collect, transport & regularly dispose-off the Hazardous Waste to CHWTSDF through online manifest system, in compliance of the Hazardous and other Waste (M & TH) Rule-2016.
18. This consent is issued pursuant to the decision of the 12th Consent Committee Meeting (2024-2025) held on 12/12/2024.
19. This consent is issued pursuant to the decision of Minutes of the 4th Meeting of Technical Committee (2024-25) for change in product mix Dated. 25/10/2024. This Consent is issued based on self-assessment of Pollution Load submitted by you in Board's prescribed format and Certificate of "No Increase in pollution load" issued by empaneled auditors M/s. SGM (Enviro) Pvt. Ltd, vide dtd. 18/06/2024. If any violation and/or submission of misleading information are noticed, then the consent issued will stand automatically cancelled and you have to follow the procedure of EIA Notification, 2006 and Amendments thereof for obtaining Environmental Clearance.

20. The industry shall ensure the connectivity of the OCEMS data to the Board server.
21. Industry shall ensure disposal of Hazardous Waste to the actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016.
22. M/s. Honour Lab Limited Unit 3B, located at Plot No. A-88 MIDC Kurkumbh, Tal Daund, Dist Pune and its sister concern unit M/s. Honour Lab Limited Unit 3A, located at Plot No. D-10 MIDC Kurkumbh, Tal Daund, Dist Pune shall sign bi-lateral agreement for joint and severally responsibility for the use of ETP & STP. If M/s. Honour Lab Limited Unit 3B, located at Plot No. A-88 MIDC Kurkumbh, Tal Daund, Dist Pune fails to achieve the standard prescribed in the consent, then M/s. Honour Lab Limited Unit 3A, located at Plot No. D-10 MIDC Kurkumbh, Tal Daund, Dist Pune should stop the manufacturing activity. In case of non-compliance, both units will be jointly & severally liable for any legal action.
23. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.
24. The industry shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



**Received Consent fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	300000.00	MPCB-DR-26470	13/05/2024	RTGS
2	25000.00	TXN2501000297	02/01/2025	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune I  
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

## SCHEDULE-I

### **Terms & conditions for compliance of Water Pollution Control:**

1. A] As per your application, you have segregated trade effluent into weak stream & strong stream and provided Effluent Treatment Plant (ETP) comprising of:
    - i) **Strong COD/TDS stream of 88 CMD** - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank) ., Stripper followed by Multi effect evaporator (6 stage) with design capacity of 280 CMD. The MEE condensate is treated in weak stream ETP.
    - ii) **Weak COD/TDS stream of 69 CMD** - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Secondary (MBBR), Tertiary (Pressure sand filter, Activated carbon filter), Advance treatment (Reverse osmosis, ATFD)
  - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing with metering system so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises.
  - C] The effluent generated at Plot No. D-10 shall be transferred to unit at Plot No. A-88 through closed pipeline for treatment and disposal.
  - D] Industry shall install online monitoring system i.e. IP Camera and flow meter to ensure the Zero Liquid Discharge and it connectivity to the MPCB server. Industry shall also install separate energy meter to the pollution control devices.
  - E] M/s. Honour Lab Limited Unit 3B, located at Plot No. A-88 MIDC Kurkumbh, Tal Daund, Dist Pune and its sister concern unit M/s. Honour Lab Limited Unit 3A, located at Plot No. D-10 MIDC Kurkumbh, Tal Daund, Dist Pune shall sign bi-lateral agreement for joint and severally responsibility for the use of ETP & STP. If M/s. Honour Lab Limited Unit 3B, located at Plot No. A-88 MIDC Kurkumbh, Tal Daund, Dist Pune fails to achieve the standard prescribed in the consent, then M/s. Honour Lab Limited Unit 3A, located at Plot No. D-10 MIDC Kurkumbh, Tal Daund, Dist Pune should stop the manufacturing activity. In case of non-compliance, both units will be jointly & severally liable for any legal action.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 50 CMD for the treatment of 15 CMD of sewage.
  - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

<b>Sr.No</b>	<b>Parameters</b>	<b>Standards (mg/l)</b>	
1	Suspended Solids	Not to exceed	50
2	BOD 3 days 27°C	Not to exceed	30

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way outside factory premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	350.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	149.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	27

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

## SCHEDULE-II

### Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S1	Boiler I	Stack	30.00	LDO 150 Ltr/Hr	1.8	TPM	150 Mg/Nm <sup>3</sup>
						SO2	129 Kg/Day
	Boiler II	Cyclone Separator & Dust Collector		Coal OR Briquette 600 Kg/Hr	0.5	TPM	150 Mg/Nm <sup>3</sup>
						SO2	57 Kg/Day
S2	DG Set (600 KVA)	Acoustic Enclosure	5.00	HSD 75 Lit/Day	1	TPM	150 Mg/Nm <sup>3</sup>
						SO2	1.5 Kg/Day
S3	DG Set (750 KVA) (Standby)	Acoustic Enclosure	5.00	HSD 75 Lit/Day	1	TPM	150 Mg/Nm <sup>3</sup>
						SO2	1.5 Kg/Day
S4	Process vent Proposed Scrubber 1	Scrubber	5.00	-	-	Bromine	3 PPM
						Acid Mist	35 Mg/Nm <sup>3</sup>
S5	Process vent Proposed Scrubber 2	Scrubber	5.00	-	-	Bromine	3 PPM
						Acid Mist	35 Mg/Nm <sup>3</sup>
S6	Process vent Proposed Scrubber 3	Scrubber	5.00	-	-	Bromine	3 PPM
						Acid Mist	35 Mg/Nm <sup>3</sup>
S7	Process vent Proposed Scrubber 4	Scrubber	5.00	-	-	Bromine	3 PPM
						Acid Mist	35 Mg/Nm <sup>3</sup>

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Parameters	Standards (unit)	
Total Particulate Matter	Not to exceed	150 mg/ Nm <sup>3</sup>

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
6. Solvent Management shall be carried out as follows:
  - a. Reactors shall be connected to Water / Chilled Water /Brine Condenser system.
  - b. Reactors and solvent handling pumps shall have mechanical seals to prevent the leakages.
  - c. The condensers shall be provided with adequate Heat transfer area (HTA) and residence time so as to achieve more than 97% overall recovery
  - d. Solvents shall be stored in a separate space specified with all safety measures.
  - e. Proper earthing shall be provided in all the equipment's, wherever solvent handling is done.
  - f. Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
  - g. All the solvent storage tanks shall be connected with vent condensers with Water / chilled water / Brine circulation.
  - h. Fugitive emissions shall be controlled at 99.95% with effective chillers.
  - i. Solvent transfer shall be through pump.
  - j. Metering and control of quantities of active ingredients to minimize wastes.
  - k. Use of automatic filling to minimize spillage.
  - l. Use of close feed system into batch reactors.
  - m. Venting equipment through vapour recovery system.

### SCHEDULE-III

#### Details of Bank Guarantees:

Sr. No.	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R (Existing to be extended)	Rs. 5 Lakh	15 days	Towards O & M of Pollution Control systems	31/05/2026	31/05/2027
2	C to R (Existing to be extended)	Rs. 10 Lakh	15 days	Towards Compliance of Restart Directions dated 27/11/2020	31/05/2026	31/05/2027

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

#### BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

#### BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

**SCHEDULE-IV**  
**General Conditions:**

1. The waste generator shall.-
  - a) take steps to minimize generation of plastic waste and segregate plastic waste at source in accordance with the Plastic Waste Management Rules, 2016 or as amended from time to time.
  - b) not litter the plastic waste and ensure segregated storage of waste at source and handover segregated waste to urban local body or gram panchayat or agencies appointed by them or registered waste pickers', registered recyclers or waste collection agencies;
2. All institutional generators of plastic waste, shall segregate and store the waste generated by them in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time and handover segregated wastes to authorized waste processing or disposal facilities or deposition centers either on its own or through the authorized waste collection agency.
3. All waste generators shall pay such user fee or charge as may be specified in the byelaws of the local bodies for plastic waste management such as waste collection or operation of the facility thereof, etc.;
4. Every person responsible for organizing an event in open space, which involves service of food stuff in plastic or multilayered packaging shall segregate and manage the waste generated during such events in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time.
5. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
6. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
7. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
8. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
9. Specific Conditions for storage, Handling and Disposal of Waste from Electrical & Electronic equipment (WEEE):
  1. **Collection of WEEE** - The applicant must provide appropriate and dedicated vehicles duly identified as per the norms for transportation of Hazardous Waste. The applicant shall obtain all the required permits for transportation of WEEE from competent authority. The applicant shall ensure the safe transport of the WEEE without any spillage during transportation.  
**Storage for disassembled parts:** The applicant must provide appropriate storage for disassembled spare parts from WEEE. Some spare parts (e.g. motors and compressors) will contain oil and/or other fluids. Such part must be appropriately segregated and stored in containers that are secured such that oil and other fluids cannot escape from them. These containers must be stored on an area with an area with an impermeable surface and a sealed drainage system.

2. **Storage for other components and residues:** Other components and residues arising from the treatment of WEEE will need to be contained following their removal for disposal or recovery. Where they contain hazardous substances they should be stored on impermeable surface and in appropriate containers or bays with weatherproof covering. Containers should be clearly labelled to identify their contents and must be secured so that liquids, including rain water cannot enter them. Components should be segregated having regard to their eventual destinations and the compatibility of the component types. All batteries should be handled and stored having regard to the potential fire risk associated with them.
3. **Balances :** WEEE Guidelines also requires that sites for handling of WEEE have "balances to measure the weight of the segregated waste". The objective is to ensure that a record of weights can be maintained of WEEE entering a facility and components and materials leaving each site (together with their destinations). The nature of the weighing equipment should be appropriate for the type and quantity of WEEE being processed.
4. Plastic, which cannot be recycled and is hazardous in nature, is recommended to be land filled in nearby CHWTSDF.
5. Ferrous and nonferrous metal recycling facilities fall under the purview of existing environmental regulations for air, water, noise, land and soil pollution and generation of hazardous waste and the same should be followed.
6. CFCs should be either reused or incinerated in common hazardous waste Incineration facilities at CHWTSDF.
7. Waste Oil should be either reused or incinerated in common hazardous waste incineration facilities.
8. PCB's containing capacitors shall be incinerated in common hazardous waste incineration facilities at CHWTSDF.
9. Mercury recovery and lead recycling facilities from batteries fall under the Hazardous & Other Wastes (M & TM) Rules, 2016.
10. Existing environmental regulations for air; water; noise, land and soil pollution and generation of hazardous waste and the same should be followed. In case Mercury or lead recovery is very low, they can be temporarily stored at e-waste recycling facility and later disposed in TSDF.
11. The industry shall maintain records of the e-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 as per Rules 11(9) & 13(3)(vii) of the E-Waste(M) Rules, 2016; on or before 30th day of June of every year.
10. The Energy source for lighting purpose shall preferably be LED based
11. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
12. Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
13. The applicant shall maintain good housekeeping.
  14. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
  15. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
  16. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
  17. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
  18. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
  19. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
  20. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
  21. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
  22. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
  23. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
  24. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
  25. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.

26. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
27. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
28. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
29. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
30. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
31. The industry should not cause any nuisance in surrounding area.
32. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
33. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
34. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
35. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
36. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
37. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
38. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.

39. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
40. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.
41. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
42. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
43. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
44. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
45. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
46. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

---

This certificate is digitally & electronically signed.

---