

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240 - 2473462  
Fax: 0240 - 2473461  
Website: <http://mpcb.gov.in>  
Email:  
[roaurangabad@mpcb.gov.in](mailto:roaurangabad@mpcb.gov.in)



Paryavaran Bhavan, A -  
4/1, MIDC Area ,  
Chikalthana, Near Seth  
Nandlal Dhoot Hospital,  
Jalna Road , Chatrapati  
Sambhaji Nagar - 431 210

ORANGE/L.S.I (07)  
No:- Format1.0/RO/UAN  
No.0000019156/CO/2601000014

Date: 02/01/2026

To,  
M/s. FRIGORIFICO ALLANA PRIVATE LIMITED (Fruit &  
Vegetable Processing Unit),  
GUT NO. 84 & 85, GEVRAI VILLAGE, PAITHAN ROAD,  
Tq. Paithan, Dist. Chhatrapati Sambhaji Nagar.



**Sub: Grant of Amendment in Consent with overriding effect on previous consent granted by the Board vide No. ROAURANGABAD/CONSENT/191000469 Dtd. 09.10.2019 valid upto 31.03.2029.**

**Ref:**

1. Your application for grant of Amendment in Consent vide UAN no. 0000077025/CO
2. Consent granted by the Board vide no. ROAURANGABAD/CONSENT/191000469 Dtd. 09.10.2019 valid upto 31.03.2029.
3. Amendment in consent granted by the Board vide no. Format1.0/RO/UAN No.0000018827/CO/2512000205 dtd. - 29.12.2025.

Your application No.MPCB-CONSENT\_AMMENDMENT-0000019156 Dated 29.12.2025

For: Grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to operate is granted for a period up to 31/03/2029**
2. **The capital investment of the project is Rs.63.64 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. Crs + Expansion/Increase in C.I. - Rs. Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	FRUIT PULP / SLICE (FROZEN, ASEPTIC CANNED PULP & CONCENTRATE)	9000	MT/M
2	FROZEN VEGETABLE	3000	MT/M
3	PRINTED & PLAIN POLY BAGS & SHEETS	130	MT/M

(The products banned under the Maharashtra Plastic & Thermocol Products (Manufacture, Usage, Sale, Transport, Handling & Storage) Notification, 2018 and amendment dated 11.4.2018, 30.6.2018 and 14.6.2019, 28.03.2022 are not allowed)

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

<b>Sr No</b>	<b>Description</b>	<b>Permitted (in CMD)</b>	<b>Standards to</b>	<b>Disposal Path</b>
1.	Trade effluent	460	As per Schedule -I	On land for gardening
2.	Domestic effluent	71.2	As per Schedule - I	On land for gardening

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

<b>Sr No.</b>	<b>Stack No.</b>	<b>Description of stack / source</b>	<b>Number of Stack</b>	<b>Standards to be achieved</b>
1	S-1	DG Set (500 KVA)	1	As per Schedule -II
2	S-2	DG Set (1010 KVA)	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

<b>Sr No</b>	<b>Type of Waste</b>	<b>Quantity</b>	<b>UoM</b>	<b>Treatment</b>	<b>Disposal</b>
1	MANGO PEEL / SEEDS & OTHER ORGANIC BIODEGRADABLE MATERIAL	500	MT/M	DRYING	USED AS MANURE / BOILER FUEL
2	PLASTIC WASTE	5.85	MT/M	RECYCLE	RECYCLE IN PROCESS

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

<b>Sr No</b>	<b>Category No./ Type</b>	<b>Quantity</b>	<b>UoM</b>	<b>Treatment</b>	<b>Disposal</b>
1	5.1 Used or spent oil	1000	Ltr/A	SALE TO AUTHORIZED RE PROCESSOR	SALE TO AUTHORIZED RE PROCESSOR

- The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- The industry shall comply with E-Waste (Management) Rules, 2022 and amendment thereof.
- The industry shall comply with Battery Waste Management Rules, 2022 and amendment thereof.
- Industry shall comply with the provisions of Maharashtra Plastic and Thermocol Items notification, 2018 and amendments thereto.
- The industry shall obtain prior permission from Board for any addition, moderation, expansion & change in production & alteration etc.
- Industry shall comply with the provisions of the Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 and amended thereof.

15. Industry shall strictly carry out the production as per the activity for which you have applied application. In the event during visit any variation observed the said consent will be revoked with immediate effect and Board will initiate stringent legal action against the project Proponent/Applicant.
16. The industry shall obtain necessary permission from the Directorate of Industrial & Safety.
17. The applicant shall follow the mechanism for Environmental Management of Critically and severely polluted areas in compliance of the order dated 23/08/2019 passed by the Hon'ble National Green Tribunal, Principal Bench, New Delhi in the matter of OA No. 1038/2018.
18. In case of usage of ground water, the Project Proponent must obtain NOC from CGWA within one month from the date of issue of CTE/CTO/CCA, unless falling in exempted category as per MoJS Guidelines dated 24.09.2020 and amendments dated 29.03.2023 hereto.
19. Industry shall comply with Board's Circular issued vide letter no. MPCB/JD(APC)/NCAP/DG set/B-0090 dated. 02.06.2022 regarding Retro-fitting of Emission Control Device (RECD) for in-use Diesel Operated internal combustion engines OR shifting to Gas Based Generator either by Retro-fitting of existing Generator OR partial uses of gas ( a mixture of gas & diesel ) in the State of Maharashtra.
20. (The products banned under the Maharashtra Plastic & Thermocol Products (Manufacture, Usage, Sale, Transport, Handling & Storage) Notification, 2018 and amendment dated 11.4.2018, 30.6.2018 and 14.6.2019, 28.03.2022 are not allowed).
21. (For Industrial packaging purpose only) (By using virgin Plastic/Granules as a raw material). Industry shall not manufacture banned single Use Plastic (SUP) items as well as not sell finished products to manufactures of banned SUP items as per Maharashtra Plastic and Thermocol (Manufacture, Usage, Sale, Transport, Handling & Storage). The packaging material shall be more than 50 Micron thickness (Except for export purposes). The packaging material shall be made up of a minimum of 20% recyclable material (Except for food packaging). The packaging material (Except for export purposes) shall be printed with the manufacture's details, type of plastic with a code number and buyback price.
22. For 100% Domestic product Use. (Without violation of the Maharashtra Plastic & Thremocol Products (Manufacture, Usage, Sale, Transport, Handling & Storage Notification, 2018 & amended thereof.)
23. Industry shall obtain Authorization/ Registration from CPCB as "Manufacturer" "Producer" under the Plastic Waste Management Rules, 2016 and amendment thereto.
24. Industry shall comply with the Maharashtra Plastic and Thermocol (Manufacture, Usage, Sale, Transport, Handling and Storage) Notification 2018 dated 23.3.2018 and amendment dated 11.4.2018, 30.6.2018 and 14.6.2019, 28.03.2022.
25. You shall not manufacture Banned items as per the Plastic Waste Management Rules, 2016 and amendment thereto and Maharashtra Plastic and Thermocol (Manufacture, Usage, Sale, Transport, Handling and Storage) Notification 2018 and amendment thereto.
26. Industry shall submit the EPR for each financial year with copy of approval of UDD (Urban Development Department) Govt. of Maharashtra.
27. Industry shall comply with the provisions/guidelines of Plastic Waste Management (Amendment) Rules 2022 Gazette Notification dtd-16-02-2022 issued by Ministry of Environment, Forest and Climate Change.
28. The plastic packaging material shall be more than 50-micron thickness with a minimum weight of 2 grams. The packaging material shall be printed with manufacturer's details, type of plastic with code number and buy-back price.

29. The applicant shall obtain Plastic Registration under Rule 9 of the Plastic Waste Management Rules, 2016 from the Board.
30. The Producer shall submit/work out modalities for waste collection system on Extended Producers Responsibility and involving State Urban Development Department, either individually or collectively, through their own distribution channel or through the local body concerned.
31. You shall not start the production and use of Printed and Plain Poly Bags/ Sheets without obtaining EPR-Registration and submission of the Methodology for collection and recycling of 130 MT/M Plastic Packaging Waste being generated after end-use of your Printed and Plain Poly Bags/ Sheets in the States of Maharashtra, Telangana, Andhra Pradesh, Uttar-Pradesh, Bihar, Punjab and Haryana within India as per your undertaking.
32. You shall submit the Methodology for collection and recycling of 130 MT/M plastic packaging product being manufactured and used by your company within a period of 30 days to the MPCB in compliance of Plastic Waste Management Rules, 2016 as amended from time to time for the products being used in India
33. This consent is issued with overriding on previous Amendment in Consent granted by the Board vide no. Format 1.0/RO/UAN No. 0000018278/CO/2511000003 Dtd.02.11.2025 Valid upto 31.03.2029.
34. The applicant shall make an application for renewal of consent 120 days prior to date of expiry of the consent. (Operate/Renewal)

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



#### Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	5452570	19/07/2019	NEFT

#### Copy to:

1. Regional Officer, MPCB, Chhatrapati Sambhajnagar and Sub-Regional Officer, MPCB, Chhatrapati Sambhajnagar I
  - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

### **SCHEDULE-I**

#### **Terms & conditions for compliance of Water Pollution Control:**

1. A] As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 1000.00 CMD consisting of for the treatment of 460 CMD of trade effluent.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

<b>Sr.No</b>	<b>Parameters</b>	<b>Limiting concentration not to exceed in mg/l, except for pH</b>
(1)	pH	6.0 -8.5
(2)	BOD (3 days 27°C)	30
(3)	COD	250
(4)	TSS	100
(5)	Oil & Grease	10
(6)	Chlorides	600
(7)	Sulphate	1000
(8)	TDS	2100

2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 75 CMD for the treatment of 71.2 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

<b>Sr.No</b>	<b>Parameters</b>	<b>Standards (mg/l)</b>	
1	Suspended Solids	Not to exceed	50
2	BOD 3 days 27°C	Not to exceed	30
3	COD	Not to exceed	100

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way for gardening / outside factory premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	325.00
2.	Domestic purpose	81.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	400.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.




## **SCHEDULE-II**

### **Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

<b>Stack No.</b>	<b>Source</b>	<b>APC System provided/proposed</b>	<b>Stack Height(in mtr)</b>	<b>Type of Fuel</b>	<b>Sulphur Content(in %)</b>	<b>Pollutant</b>	<b>Standard</b>
1	BOILER	Multi Cyclone	35.00	BRIQUETTES / HUSK / MANGO PEEL & SEEDS / BAGASSE 10 MT/Day	-	TPM	50 Mg/Nm <sup>3</sup>
1	DG Set (1010 KVA)	Stack	16.00	HSD 220 Ltr/Hr	-	TPM	50 Mg/Nm <sup>3</sup>
1	DG Set (500 KVA)	Stack	16.00	HSD 70 Ltr/Hr	-	TPM	50 Mg/Nm <sup>3</sup>

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



### **SCHEDULE-III**

#### **Details of Bank Guarantees:**

<b>Sr. No.</b>	<b>Consent(C2E/C2O/C2R)</b>	<b>Amt of BG Imposed</b>	<b>Submission Period</b>	<b>Purpose of BG</b>	<b>Compliance Period</b>	<b>Validity Date</b>
1	CTR	500000	15 Day	Compliance of Consent Conditions	Continuous	30.06.2029

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

**# Existing BG obtained for above purpose if any may be extended for period of validity as above.**

#### **BG Forfeiture History**

<b>Srno.</b>	<b>Consent (C2E/C2O/C2R)</b>	<b>Amount of BG imposed</b>	<b>Submission Period</b>	<b>Purpose of BG</b>	<b>Amount of BG Forfeiture</b>	<b>Reason of BG Forfeiture</b>
NA						

#### **BG Return details**

<b>Srno.</b>	<b>Consent (C2E/C2O/C2R)</b>	<b>BG imposed</b>	<b>Purpose of BG</b>	<b>Amount of BG Returned</b>
NA				





**SCHEDULE-IV**  
**General Conditions:**

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

13. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
14. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
26. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
34. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
35. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
36. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
37. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

---

This certificate is digitally & electronically signed.

---