

MAHARASHTRA POLLUTION CONTROL BOARD

Phone:4010437/4020781
4045589/4037124/4035273
Fax : 4024068 /4023516



Kalpataru Point, 3rd & 4th floor,
Sion, Matunga Scheme Road No. 8,
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E)
Mumbai : 400 022

By RPA / Hand Delivery / Fax

No.:MPCB/PSO/BMW/CC: 2008001011

Date: 26/08/2020

To,
M/s. Simnani Corporation,
A/P- Kolgaonmal, Pathare Road,
Kolgaonmal, Taluka Sinnar,
Dist. Nashik
Email: simnanicorporation2020@gmail.com

Sub: Refusal of Consent under Rule 10(2) of the Bio-Medical Waste Management Rules, 2016 and Environment (Protection) Act, 1986.

Ref: 1. Your BMW authorization & Consent application resubmitted to MPCB, HQ, Sion, Mumbai on 05.07.2020.
2. Report submitted of SRO- Nashik
3. Minutes of 7th CC- meeting held on 16.07.2020

WHEREAS, the Ministry of Environment & Forests, Govt. of India in exercise of the powers conferred by section 6,8 and 25 of the Environment (Protection) Act, 1986 has notified the Bio-Medical Waste Management Rules, 2016, for proper management and handling of the Bio-medical Waste.

AND WHEREAS, it is the responsibility of common Bio-medical waste facility to treat & dispose off bio-medical waste at common facility in a scientific manner as per the provisions of the said Rules.

AND WHEREAS, this office is in receipt of your Consent to Establish application from SRO Nashik on 05.07.2020 and was placed before 7th CC- meeting held on 16.07.2020 in which it was not approved for certain non compliances are noted as under,

- The Detail Project Report for Establishment of CTF is not submitted.
- Details of land ownership documents is not submitted.
- Project report is required as per Biomedical Waste Management Rules, 2016, as amended and as per CPCB Guidelines.
- Presently the proposed area is been covered by four common facilities namely, M/s. Water Grace Product, CTF, Nashik and M/s. Bioclean system India Pvt. Ltd., CTF, Ahmednagar.
- Feasibility report of facility is not submitted.
- Gap assessment needs to be carried to ensure that the existing facility confirms the CPCB guidelines and provisions of Biomedical Waste Rules, 2016.
- Detail Project report needs to be submitted based on gap assessment of proposed jurisdiction.

:2:

AND WHEREAS, as per the policy of Board for setting up of new additional facility in the State, detail project report needs to be prepared based on gap assessment of entire state.

AND THEREFORE, and in view of the aforesaid reason, your application for Consent under the provisions of Bio-Medical Wastes Management Rules 2016 is hereby refused, which may please be noted.

If you are aggrieved with the said Refusal of Consent, you may prefer an Appeal under Section 28 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 31 of the Air (Prevention & Control of Pollution) Act, 1981 and under Rule 16(1) of the Bio-Medical Waste Management Rules, 2016 before the Secretary, Environment Department, Govt. of Maharashtra, within a period of 30 days from the date of receipt of the said letter.


(E. Ravendiran, IAS)
Member Secretary

Copy to: PSO/ L.O., MPCB, Regional Officer, MPCB, Nashik / SRO- Nashik – for information and necessary action.