

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 02462 - 242492
Fax: 02462 - 242492
Website: <http://mpcb.gov.in>
Email: sronanded@mpcb.gov.in



Lahoti Complex, 2nd Floor,
Near Shivaji Statue,
Vajirabad, Nanded - 431601

RED/S.S.I
No:- Format1.0/SRO/UAN
No.0000146741/CR/2209001830

Date: 29/09/2022

To,
MUJEEB CHILDRENS HOSPITAL
PROPERTY NO. 7-1-112, SARAFA CHOWK, ITWARA
NANDED
TQ. & DIST. NANDED



Your Service is Our Duty

Sub: Combine consent to operate & BMW authorisation (CCA) under the provision of Water (P&CP) Act,1974, Air (P& CP) Act, 1981 and BioMedical Waste Management Rule,2016 as amended and Hazardous Waste (M&TM) Rules, 2016

Ref: Your application for Combine Consent and Bio-Medical Authorization dated 23.08.2022

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Trans boundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Renewal and BMW authorization is granted upto: 31.12.2025**

The capital investment of the project is Rs.0.0616 Crs. (As per C.A Certificate submitted by industry Existing-Rs. __ Crs + Expansion/Increase in C.I. - Rs. __ Crs).

3. **The Combined Consent to Renewal and BMW authorization is granted upto: 31.12.2025**

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

| Sr No | Description | Permitted (in CMD) | Standards to Acheive | Disposal |
|-------|-------------------|--------------------|----------------------|----------|
| 1. | Trade effluent | 0 | As per Schedule -I | 0 |
| 2. | Domestic effluent | 0.2 | As per Schedule - I | 0 |

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

| Sr.No | Description of stack / source | Number of Stack | Standards to be achieved |
|-------|-------------------------------|-----------------|--------------------------|
| 1 | 0 | 1 | As per Schedule -II |

6. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

| Sr No | Type of Waste | HW Category. | Quantity | UoM | Treatment | Disposal |
|-------|---------------|--------------|----------|--------|-----------|----------|
| 1 | | NA | 0 | --NA-- | NA | NA |

7. **Conditions about Non Hazardous Wastes:**

| Sr No | Type of Waste | Quantity | UoM | Treatment | Disposal |
|-------|---------------|----------|-----|-----------|----------|
|-------|---------------|----------|-----|-----------|----------|

8. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:**

| Sr.No | Category | Type of Waste | Quantity not to exceed (Kg/M) | Segregation Color coding | Treatment & Disposal |
|-------|----------|-----------------------------------|-------------------------------|---|---|
| 1 | Yellow | a) Soiled Waste | 10.00 | Yellow colored non-chlorinated plastic bags or containers | CBMWTSDF M/s. Superb Hygeinic Disposal Pvt Ltd, Tuppa, Tal & DistNanded |
| | | b) Expired or Discarded Medicines | 1.00 | | |
| 2 | Red | Contaminated waste (Recyclable) | 15.00 | Red colored non chlorinated plastic bags or containers | CBMWTSDF M/s. Superb Hygeinic Disposal Pvt Ltd, Tuppa, Tal & DistNanded |

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.

10. This consent is issued subject to conditions mentioned below:

- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?.
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure – IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
 13. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBSAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also. 2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid,ascetic fluid, HBSAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization". 3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis. 4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected. 5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly. 6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB
 14. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid,ascetic fluid, HBSAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
 15. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis
 16. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
 17. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
 18. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB

Received Consent fee of -

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date | Transaction Type |
|--------------|--------------------|---------------------------|-------------|-------------------------|
| 1 | 2500.00 | TXN2208002495 | 23/08/2022 | Online Payment |
| 2 | 6250.00 | TXN2208002497 | 23/08/2022 | Online Payment |

0

Copy to:

1. Regional Officer, MPCB, Aurangabad for information.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] Generation - Nil
B] Treatment - NA
C] Disposal - NA
2. A]
B] Industry shall comply prescribed standards & disposal path as prescribed at Sr. No. 1 B & C of schedule I.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|----------------|--|---|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 0.00 |
| 2. | Domestic purpose | 1.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 0.00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 |
| 5. | Gardening | 0 |

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

| Stack No. | Stack Attached To | APC System | Height in Mtrs. | Type of Fuel | Quantity & UoM | S% | SO₂ |
|------------------|--------------------------|-------------------|------------------------|---------------------|---------------------------|-----------|-----------------------|
| 0 | 0 0 | 0 | 0 | 0 | 0 --NA-- | 0.00 | 0.00 |

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

| | | |
|--------------------------|---------------|------------------------|
| Total Particulate matter | Not to exceed | 150 mg/Nm ³ |
|--------------------------|---------------|------------------------|

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III

Details of Bank Guarantees:

| Sr. No. | Consent(C2E/C20/C2R) | Amt of BG Imposed | Submission Period | Purpose of BG | Compliance Period | Validity Date |
|---------|----------------------|-------------------|-------------------|---------------|-------------------|---------------|
| NA | | | | | | |

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

| Sr.No | Activity / Condition to be Complied | Compliance Timeline(Months) | Bank Guarantee Amount |
|-------|--|-----------------------------|-----------------------|
| 1A | Performance | | |
| 1 | To provide BMW separate storage facility as per guidelines of CPCB | Continuous | |

BG Forfeiture History

| Srno. | Consent (C2E/C20/C2R) | Amount of BG imposed | Submission Period | Purpose of BG | Amount of BG Forfeiture | Reason of BG Forfeiture |
|-------|-----------------------|----------------------|-------------------|---------------|-------------------------|-------------------------|
| NA | | | | | | |

BG Return details

| Srno. | Consent (C2E/C20/C2R) | BG imposed | Purpose of BG | Amount of BG Returned |
|-------|-----------------------|------------|---------------|-----------------------|
| NA | | | | |

SCHEDULE-IV

General Conditions:

1. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
2. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
3. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
4. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
5. You should not cause any nuisance in surrounding area.
6. You shall maintain good housekeeping.
7. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.

This certificate is digitally & electronically signed.

