

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023515

Website: <http://mpcb.gov.in>

E-mail: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd-4th Floor
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E)
Mumbai-400 022.

2207000010

Consent order No :- 1.0/CAC/UAN No. 124503/Amend-8309/

Date- 04/07/2022

Amendment of Consent

To,
Chloride Metals Limited,
Plot No. F-219, Supa MIDC,
Supa Parner Industrial Park,
Tal. Parner, Dist. Ahmednagar.

Subject: Amendment in Consent to Establish to dispose RO reject for quenching of furnace slag.

Ref : 1] Earlier Consent to Establish granted vide no. Format 1.0/CAC/UAN No. 0000124503/CE-2203001275 dtd. 24.03.2022
2] Minutes of CAC meeting held on 24.05.2022

Your application: - Amendment-0000008309
Dated: 01.04.2022

For: Amendment in consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous and Other Wastes (M & T M) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

Board has granted the consent under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974; under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous and Other Wastes (Management & Transboundary Movement) Rules 2016 to M/s. Chloride Metals Limited, Plot No. F-219, Supa MIDC, Supa Parner Industrial Park, Tal. Parner, Dist. Ahmednagar consent to Establish vide above Ref. no.1. Industry has submitted the application for amendment in the consent. The case was placed before CAC held on 24.05.2022 and it was decided to amend the consent & is hereby read as under:-

For SCHEDULE-I Condition No. 1 A

As per your application, you have proposed to provide Effluent Treatment Plant (ETP) of designed capacity of 150 CMD consisting of Advanced treatment (Reverse osmosis, Multi effect evaporator) for the treatment of 137 CMD of trade effluent.


Read as SCHEDULE-I Condition No. 1 A

As per your application, you have proposed to provide Effluent Treatment Plant (ETP) of designed capacity of 150 CMD consisting of Advanced treatment (Reverse osmosis) for the treatment of 137 CMD of trade effluent. RO reject shall be used for quenching of furnace slag.

Another amendment requested by the industry are not approved by the Consent Appraisal Committee (CAC).

All the other conditions of the consent referred at 1. shall be remain unchanged.
This amendment is valid only along with the consent referred at 1. above.

For and on behalf of the
Maharashtra Pollution Control Board


(Ashok Shingare, IAS)
Member Secretary

Copy to:

1. Regional Officer, Nashik / Sub-Regional Officer, MPCB, Ahmednagar- They are directed to ensure the compliance of the consent conditions.