

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

No. BO/MPCB/SRO/Refusal/UAN
No.0000167277/CR/2602000007

Date: 02/02/2026

To,
M/S: RATHI STEEL & METAL PVT LTD
PLOT NO: F-12,ADDL MIDC, JALNA,Dist.- Jalna



Sub: Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref:**
1. Earlier the Board has granted consent to Operate vide letter No.- Format1.0/CC/UAN No.MPCBCONSENT-0000167277/CR/2408000933 dated 09/08/2024 , which is valid up to 30.06.2028.
 2. Recently the You have applied consent to operate with amalgamation vide UAN No.- MPCB-CONSENT-0000269054 with exiting consent
 3. Your application for grant of Amendment MPCB-CONSENT_AMMENDMENT-0000014330

WHEREAS, this office is in receipt of your application for grant of Amendment under section 26 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundry Movement) Rules, 2016.

AND WHEREAS, Earlier the Board has granted consent to Operate vide letter No.- Format1.0/CC/UAN No.MPCBCONSENT-0000167277/CR/2408000933 dated 09/08/2024 , which is valid up to 30.06.2028 ANDWHERAS , You have applied for consent to operate with amalgamation vide UAN No.- MPCB-CONSENT-0000269054 with exiting consent for Installation of new Induction Furnace 01x30 (Ton) and Re heating Furnace -19 Ton/hr without change in production Quantity

In view of above, considering the above Information , your application for grant of required amendment is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981. You are hereby directed not to take any effective steps towards operation of the unit without permission of the Board, else Board will initiate legal action as per the provisions of Environmental enactments. If you are aggrieved by this order, you may prefer on appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 days' time from the date of receipt of this letter.

Copy to:

1. Regional Officer, MPCB-Chhatrapati Sambhajinagar- for information, please.

