

MAHARASHTRA POLLUTION CONTROL BOARD
Sub-REGIONAL OFFICE, PUNE 1

Phone: 020-25811694

Fax: 020-25811029

Visit us at www.mpcb.gov.in

E-mail: sropune1@mpcb.gov.in



Jog Center Bldg.
2nd Floor, Wakdewadi,
Old Mumbai Pune Highway,
Pune 411003

SRO-PUNE- 1/BMW-AUTH/2002000387

Date: 26/02/2020

To,

M/s. NOVA PULSE IVF CLINIC PVT. LTD,
12/1/1+1/2C, PART, KRANTI NAGAR,
KHARADI, PUNE-411014.

Sub: Refusal of renewal of BMW Authorization under Rule 10(2) of BMW Rules, 2016.

Ref: 1) Your application for BMW Authorization vide No. MPCB-BMW_AUTH-0000025681.
2) Show Cause Notice for Refusal issued by the Board vide no MPCB/
SCN/200220FTS0156 dated 20/02/2020.

WHEREAS, you are operating your HCE in Water Pollution Prevention area and Air Pollution Prevention area declared the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 and amendments thereto.

AND WHEREAS, you have applied for fresh of BMW authorization under Bio-Medical Waste (Management, Handling & Trans-boundary Movement) Rules 2016 and amendments thereto.

AND WHEREAS, it is obligatory on your part to operate the HCE with a valid authorization granted by the State Pollution Control Board under Bio-Medical Waste (Management, Handling & Trans-boundary Movement) Rules 2016 and amendments thereto and comply the conditions stipulated therein.

AND WHEREAS, it is noted that, you have not taken any efforts to submit the required documents, discrepancies found upon scrutiny of your application and compliance of authorization conditions, which finds difficult to consider your application for renewal of authorization, therefor issued show cause notice for refusal of authorization vides ref(3).

AND WHEREAS, It is noted that you have not submitted reply to Show Cause Notice for Refusal and you have failed to address the issues and compliance thereof after repeated communication. This shows your negligent attitude towards Environment Protection & Compliance to the directions issued by the Board.

NOW, THEREFORE, taking into consideration all the material facts including environmental concerns and in exercise of the powers conferred upon me, your renewal of BMW Authorization is hereby refused under Rule 10(2) of Bio-Medical Waste Management Rules, 2016.

If you are aggrieved with said Refusal of Authorization, you may prefer an Appeal under Rule 16(1) of the Bio-Medical Waste Management Rules, 2016 before Appellate Authority within a period of 30 days from the date of receipt of the said letter.

For and on behalf of the
Maharashtra Pollution Control Board



(Pratap Jagtap)

Sub-Regional Officer, Chandrapur.

Copy submitted for favor of information to:

1. Joint Direction (Water) MPCB Board Mumbai.
2. Regional Officer, MPCB, Pune.