


# MAHARASHTRA POLLUTION CONTROL BOARD

<b>Phone</b> :	4010437/4020781 /4037124/4035273		Kalpataru Point, 3rd & 4th floor, Sion-Matunga Scheme Road No. 8,
<b>Fax</b> :	24044532/4024068 /4023516		Opp. Cine Planet Cinema,
<b>Email</b> :	rohq@mpcb.gov.in		Near Sion Circle, Sion (E),
<b>Visit At</b> :	<a href="http://mpcb.gov.in">http://mpcb.gov.in</a>		Mumbai - 400 022

No. MPCB/RO(HQ)/HWMD/B- 210500002

Date: 12/05/2021

To,  
M/s. S S Chemicals,  
48 Gami Industrial area Navi Mumbai

**Sub: Refusal of Application under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981.**

**Ref:** 1) Your application dated ~~25/07/2019~~ UAN. MPCB-HW\_AUTH-000001412 &1405  
2) Application forwarded by SRO Navi Mumbai-I

**WHEREAS**, you have made an application in form no. 1 for obtaining authorization for recycling/reprocessing under the provisions of Hazardous & Other Wastes (M & TM) Rules 2016.

**AND WHEREAS**, SRO Navi Mumbai-I reported that you have not submitted the details documents along with the application also not responding the letter /call by him. Further reported that during the visit paid by them on 25/03/2021 concern person not available on the site.

In view of above, your application for grant of authorization is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous & Other Wastes (M & TM) Rules 2016. . If you are aggrieved by thos order, you may prefer on appeal as per provisions in the Water (P& CP) Act, 1974 & the Air (P & CP) Act, 1984 within 30 days' time from the date of receipt of this letter

  
(N. N. Gurav)

Regional officer (HQ)

- 1) Sr. Law Officer (P & L Divn.)/ Regional Officer (HQ), MPCB, Mumbai – for information and necessary follow up.
- 2) -Regional Officer, MPCB, Navi Mumbai/Sub Regional Officer, MPCB Navi Mumbai-I – for information and necessary follow up action.