

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/L.S.I (R2)

Date: 29/01/2025

No:- Format1.0/CAC/UAN No.MPCB-
CONSENT_AMMENDMENT-0000011942/CR/2501000133

To,
M/s. Endurance Technologies Limited,
Plot No. K-226/1 & K227, MIDC Industrial Area, Waluj,
Chatrapati Sambhaji Nagar.



Your Service is Our Duty

Sub: Grant of Amendment in Renewal of Consent to Operate under Red/LSI Category

- Ref:**
1. Previous Renewal of consent granted by Board vide NO. Format1.0/CAC/UAN No.MPCB-CONSENT- 0000157117/CR/2309001749 dated 23.09.2023, valid up to 28.02.2027.
 2. Your application for amendment in consent vide UAN No. MPCB-CONSENT_AMMENDMENT - 0000011942,
 3. Minutes of 22nd Consent Appraisal Committee meeting held on 16.02.2024.

Your application No.MPCB-CONSENT_AMMENDMENT-0000011942 Dated 17.10.2023

For: Grant of Amendment in Renewal of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to renewal is granted for a period up to 28/02/2027**
2. **The capital investment of the project is Rs.188.37 Crs. (As per C.A Certificate submitted by industry Previous CI was Rs. 183.82 + Increase in C.I. by Rs. 4.55 Crs.)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Clutch Assembly	500000	No/M
2	Aluminium Pressure Die Casting	1500	MT/M
3	Friction Plate	4500000	No/M
4	CVT	65000	No/M
5	AXLE CLAMP RH	50000	No/M

Sr No	Product	Maximum Quantity	UOM
6	AXLE CLAMP LH	50000	No/M
7	UNDER BRACKET	10000	No/M
8	UPPER BRACKET	10000	No/M

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	79	As per Schedule -I	CETP
2.	Domestic effluent	90	As per Schedule - I	Partly recycle CMD & partly CETP CMD

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1	Melting & Re-melting Furnace No. 1	1	As per Schedule -II
2	S-2	Melting & Re-melting Furnace No. 2	1	As per Schedule -II
3	S-3	Melting & Re-melting Furnace No.3	1	As per Schedule -II
4	S-4 to S-9	Grinding Section (6 Nos)	6	As per Schedule -II
5	S-10 to S-11	Grinding Paper (02)	2	As per Schedule -II
6	S-12	Fire hydrant	1	As per Schedule -II
7	S-13	Nitriding	1	As per Schedule -II
8	S-14	Etching	1	As per Schedule -II
9	S-15 to S-18	DG Set (750 KVA- 04 Nos)	4	As per Schedule -II
10	S-19	DG Set (100 KVA)	1	As per Schedule -II
11	S-20	DG Set (125 KVA)	1	As per Schedule -II
12	S-21	Shot Blasting	1	As per Schedule -II
13	S-22	Dross Segregation	1	As per Schedule -II
14	S-23	DG Set (50 KVA)	1	As per Schedule -II
15	S-24	Pickling Process Vent-I	1	As per Schedule -II
16	S-25	Pickling Process Vent-II	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Aluminium scrap	86	MT/M	Sale	Sale to authorized party
2	Wooden scrap	8	MT/M	Sale	Sale to authorized party
3	Paper waste	14	MT/M	Sale	Sale to authorized party
4	MS scrap	16	MT/M	Sale	Sale to authorized party

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
5	Non Metallic Scrap	18.5	MT/M	Sale	Sale to authorized party
6	Used Brocken Crucibles	12.6	MT/A	Sale	Sale to authorized party
7	Ash Residue	380	MT/A	Sale	Sale to authorized party
8	Friction material waste	277	MT/A	Sale	Sale to authorized party

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	5120	Nos./Y	Decontamination	Sale to authorised party
2	5.1 Used or spent oil	8.7	KL/A	Recycle	Sale to authorised party
3	35.3 Chemical sludge from waste water treatment	30.0	MT/A	Landfill	CHWTSDF
4	23.1 Wastes or residues (not made with vegetable or animal materials)	277	MT/A	Incineration/Preprocessing/Co processing	Co-processing through MPCB/CPCB Authorized preprocessor/CHWTSDF
5	5.2 Wastes or residues containing oil	41.4	MT/A	Incineration	CHWTSDF
6	20.2 Spent solvents	42	KL/A	Incineration	CHWTSDF
7	35.4 Oil and grease skimming	80	MT/A	Incineration	CHWTSDF
8	15.1 Asbestos-containing residues	48000	MT/A	Landfill	CHWTSDF
9	3.3 Sludge and filters contaminated with oil	01	MT/A	Incineration	CHWTSDF
10	36.2 Spent carbon or filter medium	500	Kg/Annum	Incineration/ Recycle*	Sale to authorised party / CHWTSDF
11	37.1 Sludge from wet scrubbers	1.5	MT/A	Landfill	CHWTSDF

* Sale to Authorized Party having permission under Rule 9 of H&OW Rule


8. **Conditions under Plastic Waste Management Rules, 2016 (Notification dtd. 18/03/2016):**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Plastic waste	5.80	MT/M	Sale to authorized party for recycle

9. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
10. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.

11. Industry shall not carry out excess production or produce new products without Consent to Operate or without Environmental Clearance wherever it requires
12. Industry shall identify separate Hazardous Waste storage area and provide storage area as per the provisions of Rule
13. Industry shall obtain necessary permission of Director of Industrial Safety & Health (DISH).
14. PP shall properly operate pollution control system scientifically to achieve consented standards.
15. The treated effluent shall be discharged into CETP for further treatment & disposal after confirming standards prescribed in Schedule - I.
16. PP shall submit/extend the BG of Rs. 25.0 Lakh towards O & M of PCs and compliance of consent conditions.
17. This consent is issued with overriding effect of the Board's granted existing renewal of consent to operate vide No. Format1.0/CAC/UAN No.MPCBCONSENT-0000157117/CR/2309001749 dtd. 23.09.2023 with validity upto 28.02.2027
18. This consent is issued as per the minutes of 22nd Consent Appraisal Committee meeting held on 16.02.2024.
19. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	376758.00	MPCB-DR-17005	02/02/2023	RTGS

(As per previous consent Rs. 14,70,529.60/- was balance with Board + Above paid fees = Rs. 18,47,287/-, out of this Rs. 15,21,960/- is adjusted & Rs. 3,25,327/- is balance with Board which will be considered during next renewal of consent)

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Aurangabad I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC-CAC desk - for record & website updation.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 80.00 CMD consisting of Primary (Collection tank, Neutralization tank, Equalization tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter, Activated carbon filter) for the treatment of 79 CMD of trade effluent.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10
(3)	BOD (3 days 27°C)	30
(4)	Total Suspended solids	100
(5)	Total Dissolved solids	2100
(6)	COD	250
(7)	Iron	5.0
(8)	Sulphate	1000

- C] The treated effluent shall be discharged to CETP after confirming above standards. In no case, effluent shall find its way outside factory premises.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 90 CMD for the treatment of 90 CMD of sewage.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	BOD 3 days 27C	Not to exceed	30 mg/l
2	COD	Not to exceed	100 mg/l
3	Suspended Solids	Not to exceed	50 mg/l

- C] The treated sewage shall be 30% recycle for secondary purposes & remaining discharged into CETP after confirming above standards. In no case, sewage shall find its way outside factory premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	63.00
2.	Domestic purpose	104.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	100.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	15.00
5.	Gardening	60

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	Melting & Re-melting Furnace	Scrubber	30.00	LDO 200 Ltr/Hr	1.8	TPM	50 Mg/Nm ³
						SO ₂	172.8 Kg/Day
S-2	Melting & Re-melting Furnace	Scrubber	30.00	LDO 200 Ltr/Hr	1.8	TPM	50 Mg/Nm ³
						SO ₂	172.8 Kg/Day
S-3	Melting & Re-Melting Furnace	Scrubber	30.00	LDO 200 Ltr/Hr	1.8	TPM	50 Mg/Nm ³
						SO ₂	172.8 Kg/Day
S-4	Grinding Section-I	Cyclone	12.00	-	-	TPM	50 Mg/Nm ³
S-5	Grinding Section-II	Cyclone	12.00	-	-	TPM	50 Mg/Nm ³
S-6	Grinding Section-III	Cyclone	12.00	-	-	TPM	50 Mg/Nm ³
S-7	Grinding Section-IV	Cyclone	12.00	-	-	TPM	50 Mg/Nm ³

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-8	Grinding Section-V	Cyclone	12.00	-	-	TPM	50 Mg/Nm ³
S-9	Grinding Section-VI	Cyclone	12.00	-	-	TPM	50 Mg/Nm ³
S-10	Grinding Paper-I	Cyclone	12.00	-	-	TPM	50 Mg/Nm ³
S-11	Grinding Paper-II	Cyclone	12.00	-	-	TPM	50 Mg/Nm ³
S-12	Fire Hydrant	Stack	8.00	-	-	TPM	50 Mg/Nm ³
S-13	Nitriding	Stack	9.00	-	-	TPM	50 Mg/Nm ³
S-14	Etching	Scrubber	16.00	-	-	Acid Mist	35 Mg/Nm ³
S-15	DG Set	Acoustic Enclosure	16.00	HSD 150 Ltr/Hr	1.0	TPM	50 Mg/Nm ³
						SO2	72 Kg/Day
S-16	DG Set	Acoustic Enclosure	16.00	HSD 150 Ltr/Hr	1.0	TPM	50 Mg/Nm ³
						SO2	72 Kg/Day
S-17	DG Set	Acoustic Enclosure	16.00	HSD 150 Ltr/Hr	1.0	TPM	50 Mg/Nm ³
						SO2	72 Kg/Day
S-18	DG Set	Acoustic Enclosure	16.00	HSD 150 Ltr/Hr	1.0	TPM	50 Mg/Nm ³
						SO2	72 Kg/Day
S-19	DG Set	Acoustic Enclosure	9.00	HSD 50 Ltr/Hr	1	TPM	50 Mg/Nm ³
						SO2	24 Kg/Day
S-20	DG Set	Acoustic Enclosure	9.00	HSD 80 Ltr/Hr	1	TPM	50 Mg/Nm ³
						SO2	38.4 Kg/Day
S-21	Shot Blasting	Fabric Bag Filter	7.00	-	-	TPM	50 Mg/Nm ³
S-22	Dross Segregation	Multi Cyclone	6.00	-	-	TPM	50 Mg/Nm ³
S-23	DG Set	Acoustic Enclosure	9.00	HSD 30 Ltr/Hr	1.0	TPM	50 Mg/Nm ³
						SO2	14.4 Kg/Day
S-24	Pickling Section-I	Scrubber	16.00	-	-	Acid Mist	35 Mg/Nm ³
S-25	Pickling Section-II	Scrubber	16.00	-	-	Acid Mist	35 Mg/Nm ³

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Renewal of consent to operate	Rs. 25.0 Lakh	15 days	Towards O & M of PCs and compliance of consent conditions	Continuous	31.08.2027

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. The waste generator shall.-
 - a) take steps to minimize generation of plastic waste and segregate plastic waste at source in accordance with the Plastic Waste Management Rules, 2016 or as amended from time to time.
 - b) not litter the plastic waste and ensure segregated storage of waste at source and handover segregated waste to urban local body or gram panchayat or agencies appointed by them or registered waste pickers', registered recyclers or waste collection agencies;
2. All institutional generators of plastic waste, shall segregate and store the waste generated by them in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time and handover segregated wastes to authorized waste processing or disposal facilities or deposition centers either on its own or through the authorized waste collection agency.

3. All waste generators shall pay such user fee or charge as may be specified in the byelaws of the local bodies for plastic waste management such as waste collection or operation of the facility thereof, etc.;
4. Every person responsible for organizing an event in open space, which involves service of food stuff in plastic or multilayered packaging shall segregate and manage the waste generated during such events in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time.
5. The Energy source for lighting purpose shall preferably be LED based
6. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
7. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
8. The applicant shall maintain good housekeeping.
9. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
10. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
11. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
12. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
13. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.

14. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
15. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
16. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
17. The PP shall provide personal protection equipment as per norms of Factory Act
18. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
19. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
20. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
21. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
22. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
23. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
24. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
25. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
26. The industry should not cause any nuisance in surrounding area.

27. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
28. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
29. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
30. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
31. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
32. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
33. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
34. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
35. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
36. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
37. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

This certificate is digitally & electronically signed.
