# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),

Circle, Sion (E), Mumbai-400022

RED/L.S.I (R22) Date: 02/07/2024

No:- Format1.0/CAC/UAN No.MPCB-CONSENT\_AMMENDMENT-0000011823/CR/2407000001

To, M/s Galaxy Surfactants Limited, Plot No. V-23 & Plot No. 1, MIDC, Taloja, Tal. Panvel, Dist. Raigad - 410 208.



Sub: Grant of Amendment in Renewal of Consent to Operate under Red/LSI

Neu/L

Ref:

1. Consent to Operate accorded by the Board vide No. Format1.0/CAC/UAN No.MPCBCONSENT-0000157115/CR/2309002288 dated 28.09.2023

- 2. Your Amendment application vide UAN No. MPCB-CONSENT AMMENDMENT-0000011823
- 3. Minutes of Consent Appraisal Committee meeting held on 05.03.2024

Your application No.MPCB-CONSENT AMMENDMENT-0000011823 Dated 30.09.2023

For: Grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent to renewal is granted for a period up to 28/02/2026
- 2. The capital investment of the project is Rs.333.33 Crs. (As per C.A Certificate submitted by industry Existing-Rs. 321.13 Crs + Increase in C.I. Rs. 12.2 Crs)
- 3. Consent is valid for the manufacture of:

Sr No	Product	Maximum Quantity	иом					
Prod	Products							
1	Anionic Surfactants (on 100% AM basis) such as Fatty Alcohol Sulphate, Fatty Alcohol ether sulphates	7140	MT/M					
2	Ethylene Oxide Condensate	5000	MT/M					
3	Cationic Surfactants (on 100% AM basis) such as Betains, Quaternary Ammonium Salts etc.	1520	MT/M					
4	Sulphosuccinates	60	MT/M					
5	Surfactant Blends (on 100% AM Basis) such as Syndet Soap- Granules/Noodle s, Sparkle, Series etc.	1320	MT/M					
6	Fatty Acid Esters, fatty Alkanol Amides and Esterquates	1700	MT/M					

Sr No	Product	Maximum Quantity	иом
NO		Qualitity	

The applicant shall ensure sale of by-products to Actual user/ End user only or else disposed off at CHWTSDF in accordance with Hazardous and Other Wastes(Management & Transboundry Movement) Rules 2016.

# 4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	184	As per Schedule -I	Recycle 100% to achieve ZLD
2.	Domestic effluent	60	As per Schedule - I	Recycle 100% to achieve ZLD

# 5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1	Boiler-1 (2 X 2.5 TPH.)	1	As per Schedule -II
2	S-2	Boiler-2 (5 TPH)	1	As per Schedule -II
3	S-3	Thermopack (6 Lac KCal/Hr)	1	As per Schedule -II
4	S-4	V-23 Sulfonation	1	As per Schedule -II
5	S-5	EOU Sulphonation	1	As per Schedule -II
6	S-6	MED Sulfonation HEIRIE	1	As per Schedule -II
7	S-7	D.G. Set (1.9 MW)	1	As per Schedule -II
8	S-8	D.G. Set (1000 KVA)	1	As per Schedule -II

#### 6. Non-Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Waster Paper/Paper Bags	96	MT/A	Sale	Sale to authorized party
2	Corrugated Box	6	MT/A	Sale	Sale to authorized party
3	Broken Galss	6	MT/A	Sale	Sale to authorized party
4	Insulation Waste	25	MT/A	Sale	Sale to authorized party
5	Decontaminated Poly/HDPE Bags	48	MT/A	Sale	Sale to authorized party
6	Decontaminated Filter Element/Cloths	6	MT/A	Sale	Sale to authorized party
7	Wooden Scrap	120	MT/A	Sale	Sale to authorized party
8	Coal Fired Boiler Ash	648	MT/A	Sale	Sale to Brick Manufacturer

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
9	Process Consumables (Silica gel, Ceramic, Alumina etc.)	12	MT/A	Sale	Sale to Auth. Party/ Vendor/ CHWTSDF
10	Miscellaneous Waste (Tyre, V-Belt, Welding rod etc.)	3	MT/A	Sale	Sale to Auth. Party/ Vendor/ CHWTSDF
11	Decontaminated Drums/Carboy/IBCs	7200	Nos./Y	Sale	Sale to authorized party
12	Flexi Bags	3600	Nos./Y	Sale	Sale to authorized party

# 7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	1.6 Spent catalyst and molecular sieves	6	MT/A	Landfill	CHWTSDF
2	5.1 Used or spent oil	6	MT/A	Incineration/ Recycle	To Authorized Recyler/Pre processing
3	5.2 Wastes or residues containing oil	1	MT/A	Incineration/ Recycle	Sale to authorised party / CHWTSDF
4	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	24	MT/A	Recycle*	Sale to authorised party / CHWTSDF
5	33.2 Contaminated cotton rags or other cleaning materials	1	MT/A	Incineration/ Recycle	Sale to authorised party / CHWTSDF
6	35.1 Exhaust Air or Gas cleaning residue	98.4	MT/A	Incineration/ Recycle/ Co- processing	Sent to Co-processing through Authorized Pre- processing/CHWTSDF
7	35.3 Chemical sludge from waste water treatment	108	MT/A	Incineration/ Recycle/ Co- processing	Sent to Co-processing through Authorized Pre- processing/CHWTSDF
8	37.3 Concentration or evaporation residues	180	MT/A	Landfill	CHWTSDF

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
9	Concentrated Sulphuric Acid	132	MT/M	Recycle*/Sale to Actual User	Sale to authorised party
10	Sodium Sulphate	180	MT/M	Recycle*/Sale to Actual User/Co- processing	Sent to Co-processing through Authorized Pre- processing/CHWTSDF

<sup>\*</sup> Sale to Authorized Party having permission under Rule 9 of H&OW Rule Conditions under Plastic Waste Management Rules, 2016 (Notification dtd. 18/03/2016):

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Non Contaminated Plastics	24.00	MT/A	Sale to Auth. Party/ Recycler

#### 9. Conditions under E-Waste Management:

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	E-Waste	1.20	MT/A	Sale to Auth. E waste Recycler/ Handler

## 10. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Soiled Waste	2.10	Yellow colored non- chlorinated plastic bags	CBMWTDF

- 11. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- 12. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- 13. Industry shall operate and maintain ETP and 100% recycle trade effluent into process, for cooling tower make up, for utility purposes so as to achieve ZLD.
- 14. Industry shall comply with the conditions stipulated in the Environment Clearance dtd. 19/05/2016.
- 15. Industry shall ensure that as per CPCB guidelines, IP Camera with night vision is installed with connectivity to CPCB & MPCB Servers.
- 16. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent
- 17. Guidelines for Pre-processing and Co-processing of Hazardous & Other Wastes in Cement Plant as per H & OW (M & TM) Rules, 2016 prepared by the Central Pollution Control Board shall be strictly followed.
- 18. PP shall strictly follow the provisions of Hazardous & other Wastes (Management & Transboundary Movement) rules, 2016.

- 19. This consent is issued with overriding effect of the previous granted consent to operate vide No. Format1.0/CAC/UAN No.MPCBCONSENT-0000157115/CR/2309002288 dtd. 28/09/2023 valid upto 28/02/2026
- 20. This consent is issued as per the minutes of Consent Appraisal Committee meeting held on 05/7/2023

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

#### **Received Consent fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	833056.40	MPCB-DR-16384	02/01/2023	RTGS
2	50000.00	TXN2302002192	15/02/2023	Online Payment

# Balance consent fee of Rs. 1166923.60 as per existing C to O dated 10/11/2022 is considered in this renewal

#### Copy to:

- 1. Regional Officer, MPCB, Navi Mumbai and Sub-Regional Officer, MPCB, Taloja
- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai
- 3. CC-CAC Desk- for record & website updating purpose.

#### **SCHEDULE-I**

### Terms & conditions for compliance of Water Pollution Control:

- 1. A] As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 310.00 CMD consisting of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter, Activated carbon filter), Advanced treatment (Reverse osmosis, Multi effective evaporator, ATFD) for the treatment of 184 CMD of trade effluent.
  - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing with metering system so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises.
- 2. A] As per your application, primary treated sewage connected to Effluent Treatment Plant for further treatment & disposal.
  - B] Industry shall comply prescribed standards & disposal path as prescribed at Sr. No. 1B of schedule I.
- 3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)	
1.	Industrial Cooling, spraying in mine pits or boiler feed	380.00	
2.	Domestic purpose	65.00	
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	320.00	
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00	
5.	Gardening	20	

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

#### **SCHEDULE-II**

# **Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/pro posed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	Boiler-1 (2	Cyclone	33.30	Natural Gas		Other	-
3-1	Nos.)	Cyclone	33.30	300 Kg/Hr	-	Other	-
S-2	Boiler-2 (5	Fabric Bag Filter	35.00	Coal 750	0.5	TPM	150 Mg/Nm³
3-2	TPH)	Cyclone	35.00	Kg/Hr	0.5	SO2	180 Kg/Day
S-3	Thermopac (6 Lac KCal/Hr)	Stack	30.25	Natural Gas 72 Kg/Hr	-	Other	-
S-4	V-23 Sulfonation	Scrubber	30.00	N.A. 0 NA	-	SO2 (process)	50 PPM
S-5	EOU Sulfonation	Scrubber	30.00	N.A. 0 NA N.A. 0 NA	-	SO2 (process)	50 PPM
S-6	MED Sulfonation	Scrubber	30.00		-	SO2 (process)	50 PPM
S-7	D.G.	Acoustic Enclosure	45.00	HSD 400	1	TPM	150 Mg/Nm³
5-7	Set-1.9MW	Stack	45.00	Kg/Hr	1	SO2	192 Kg/Day
S-8	D.G. Set-1000KVA	I ENCINCIITA I	6.00	HSD 200 Kg/Hr	1	ТРМ	150 Mg/Nm³
3-0						SO2	96 Kg/Day

Industry shall switchover to the cleaner fuel instead of Furnace Oil and shall use Furnace Oil by complying conditions stipulated in Board Circular dated 05/2/2020 only.

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP quidelines.
- 3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

#### **SCHEDULE-III**

#### **Details of Bank Guarantees:**

Sr. No.	Consent(C2E/C 20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C2R	25 Lakh	15 Days	Towards O & M of pollution control system & compliance of consent to operate	28.02.2026	31.10.2026

<sup>\*\*</sup> The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

# # Existing BG obtained for above purpose if any may be extended for period of validity as above.

### **BG Forfeiture History**

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	BG
NA						

#### **BG Return details**

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned			
NA							

#### SCHEDULE-IV

#### **General Conditions:**

- 1. The waste generator shall.
  - a) take steps to minimize generation of plastic waste and segregate plastic waste at source in accordance with the Plastic Waste Management Rules, 2016 or as amended from time to time.
  - b) not litter the plastic waste and ensure segregated storage of waste at source and handover segregated waste to urban local body or gram panchayat or agencies appointed by them or registered waste pickers', registered recyclers or waste collection agencies;
- All institutional generators of plastic waste, shall segregate and store the waste generated by them in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time and handover segregated wastes to authorized waste processing or disposal facilities or deposition centers either on its own or through the authorized waste collection agency.
- 3. All waste generators shall pay such user fee or charge as may be specified in the byelaws of the local bodies for plastic waste management such as waste collection or operation of the facility thereof, etc.;
- 4. Every person responsible for organizing an event in open space, which involves service of food stuff in plastic or multilayered packaging shall segregate and manage the waste generated during such events in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time.

- 5. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
- 6. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
- 7. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
- 8. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
- 9. Specific Conditions for storage, Handling and Disposal of Waste from Electrical & Electronic equipment (WEEE):
  - Collection of WEEE The applicant must provide appropriate and dedicated vehicles duly identified as per the norms for transportation of Hazardous Waste. The applicant shall obtain all the required permits for transportation of WEEE from competent authority. The applicant shall ensure the safe transport of the WEEE without any spillage during transportation.
    - **Storage for disassembled parts:** The applicant must provide appropriate storage for disassembled spare parts from WEEE. Some spare parts (e.g. motors and compressors) will contain oil and/or other fluids. Such part must be appropriately segregated and stored in containers that are secured such that oil and other fluids cannot escape from them. These containers must be stored on an area with an area with an impermeable surface and a sealed drainage system.
  - 2. Storage for other components and residues: Other components and residues arising from the treatment of WEEE will need to be contained following their removal for disposal or recovery. Where they contain hazardous substances they should be stored on impermeable surface and in appropriate containers or bays with weatherproof covering. Containers should be clearly labelled to identify their contents and must be secured so that liquids, including rain water cannot enter them. Components should be segregated having regard to their eventual destinations and the compatibility of the component types. All batteries should be handled and stored having regard to the potential fire risk associated with team.
  - 3. Balances: WEEE Guidelines also requires that sites for handling of WEEE have "balances to measure the weight of the segregated waste". The objective is to ensure that a record of weights can be maintained of WEEE entering a facility and components and materials leaving each site (together with their destinations). The nature of the weighing equipment should be appropriate for the type and quantity of WEEE being processed.
  - 4. Plastic, which cannot be recycled and is hazardous in nature, is recommended to be land filled in nearby CHWTSDF.
  - Ferrous and nonferrous metal recycling facilities fall under the purview of existing environmental regulations for air, water, noise, land and soil pollution and generation of hazardous waste and the same should be followed.

- 6. CFCS should be either reused or incinerated in common hazardous waste Incineration facilities at CHWTSDF.
- 7. Waste Oil should be either reused or incinerated in common hazardous waste incineration facilities.
- 8. PCB's containing capacitors shall be incinerated in common hazardous waste incineration facilities at CHWTSDF.
- 9. Mercury recovery and lead recycling facilities from batteries fall under the Hazardous & Other Wastes (M & TM) Rules, 2016.
- 10. Existing environmental regulations for air; water; noise, land and soil pollution and generation of hazardous waste and the same should be followed. In case Mercury or lead recovery is very low, they can be temporarily stored at e-waste recycling facility and later disposed in TSDF.
- 11. The industry shall maintain records of the e-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 as per Rules 11(9) & 13(3)(vii) of the E-Waste(M) Rules, 2016; on or before 30th day of June of every year.
- 10. The Energy source for lighting purpose shall preferably be LED based
- 11. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
- 12. Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 13. The applicant shall maintain good housekeeping.
- 14. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 15. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

- 16. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 17. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 18. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 19. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
- 20. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 21. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 22. The PP shall provide personal protection equipment as per norms of Factory Act
- 23. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 24. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 25. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 26. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 27. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 28. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 29. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 30. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

- 31. The industry should not cause any nuisance in surrounding area.
- 32. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 33. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
- 34. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 35. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 36. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 37. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 38. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
- 39. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
- 40. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 41. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 42. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

This certificate is digitally & electronically signed.