

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231-2652952
0231-2660448
Fax: 0231-2652952
Website: <http://mpcb.gov.in>
Email: rokolhapur@mpcb.gov.in



Maharashtra Pollution
Control Board, Udyog
Bhavan Building, Near
Collectorate Office,
Kolhapur - 416 002

No. BO/MPCB/RO/Refusal/UAN
No.0000287392/CE/2608000115

Date: 12/08/2026

To,
Areen Multi Speciality Hospital
,Krushnali Vasahat,Behind Commerce College,Sangli
Dist. Sangli



Sub: Refusal of Amendment in Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

Ref: Your application for grant of Consent to Establish (UAN No. MPCB-CONSENT-0000287392)

WHEREAS, this office is in receipt of your application for grant of Consent to Establish under section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

AND WHEREAS, Board issued circular vide no BO/MPCB/ AS(T) /Circular/ B-39 dtd. 25-08-2025 for amendment in consent for specific reasons. As per the circular your application for amendment in consent, which does not fall under the purview of the said category of the circular therefore, Board can not be considered your application for grant of consent.

In view of above, your application for grant of Consent to Establish is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 for the above non-compliances. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter.

Copy to:

1. Sub Regional Officer, MPCB-Sangli- for information and further necessary action.