MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

RED/L.S.I (R44) No:- Format1.0/CAC/UAN No.0000118592/CR/2204000653

To, M/s. Alfa Laval India Private Ltd S. No. 2221 (B),Pune-Mumbai Road Pimpri Chinchwad Municipal Corporation, Dist- Pune



Date: 12/04/2022

Sub: Grant of 1st Consent to Operate (Expansion) with renewal of existing Consent to Operate (Amalgamation) under Red/LSI

Ref: 1. Consent to Operate granted vide No. Format 1.0/CAC/UAN No. 0000095623/CR-2103001271 dated 22/3/2021

- 2. Consent to Establish (Expansion) granted vide No. BO/CAC-Cell/UAN No. 0000066910-19/CAC/1910000096 dated 03/10/2019
- 3. Minutes of Consent Appraisal Committee Meeting held on 09/3/2022

Your application No.MPCB-CONSENT-0000118592 Dated 26.07.2021

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent to renewal is granted for a period up to 30/06/2026
- The capital investment of the project is Rs.314.50 Crs. (As per C.A Certificate submitted by industry Existing-Rs. 198.81 Crs + Expansion in C.I. - Rs. 115.69 Crs)
- 3. Consent is valid for the manufacture of:

Sr No	Product	Maximum Quantity	иом		
Products					
1	Separator & Separator Modules	521	MT/M		
2	Decanters	113	No/M		
3	Fitting	2000000	Pcs/A		
4	Handles	100000	Pcs/A		
5	Valves	60000	Pcs/A		
6	Pumps Sets and Pump Parts	7000	Pcs/A		
7	Spare Parts	400000	Nos./Y		

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Description Permitted (in CMD) Standards to		Disposal Path
1.	Trade effluent	53	As per Schedule-I	Partly recycle 10 CMD & partly gardening 43 CMD
2.	Domestic effluent	72	As per Schedule-I	Partly recycle 70 CMD & partly gardening 02 CMD

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S 1	Welding & Hard Surfacing	1	As per Schedule -II
2	S 2	Paint Booth two outlets	1	As per Schedule -II
3	S 3	New Shot Blasting M/c	1	As per Schedule -II
4	S 4	Screw Grinding	1	As per Schedule -II
5	S 5	Paint Booth Oven	1	As per Schedule -II
6	S 6	Glass Blastig	1	As per Schedule -II
7	S 7	Shot Blasting	1	As per Schedule -II
8	S 8	Paint Booth 1	1	As per Schedule -II
9	S 9	Sanding Booth 1	1	As per Schedule -II
10	S 10	Paint Booth 2	1	As per Schedule -II
11	S 11	Paint Booth Oven 1	1	As per Schedule -II
12	S 12	Paint Booth Oven 2	1	As per Schedule -II
13	S 13	Surface Cleaning	1	As per Schedule -II
14	S 14	Sanding Booth 2	1	As per Schedule -II
15	S 15	Paint Booth	1	As per Schedule -II
16	S 16	MS Shot Blasting	1	As per Schedule -II
17	S 17	Molycoat Spray Booth	1	As per Schedule -II
18	S 18	Molycoat sparay Booth	1	As per Schedule -II
19	S 19	Tin Coating & Blasting	1	As per Schedule -II
20	S 20	DG Set 1000 KVA	1	As per Schedule -II
21	S 21	DG Set 35 KVA	1	As per Schedule -II
22	S 22	DG Set 35 KVA	1	As per Schedule -II
23	S 23	DG Set 750 KVA	1	As per Schedule -II
24	S 24	Paint Booth Oven	1	As per Schedule -II
25	S 25	Fire Pmp DG	1	As per Schedule -II
26	S 26	LKLA & NRV Line Polishing Booth	1	As per Schedule -II
27	S 27	IMP,BPLT & HSG LINE Polishing Booth	1	As per Schedule -II
28	S 28	End Connection Line Polishing Booth	1	As per Schedule -II

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
29	S 29	Reducer & T Line Polishing Booth	1	As per Schedule -II
30	S 30	Robot Polishing Booth (T Flow)	1	As per Schedule -II
31	S 31	Shot Blasting 1	1	As per Schedule -II
32	S 32	Shot Blasting 2	1	As per Schedule -II
33	S 33	Pipe Polishing	1	As per Schedule -II

6. Non-Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Ferrous Scrap	500	MT/A	NA	Sale
2	Non Ferrous Scrap	275	MT/A	NA	Sale
3	Wood	400	MT/A	NA	Sale
4	Garbage (Paper, Corugated box & Cardboard Waste)	820	MT/A	NA	Sale
5	Plastic waste	80	MT/A	NA	Sale

7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	17.9	KL/A	Recycle	Sale to authorized Reprocesser
2	5.2 Wastes or residues containing oil	24.78	MT/A	Incineration	CHWTSDF
3	5.2 Wastes or residues containing oil	150	KL/A	Incineration	CHWTSDF
4	21.1 Process wastes, residues and sludges	20.03	MT/A	Incineration	CHWTSDF
5	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	20.18	MT/A	Recucle	Sale to Authorized Reconditioner*
6	35.3 Chemical sludge from waste water treatment	15.39	MT/A	Landfill	CHWTSDF

- 8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- 10. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.

11. This consent is issued as per the decision of Consent Appraisal Committee meeting held on 09/3/2022

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	3144800.00	MPCB-DR-7253	25/08/2021	NEFT
2	15000.00	MPCB-DR-8294	13/10/2021	NEFT

Copy to:

- 1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pimpri Chinchwad
- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- 1. A] As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 75.00 CMD consisting of Other cod, Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Secondary (MBBR), Tertiary (Pressure sand filter, Activated carbon filter) for the treatment of 53 CMD of trade effluent.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	рН	5.5 to 8.5
(2)	Oil & Grease	10
(3)	BOD (3 days 27°C)	30
(4)	Total Suspended solids	100
(5)	Total Dissolved solids	2100

- C] Industry shall partly recycle (10 CMD) treated effluent into the process and reaming (43 CMD) treated effluent used on land for gardening purpose within premises by achieving above prescribed standards
- 2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 90 CMD for the treatment of 72 CMD of sewage.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)		
1	BOD 3 Days at 27C	Not to exceed 100 me		
2	Suspended Solids	Not to exceed	100 mg/l	

- C] The treated sewage (70 CMD) shall be recycled for secondary purposes and remaining (02 CMD) shall be used on land for gardening within premise. In no case, sewage shall find its way outside factory premises.
- 3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	60.00
2.	Domestic purpose	97.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	30.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/prop osed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S 1	Welding & Hard Surfacing	Stack	1.00		-	TPM	150 Mg/Nm³
S 2	Paint Booth two outlets	Exhaust blower with Filter	1.00	1	-	TPM	150 Mg/Nm³
S 3	New Shot Blasting M/c	Fabric Bag Filter	1.00	1	-	TPM	150 Mg/Nm³
S 4	Screw Grinding	Stack	1.00	1	-	ТРМ	150 Mg/Nm³
S 5	Paint Booth Oven	Stack	1.00	1	-	ТРМ	150 Mg/Nm³
S 6	Glass Blastig	Fabric Bag Filter	1.00	-	-	ТРМ	150 Mg/Nm³
S 7	Shot Blasting	Fabric Bag Filter	1.00	-	-	ТРМ	150 Mg/Nm³
S 8	Paint Booth 1	Scrubber	1.00	-	-	TPM	150 Mg/Nm³

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S 9	Sanding Booth 1	Scrubber	1.00	-	-	TPM	150 Mg/Nm ³
S 10	Paint Booth 2	Scrubber	1.00	-	-	TPM	150 Mg/Nm ³
S 11	Paint Booth Oven 1	Stack	Stack 1.00		TPM	150 Mg/Nm³	
S 12	Paint Booth Oven 2	Stack	1.00	ı	-	TPM	150 Mg/Nm³
S 13	Surface Cleaning	Scrubber	1.00	-	-	TPM Acid Mist	150 Mg/Nm ³
S 14	Sanding Booth 2	Scrubber	1.00	-	-	TPM	150 Mg/Nm ³
S 15	Paint Booth	Scrubber	1.00	-	-	TPM	150 Mg/Nm ³
S 16	MS Shot Blasting	Fabric Bag Filter	1.00	_	-	TPM	150 Mg/Nm ³
S 17	Molycoat Spray Booth	Stack	1.00	-	-	ТРМ	150 Mg/Nm ³
S 18	Molycoat sparay Booth	Stack	1.00	-	-	TPM	150 Mg/Nm³
S 19	Tin Coating & Blasting	Stack	1.00	-	-	TPM	150 Mg/Nm³
S 20	DG Set 1000	Acoustic Enclosure	16.00	Diesel 200	1	TPM	150 Mg/Nm ³
	KVA	Stack		Ltr/Hr		SO2	32 Kg/Day
6.21	DC C-+ 35 K)/A	Acoustic Enclosure	1.00	Diesel	1	TPM	150 Mg/Nm ³
S 21	DG Set 35 KVA	Stack	1.00	8 Ltr/Hr	. 1	SO2	1.28 Kg/Day
		Acoustic Enclosure		Diesel	1	TPM	150 Mg/Nm ³
S 22	DG Set 35 KVA	Stack	1.00	8 Ltr/Hr		SO2	1.28 Kg/Day
		A		Diesel		TPM	150 Mg/Nm ³
S 23	DG Set 750 KVA	Acoustic Enclosure Stack	16.00	165 Ltr/Hr	1	SO2	26.40 Kg/Day
S 24	Paint Booth Oven	Stack	1.00	-	-	ТРМ	150 Mg/Nm ³
C 25	Fine Press DC	Charle	1.00			TPM	150 Mg/Nm ³
S 25	Fire Pmp DG	Stack	1.00	-	-	SO2	16 Kg/Day
S 26	LKLA & NRV Line Polishing Booth	Stack	3.10	ı	-	TPM	150 Mg/Nm³
S 27	IMP,BPLT & HSG LINE Polishing Booth	Stack	5.10	-	-	ТРМ	150 Mg/Nm ³
S 28	End Connection Line Polishing Booth	Stack	5.10	-	-	TPM	150 Mg/Nm³
S 29	Reducer & T Line Polishing Booth	Stack	5.10	-	-	TPM	150 Mg/Nm³
S 30	Robot Polishing Booth (T Flow)	Stack	5.00	-	-	TPM	150 Mg/Nm³
S 31	Shot Blasting 1	Fabric Bag Filter	3.30	-	-	TPM	150 Mg/Nm ³
S 32	Shot Blasting 2	Fabric Bag Filter	3.30	-	-	TPM	150 Mg/Nm ³
S 33	Pipe Polishing	Stack	11.00	-	-	TPM	150 Mg/Nm ³

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Parameters	Standards (mg/l)

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III Details of Bank Guarantees:

Sr. No	Consent (C2E/ C2O /C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	25 Lakh	15 Days	Towards O&M of Pollution Control System and Compliance of Consent Conditions	30/6/2026	28/2/2027

BG Forfeiture History

Srno.	(Oncont	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	BG
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

- 1. The Energy source for lighting purpose shall preferably be LED based
- The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
- 3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 4. The applicant shall maintain good housekeeping.
- 5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 7. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
- 11. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 13. The PP shall provide personal protection equipment as per norms of Factory Act
- 14. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.

- 17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 19. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 22. The industry should not cause any nuisance in surrounding area.
- 23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 24. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
- 25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 26. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.

- 30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
- 31. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

This certificate is digitally & electronically signed.

