

MAHARASHTRA POLLUTION CONTROL BOARD

Grams: PREPOLL
Tel. No.(0253) 2362820
No.(0253) 2365150
e-mail:ronashik@mpcb.gov.in



Regional Office- Nashik,
Udyog Bhavan, 1st floor, Fax
Trimbak Road, MIDC Comp.
Near ITI., Satpur, NASHIK-422007.

RO-NASHIK/CONSENT/1703000548.

Date. 25/03/2017

To,
M/s. Bhirud Hospital.
Jamner Road, Bhusawal,
Tal. Bhusawal, Dist. Jalgaon.

Sub. :- Rejection of application for grant of Authorization under BMW(M & H) Rule.

Ref. :- Your online application.

This refers to your online application for grant of Authorization. Upon scrutiny of the said application, it is noticed that you have started 50 bedded hospital since 2013 without permission of the Board, you have not submitted annual report and not paid requisite fees for grant of Authorization from 2013 to 2017 for 50 bedded hospital

In view of above, your said application for grant of Authorization is hereby rejected under BMW (M & H) Rule.

If you are aggrieved by this rejection order, you may prefer an appeal before competent authority as per provision made in BMW (M & H) Rule in stipulated time period from date of receipt of this order.

(R. U. Patil)

Regional Officer, Nashik

Copy to Sub-Regional Officer, MPCB, Jalgaon :-

He is directed to serve a copy of rejection order to the hospital and take acknowledgment of the same. He is also directed to submit the compliance of rejection order and proposal for issuance of Closure Directions after over of appeal period.