

MAHARASHTRA POLLUTION CONTROL BOARD
SUB REGIONAL OFFICE, RATNAGIRI.

Tel. No. 02352 220813,
Fax No. 02352 220813.
e-mail: sroratnagiri@mpcb.gov.in



Central Administration Building No. 2,
2nd Floor, Collector Office,
Ratnagiri, Pin 415 612.

No. MPCB/SROR/BMW_AUTH/1711000151 /17

Dt.-07/11/2017.

To,
✓ M/s. Shri Ramnath Hospital.
Dr.Sanjay Prabhakar Lotlikar.
A/P Lotlikar Plaza maruti mandir
Tal & Dist- Ratnagiri.

Sub - Return of application.

- Ref. – 1) Circular-returning of Application for consent & Authorization only with approval of competent authority as per the delegated for the consent management No.Bo/P&L Divn./B-167/ Dtd. 02.04.2013
2) Your Application received to this office. (MPCB-BMW_AUTH-0000000819)
3) This office letter no.499 dated. 16/10/2017.

With reference to above cited subject, you have submitted application for grant of Authorization. On scrutiny of your application, this office has issued a scrutiny letter vide reference no.3 above. But till date you have not submitted any documents.

In view of above, the application is hereby returned to you for compliance & resubmission within 15 days. Operation of Hospital without valid authorization is violation of Environmental acts, which attract legal action as deem fit, which may be noted.

Yours faithfully,

(Indira T. Gaikwad)
Sub-Regional Officer, Ratnagiri

Copy Submitted to-
Regional Officer, M.P.C. Board, Kolhapur-For information.