

MAHARASHTRA POLLUTION CONTROL BOARD
Sub Regional Office, Kalyan-1

Tel: (0251) 2310167/2310212

Fax: (0251) 2310192

Website: <http://mpcb.mah.nic.in>

E-mail: srokalyan1@mpcb.gov.in



"Your Service is our Duty"

Siddhivinayak Sankul,
4th Floor, Near Oak Baug,
Station Road,
Kalyan (West) – 421 301.

No. MPCB/SROK-I/Refusal/TB-2212000207

Date: 26/12/2022.

To,
M/s. YASH CHILDREN'S HOSPITAL & NICU
207-208, 2nd FLOOR, Shreeji Solitaire,
Above Bikaner Sweets, Khadakpada circle,
Kalyan (W), Tal – Kalyan, Dist-Thane.

Sub – Refusal of BMW authorization under section 27 of water (Prevention And Control of Pollution) Act 1974 and under section 21 of the Air (Prevention And Control of Pollution) Act 1981 and not to operate the plant till obtaining permission of the Board.

Ref- 1. Your application for BMW authorization having UAN no. MPCB-BMW_AUTH-00000044221.

2. Scrutiny letter issued to your unit 06.09.2019.

.....

You have applied for BMW authorization for your unit as per the provisions of Section 26 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

Your application has been scrutinized and scrutiny letter sent to you on 06.09.2019. However, you are unable to submit reply of said scrutiny letter the information regarding not submitted CBMWTSDF membership and BNH registration valid copy and previous BMW authorization valid copy. Till date you have not submitted the reply.

In view of above your BMW authorization hereby refused.

(Upendra Kulkarni)
Sub Regional Officer, Kalyan-1.

Copy to-
Regional Officer, MPCB, Kalyan.