

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel-Fax 0217-2319850  
Email : [srosolapur@mpcb.gov.in](mailto:srosolapur@mpcb.gov.in)  
Visit At : <http://mpcb.gov.in>



4/B, Bali Building, Opp. Govt. Milk Scheme, Saat Rasta, Civil Line, Solapur 413003 Maharashtra

## LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorization for Generation, Storage, Disposal of Bio-Medical Wastes under Rule 7(4)]

- I. File number of authorization and date of issue  
MPCB/SROSOLAPUR/BMW/AUTH/1910000513 Date: 27/10/2019
- II. M/s. Mahajan Prasutigruha and Clinic, is hereby granted an authorisation for generation of biomedical waste on the premises situated at Kumbhar Galli, Tal. – Mangalwedha, Tal. – Mangalwedha, Dist – Solapur.
- III. This authorization shall be in force for a period up to 31/01/2021.  
An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.
- IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No. of Beds : 5 ( Five Beds)

### Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.  
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste Management Rules, 2018 and amendment made their time to time for collection, transportation, treatment and/or disposal of BMW generated..
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
6. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :

(MPCB-BMW-Atho-0000019965)

Sr. No.	Category	Quantity	UOM	Treatment & Disposal
1	Cat-1 Human Anatomical waste	2.00	Kg/M	Treatment & disposal through CBMWTSDF i.e. M/s.Bioclean Systems India Pvt. Ltd. Solapur
2	Cat-4 Waste Sharp	3.00	Kg/M	
3	Discarded Medicines & Cytotoxic Drugs	00.0		
4	Cat-6 Solid Waste	2.00	Kg/M	
	Cat-7 Solid waste(Items contaminated with blood)	3.00	Kg/M	

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.  
(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.
9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.  
(ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.  
(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.  
(iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.  
(v) No untreated BMW shall be kept stored beyond a period of 48 hours.
10. Standards for waste autoclaving:  
The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste,  
When operating a gravity flow autoclave, medical waste shall be  
Subjected to:
- (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or  
(ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;  
or

(MPCB-BMW-Atho-0000019965)

