

MAHARASHTRA POLLUTION CONTROL BOARD

Website : mpcb.gov.in
e-mail : sronagpur1@mpcb.gov.in
Fax : 2560851
Phone : 2565308, 2560139



Sub-Regional Office-I,
5th Floor, Udyog Bhawan,
Civil lines,
Nagpur – 440001.

No. MPCB/UAN No 187/181000022

Date:- 12/10/2018

To,
M/s. Ramdeobaba Foods.,
157, Chilkhali Layout, EIAS Scheme,
Kalmna Nagpur Dist. Nagpur.

Sub :- Amendment in consent .

Ref :- 1. Consent No. SRO Nagpur-I/Consent/1704001307
dtd 02/05/2017 valid upto 30/04/2025.
2. Online application for Amendment UAN No 0000000187.

The Consent to Operate was granted under provision of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981 and authorization under Hazardous Waste & Other Waste (M & T M) Rules, 2016 to **M/s. Ramdeobaba Foods., 157, Chilkhali Layout, EIAS Scheme, Kalmna Nagpur Dist. Nagpur** is hereby amended is below:-

Earlier fuel pattern as per consent granted dtd 02/05/2017 valid upto 30/04/2025 is as below:-

The condition no. 6 of Ref. No. 1-

(i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity
-	-	-

Consequent to your application dtd. 25/09/2018 as per ref. no. 2. regarding additional fuel pattern for existing chimney attached to Furnace, following amendment is issued.

The condition no. 6 of Ref. No. 1 shall be read as -

a. Standards for Emissions of Air Pollutants:

- | | | |
|----------------------|---------------|------------------------|
| (i) SPM/TPM | Not to exceed | 150 mg/Nm ³ |
| (ii) SO ₂ | Not to exceed | 1.2 Kg/day |

(i) The applicant shall observe the following fuel pattern: -

Sr. No.	Type Of Fuel	Quantity
1	Coal	120 MT/Month

(ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
1	Dryer	11.00

