

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781/
4037124/4035273
Fax : 24044532/4024068 /4023516
Email : cac-cell@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion-Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400 022

No. MPCB/UAN No. 0000008451/CAC-Cell/Amend-2301000036

Date: 05/01/2023
1/2022

AMENDMENT IN CONSENT

Subject: Amendment in Consent to Operate for change in name of M/s Viraj Profiles Private Limited, Plot No. Survey No. 110, 111, 114, 116, 118, 119 & 120, Village Mahagaon, Boisar East, Tal. & Dist. Plaghar.

- Ref.-**
1. Consent granted vide no. Format 1.0/CAC/UAN No. 0000072153/CR-2005000212 dtd. 08.05.2020 valid up to 30/04/2024.
 2. Industry application UAN No. 0000008451 dtd. 26/04/2022.
 3. Minutes of Consent Appraisal Committee meeting held on 02/12/2022.
-


The Consent to Operate granted under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and an Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 to M/s **Viraj Profiles Limited, Plot No. Survey No. 110, 111, 114, 116, 118, 119 & 120, Village Mahagaon, Boisar East, Tal. & Dist. Plaghar.** is hereby amended as below:

1. The name of the industry shall be read as M/s **Viraj Profiles Private Limited, Plot No. Survey No. 110, 111, 114, 116, 118, 119 & 120, Village Mahagaon, Boisar East, Tal. & Dist. Plaghar.**

All other conditions of the Consent referred at Ref. No. 1 shall remain unchanged.

This amendment is valid only along with the Consent referred at Ref. No. 1 above.

**For and on behalf of the
Maharashtra Pollution Control Board**


**Dr. Y. B. Sontakke
Joint Director (WPC)
& Incharge of CAC-Cell**

To,
M/s **Viraj Profiles Private Limited,**
Plot No. Survey No. 110, 111, 114, 116, 118, 119 & 120,
Village Mahagaon, Boisar East, Tal. & Dist. Plaghar.,

Copy to:

1. Regional Officer (Thane)/ Sub-Regional Officer (Tarapur-II), M.P.C. Board.
2. Chief Accounts officer, M.P.C. Board, Mumbai.
3. CAC Cell, M.P.C. Board, Mumbai.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/L.S.I ()

No:- Format1.0/CAC/UAN No.0000072153/CR - 2005000212

Date: 08/05/2020

To,
M/s. Viraj Profiles Ltd.
Survey no. 110, 111, 114, 116, 118, 119 & 120,
Village Mahagaon, Boisar East,
Tal. & Dist. Palghar

Sub: Renewal of Consent under RED category

Ref:

1. Earlier consent granted by Board vide No. BO/CAC-Cell/UAN No. 0000054314-18/CAC-1905000039 dtd. 02.05.2019
2. Minutes of CAC meeting held on 30.01.2020

Your application No.MPCB-CONSENT-0000072153 Dated 27.04.2019

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent to renewal is granted for a period up to 30/04/2024
2. The capital investment of the project is Rs.386.67 Crs. (As per C.A Certificate submitted by industry Existing CI Rs. 391.30 Crs - Decrease in C.I. Rs. 4.63 Crs)
3. Consent is valid for the manufacture of:

Sr No	Product	Maximum Quantity	UOM
Products			
1	Manufacturing of SS Fastener & Threaded Bar /Hexagon & Squares /Wire Rods /Bright Bar /Angles /Channel /Flats	267800	Ton/Y

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	515	As per Schedule-I	Recycle 100% to achieve ZLD
2.	Domestic effluent	128	As per Schedule-I	Partly recycle 60 CMD & partly gardening 68 CMD

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	1	Annealing Furnace	10	As per Schedule -II
2	2	Hardening Furnace	1	As per Schedule -II
3	3	Tempering Furnace	1	As per Schedule -II
4	4	Boiler for MEE	1	As per Schedule -II
5	5	Thermic Fluid Heater	3	As per Schedule -II
6	6	Shot Blasting	1	As per Schedule -II
7	7	Process Stack (Pickling)	4	As per Schedule -II
8	8	DG Sets	5	As per Schedule -II
9	9	Batch Furnace	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	STP Sludge	10	Kg/M	NA	Sent to own Gardens /Greenhouse as a Manure
2	S.S. Scrap	15	MT/M	Recycling /Re-processing	Sent to M/s VPL, Plot No. G-2 for Recycling /Re-processing

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	5	KL/M	Recycle	Authorized Recycler /Re-processor
2	12.1 Acidic and alkaline residues	10	MT/M	Landfill	CHWTSDF
3	35.3 Chemical sludge from waste water treatment	450	MT/M	Landfill	CHWTSDF
4	12.2 Spent acid and alkali	150	KL/M	Reprocess	CHWTSDF / Send to Authorized re-processor

- 8 The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.

For and on behalf of the
Maharashtra Pollution Control Board.

(E. Ravendiran IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	370016.00	5460343	16/03/2020	RTGS

Rs. 34,96,761/- which was balance as per earlier consent is considered for this consent, hence now there is no any fees balance with the Board.

Copy to:

1. Regional Officer, MPCB, Thane and Sub-Regional Officer, MPCB, Tarapur II
- They are directed to ensure the compliance of the consent conditions.
- They are directed to forfeit the bank guarantee of Rs. 2 Lakh towards JVS exceedance & obtain top up BG of Rs. 4 Lakh from the industry
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC/CAC desk - for record & website updation purpose.



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided the effluent treatment plant (ETP) with the design capacity of 1100 CMD followed by UF, RO and MEE so as to achieve Zero Liquid Discharge.
B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises generated from this unit.
C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise. In no case, sewage shall find its way for gardening / outside factory premises.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 150 CMD for the treatment of 128 CMD of sewage.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	Suspended Solids	Not to exceed	50 mg/l
2	BOD (3 days 27°C)	Not to exceed	30 mg/l
3	COD	Not to exceed	100 mg/l

- C] Industry shall recycle / reuse 60 CMD treated sewage in the process, toilet flushing, cooling towers, etc and remaining 68 CMD shall be discharged on land of 3.3 acres for gardening within premise. In no case, sewage shall find its way for outside factory premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act;

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	50.00
2.	Domestic purpose	150.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	580.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



SCHEDULE-II**Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂ (kg/day)
1	Annealing Furnace-1	Recupurator	18	CNG	80 SCM/Hr	--	--
2	Annealing Furnace-2	Recupurator	18	CNG	80 SCM/Hr	--	--
3	Annealing Furnace-3	Recupurator	18	CNG	80 SCM/Hr	--	--
4	Annealing Furnace-4	Recupurator	18	CNG	80 SCM/Hr	--	--
5	Annealing Furnace-5	Recupurator	18	CNG	80 SCM/Hr	--	--
6	Annealing Furnace-6	Recupurator	18	CNG	80 SCM/Hr	--	--
7	Annealing Furnace-7	Recupurator	18	CNG	80 SCM/Hr	--	--
8	Annealing Furnace-8	Recupurator	18	CNG	80 SCM/Hr	--	--
9	Annealing Furnace-9	Recupurator	18	CNG	80 SCM/Hr	--	--
10	Annealing Furnace-10	Recupurator	18	CNG	80 SCM/Hr	--	--
11	Hardening Furnace	Recupurator	18	CNG	225 SCM/Hr	--	--
12	Tempering Furnace	Recupurator	18	CNG	160 SCM/Hr	--	--
13	Batch Furnace	Recupurator	18	CNG	80 SCM/Hr	--	--
14	Boiler for MEE	Stack	30	CNG	9.5 SCM/Hr	--	--
15	Thermic Fluid Heater-1	NA	20	CNG	9.5 SCM/Hr	--	--
16	Thermic Fluid Heater-2	NA	20	CNG	9.5 SCM/Hr	--	--
17	Thermic Fluid Heater-3&4 (2 Nos.)	NA	20	CNG	9.5 SCM/Hr	--	--
18	Shot Blasting	Dust Collector	10	--	--	--	--
19	Pickling Unit-1 (A&P)	Scrubber	15	--	--	--	--
20	Pickling Unit-2 (A&P) -Standby	Scrubber	15	--	--	--	--

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂ (kg/day)
21	Pickling Unit -1 (H&T)	Scrubber	15	--	--	--	--
22	Pickling Unit -2 (H&T)	Scrubber	15	--	--	--	--
23	DG Set (1010 KVA)	Acoustic enclosure	15	HSD	350 Ltr/Hr	1.00	168.00
24	DG Set (1010 KVA)	Acoustic enclosure	15	HSD	350 Ltr/Hr	1.00	168.00
25	DG Set (1010 KVA)	Acoustic enclosure	15	HSD	350 Ltr/Hr	1.00	168.00
26	DG Set (1010 KVA)	Acoustic enclosure	15	HSD	350 Ltr/Hr	1.00	168.00
27	DG Set (750 KVA)	Acoustic enclosure	5	HSD	250 Ltr/Hr	1.00	120.00

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Parameters	Standards	
Total Particulate matter	Not to exceed	150 mg/Nm ³
Acid Mist	Not to exceed	35 mg/Nm ³

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs. 10.0 Lakh	15 days	Towards installation of adequate capacity of STP	3 month	31.08.2024
2	C to R	Rs. 4 Lakh	15 days	Towards submission of Board Resolution for carrying expansion with investment Rs. 155.29 Cr without obtaining consent from the Board thus violated the provisions of Environmental laws	1 month	31.08.2024
3	C to R	Rs. 5 Lakh	15 days	To achieve Zero Liquid Discharge for trade effluent	Continue	31.08.2024
4	C to R	Rs. 5 Lakh	15 days	To recycle / reuse 60 CMD and remaining 68 CMD for gardening	Continue	31.08.2024
5	C to R	Rs. 25 Lakh	15 days	Towards not to violate the conditions of consent and not to carry out any expansion without prior permission from the Board in future.	Continue	31.08.2024

****Existing BG obtained for above purpose if any, may be extended for period of validity as above.**

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
1	C to R	Rs. 5 Lakh	15 days	O & M of Pollution control system	Rs. 2 Lakh	JVS exceedance

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG Imposed	Purpose of BG	Amount of BG Returned
			NA	



SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. The PP shall provide personal protection equipment as per norms of Factory Act
14. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
25. The applicant shall provide ports in the chimney(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

26. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

