

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel.No. (0240) 2993004



Regional Office, Paryavaran Bhavan,  
A-4/1, MIDC Area, Chikalthana,  
Behind Daynik Lokpatra, Near Seth  
Nandlal Dhoot Hospital, Jalna Road,  
Aurangabad-431 210.

No. MPCB/ROA/ /2023  
2304000049

Date :- 10/04/2023

To,

**M/s. YUNUS FAZLANI UNANI MEDICAL COLLEGE AND AL FAZLANI UNANI HOSPITAL  
AT KUNJKHEDA TALUKA KANNAD  
DIST AURANGABAD**

Sub:- Your applications for grant of Authorization under the Bio-Medical Waste Management Rules, 2016.

- Ref:- 1) Your application UAN No MPCB-BMW\_AUTH-0000044597  
2) Scrutiny Letter issued by Sub-Regional Officer, MPCB, Aurangabad  
Dated.07.07.2022.  
3)This office e-mail dtd.17.03.2023.

With reference to above subject ,it is to inform that , the Sub-Regional Officer, MPCB, Aurangabad has processed your above cited application by issuing the scrutiny letter vide above reference (2) for not submitted the required documents/details for the grant of BMW Authorisation and submitted your application to this office .

After scrutiny of your application by this office it is observed that you have not uploaded the reply of the scrutiny letter within a period.

Further this office has sent an e-mail vide dtd. 17.03.2023 to you and directed to apply for the CCA under the provisions of Water(P&CP)Act, 1974 & Air(P&CP)Act, 1981 immediately but you have neither submit desired information despite of the sufficient and reasonable opportunity given for the submission of the same nor applied for the consent hence, it is unable to take decision about grant of BMW authorization.

In view of above, your application is herewith rejected for grant of Authorization. You are directed to apply for the combined consent and BMW Authorisation under the provisions of Water(P&CP)Act, 1974 & Air(P&CP)Act, 1981 immediately.

(Dilip Khedkar )

Regional Officer-Aurangabad.

Copy forwarded to :-

1. The Sub-Regional Officer, MPCB,Latur- for information & necessary follow-up.  
Copy to Master File, MPCB, Aurangabad.