

MAHARASHTRA POLLUTION CONTROL BOARD

SUB-REGIONAL OFFICE, BHIWANDI

Tel: (0251) 2310167/2310212
Fax: (0251) 2310192
Website: <http://mpcb.gov.in>
E-mail: srobhiwandi@mpcb.gov.in



Siddhivinayak Sankul,
3rd & 4th Floor, Near Oak Baug,
Station Road,
Kalyan (West) – 421 301.

No: Refusal/ SRO-BHIVANDI/BMW_AUTH/2605000121

Date: 11 / 05 / 2026

To,
M/s. CARE AND CURE
2228, MALI PADA, KHADIPAR,
KATAI, BAUGH ROAD, BHIWANDI,
Tal. Bhiwandi, Dist. Thane-421302

Sub: - Refusal of BMW authorization under section 27 of water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and not to operate the plant till obtaining permission of the Board.

Ref: - 1. Your CCA application UAN No. MPCB-BMW_AUTH-0000029742
2. Scrutiny letters issued by SRO Bhiwandi vide dtd: 25.11.2020 17.12.2020 and 03.02.2021

Sir,

You have applied for BMW authorization for your unit as per the provisions of Section 26 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

Your application has been scrutinized, you have not submitted CBMWTSDF membership and hospital registration for 12 no of bed, quantity categorization wise not submitted.

In view of above your BMW authorization hereby rejected.

(S.S. Patil)

Sub Regional Officer, Bhiwandi

Copy to-

Regional Officer, Kalyan – For information.