

MAHARASHTRA POLLUTION CONTROL BOARD

REGIONAL OFFICE- AMRAVATI

Ph. No: (0721) 2563594

Fax : (0721) 2563572

Email: roamravati@mpcb.gov.in



"Sahakar Surbhi" Bapatwadi, Near
Vivekanand Colony,
Amravati- 444606.

RO/AMT/Return-CCA/ 190 /2022

Date:03/03/2022.

To,
M/s. Awghate Bal Rugnalay
and multispeciality center
Hariya Nagar, Murtizapur,
Tal. Murtizapur, Dist.-Akola.

Sub : Rejection of Combined Consent Authorization application submitted to this office for grant of BMW Authorization.

Ref: 1) Your application for grant of Combined Consent Authorization vide UAN No. MPCB-CONSENT-0000129306 and MPCB-BMW_AUTH-000003955.

2) Scrutiny letter Communicated by Sub-Regional Officer, MPCB, Amravati-I on

.....

In accordance with reference no. 1 this office is in receipt of your application vide UAN-MPCB-CONSENT-0000129306 and MPCB-BMW_AUTH-000003955 for grant of Combined Consent Authorization under Water (P & CP) Act, 1974 and as per the provision of Biomedical Waste Management Rules, 2016.

After scrutiny of your application it is observed that you have not submitted membership certificate of CBMWTFD for 100 beds. You have not mentioned numbers of beds in the application, you have not submitted approved layout building plan, details of ETP, water budget along with disposal path, source of water supply and BMW annual report. Hence, this office is unable to process your application.

In view of above, your application for grant of Combined Consent Authorization is hereby Rejected for resubmission along with required document and information.

(Sanjay D. Patil)
I/c Regional Officer,
Amravati

Copy to:- Sub-Regional Officer, MPCB, Akola.

For further necessary follow up regarding resubmission of application for grant of Combined Consent Authorization by the applicant.