

# MAHARASHTRA POLLUTION CONTROL BOARD

## SUB-REGIONAL OFFICE, BHIWANDI

Tel: (0251) 2310167/2310212  
Fax: (0251) 2310192  
Website: <http://mpcb.gov.in>  
E-mail: [srobhiwandi@mpcb.gov.in](mailto:srobhiwandi@mpcb.gov.in)



Siddhivinayak Sankul,  
3rd & 4th Floor, Near Oak Baug,  
Station Road,  
Kalyan (West) – 421 301.

**No: Refusal/ SRO-BHIVANDI/BMW\_AUTH/2605000112**

**Date: 11 / 05 / 2026**

To,

**M/s. SHREE SAIDHAM HOSPITAL  
1ST FLOOR, AARAMBH SQARE,  
NEAR WINE SHOP MANKOLI VEHLE RD,  
MANKOLI, Tal. Bhiwandi, Dist. Thane-421302**

**Sub:** - Refusal of BMW authorization under section 27 of water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and not to operate the plant till obtaining permission of the Board.

**Ref:** - Your CCA application UAN No. MPCB-BMW\_AUTH-0000040189

Sir,

You have applied for BMW authorization for your unit as per the provisions of Section 26 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

Your application has been scrutinized, you have not submitted certificate of Registration under Bombay Nursing Home Registration Act 1949, not submitted actual date of commencement, not submitted membership copy of CBMWTSDF.

In view of above your BMW authorization hereby rejected.

(S.S. Patil)

Sub Regional Officer, Bhiwandi

**Copy to-**

Regional Officer, Kalyan – For information.