

MAHARASHTRA POLLUTION CONTROL BOARD

Phone: 4010437/4020781
4045589/4037124/4035273
Fax : 4024068 /4023516



Kalpataru Point, 3rd & 4th floor,
Sion, Matunga Scheme Road No. 8,
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E)
Mumbai : 400 022

By RPAD / Hand Delivery / Fax

No.: MPCB/PSO/BMW/B: 2106001001

Date: 22/06/2021

To,
M/s. Noble Hospital,
1st floor, Sant Savata Mali Bhaji mandal,
Ursekarwadi, station Road,
Dombivali- East- 421201
Email: info@noblehospital.co.in

Sub: Refusal of Consent to Establish and Operate under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 10(2) of the Bio-Medical Wastes Management Rules, 2016

- Ref: 1. Your Consent and BMWA application received on 28.04.2021 to MPCB, HQ, Sion, Mumbai.
2. Report submitted by SRO Kalyan-I
3. SCN for Refusal issued by Board on 10.05.2021
4. Personal hearing extended on 07.06.2021
5. Minutes of personal hearing uploaded on 11.06.2021

WHEREAS, the Ministry of Environment & Forests, Govt. of India in exercise of the powers conferred by section 6,8 and 25 of the Environment (Protection) Act, 1986 has notified the Bio-Medical Waste Management Rules, 2016, for proper management and handling of the Bio-medical Waste.

AND WHEREAS, refer to your application for grant of Consent to Establish & Operate under Bio-Medical Wastes Management Rules, 2016, received through Sub Regional Officer, Kalyan-I. AND WHEREAS, on scrutiny of application this office has issued Show Cause Notice for Refusal on 10.05.2021 followed by personal hearing on 07.06.2021 during which you were instructed to submit the required documents and requisite CCA for considering CCA. However, it is noted that till date you have failed to submit following required documents,

- Earlier BNH registration for 39 beds and latest valid copy of increased beds
- Membership of CBMWTF
- Architect certificate for Builtup area
- Online BMW Annual Report 2020
- Water budget including water consumption and effluent generation considering 75 beds and source of water.
- Detail of installation of STP

:2:

- g) Revised C.I. is required for 2020 including cost of land
- h) Based on revised C.I. additional CCA fee is required
- i) Bank Guarantee of Rs. 1.50 lakhs
- j) Category and quantity as per BMW Rules, 2016
- k) Analysis report of effluent carried by Board.


AND WHEREAS, during personal hearing held on 07.06.2021 based on the assurance given by your representative, PSO has instructed you to submit all the required documents alongwith the proposal for installation of STP by 15th June, 2021. AND WHEREAS, incase of failure to submit all required documents and fee within stipulated time period, Board shall refuse CCA without further notice/ opportunity.

AND WHEREAS, inspite of efforts taken by Board you have failed to submit the above required which find difficult to consider Combined Consent and Authorization.

In view of the aforesaid non-compliances on your part under the provisions of the Bio-Medical Wastes Management Rules, 2016, your application for grant of Consent to Operate is hereby refused under Rule 10 (2) of the Bio-Medical Wastes Management Rules, 2016.

NOW THEREFORE, in view of the aforesaid non compliances, your application for Consent to operate under the provisions of Bio-Medical Wastes Management Rules 2016 is hereby refused, which may please be noted.

If you are aggrieved with the said Refusal of Consent, you may prefer an Appeal under Section 28 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 31 of the Air (Prevention & Control of Pollution) Act, 1981 and under Rule 16(1) of the Bio-Medical Waste Management Rules, 2016 before the Secretary, Environment Department, Govt. of Maharashtra, within a period of 30 days from the date of receipt of the said letter.


(Dr. A. R. Supate)
Principal Scientific Officer

Copy to:

1. LO, MPCB, Mumbai – for information
2. Regional Officer, MPCB, Kalyan / Sub Regional Officer, Kalyan-I – for information and necessary action.