

MAHARASHTRA POLLUTION CONTROL BOARD
SUB-REGIONAL OFFICE RAIGAD-I

Tel No. 27576034
Fax No. 2756 2132



Raigad Bhavan, 6th floor
Sec-11, C.B.D. Belapur
Navi Mumbai 400 614.

No. MPCB/SROR-I/TB/210105-FIS-0203

Date: 05/01/2021

To,
M/s. Jubilant Pharma and Chemical Lab OPC Pvt Ltd,
Surya Gaytri CHS Ltd, Shop No 11 to 15,
plot No D-14/15, Tal. Panvel, Dist. Raigad.

Sub: - Refusal of authorization.

Ref: - Your application for BMW Authorization vide no. MPCB-BMW_AUTH-0000017016.

Sir,

This office is in receipt of your BMW authorization under Bio-Medical waste (management and handling) Rule, 1998. During visit it is observed that you have not generated any type of Bio Medical waste in your food testing laboratory.

In view of this, your authorization MPCB-BMW_AUTH-0000017016 is refused. You should apply in consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous & Other Wastes (Management & Transboundary) Rules 2016. For food testing laboratory.

Yours Faithfully

(Sachin Adkar)
Sub-Regional Officer