

MAHARASHTRA POLLUTION CONTROL BOARD
SUB-REGIONAL OFFICE, CHANDRAPUR

Phone: 07172-251965/272410
Fax: 07172-251965
Visit us at www.mpcb.gov.in
E-mail: srochandrapur@mpcb.gov.in



Sub-Regional Office
Udyog Bhavan, 1st Floor
Railway Station Road,
Chandrapur-442401

No. SRO-CHANDRAPUR/BMW_AUTH/1904000113

Date: 08/04/ 2019

To,

✓ M/s. Jadhav Nursing Home,
Behind Police Station, Deshpande Layout,
Tal. Rajura. Dist. Chandrapur.

Sub: Refusal of renewal of BMW Authorization under Rule 10(2) of BMW Rules.

Ref: 1) Your application for BMW Authorization vide no. MPCB-BMW_AUTH-0000020029.

2) Show Cause Notice for Refusal issued by the Board vide no. MPCB/SROC/SCN/3047/2019 dated 02/04/2019.

.....

WHEREAS, you are operating your HCE in Water Pollution Prevention area and Air Pollution Prevention area declared the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 and amendments thereto.

AND WHEREAS, you have applied for renewal of BMW authorization under Bio-Medical Waste (Management, Handling & Trans-boundary Movement) Rules 2016 and amendments thereto.

AND WHEREAS, it is obligatory on your part to operate the HCE with a valid authorization granted by the State Pollution Control Board under Bio-Medical Waste (Management, Handling & Trans-boundary Movement) Rules 2016 and amendments thereto and comply the conditions stipulated therein.

AND WHEREAS, it is noted that, you have not taken any efforts to submit the required documents, discrepancies found upon scrutiny of your application and compliance of authorization conditions, which finds difficult to consider your application for renewal of authorization, therefor issued show cause notice for refusal of authorization vides ref(2).

AND WHEREAS, It is noted that you have not submitted reply to Show Cause Notice for Refusal and you have failed to address the issues and compliance thereof after repeated communication. This shows your negligent attitude towards Environment Protection & Compliance to the directions issued by the Board.

NOW, THEREFORE, taking into consideration all the material facts including environmental concerns and in exercise of the powers conferred upon me, your renewal of BMW Authorization is hereby refused under Rule 10(2) of Bio-Medical Waste Management Rules, 2016.

If you are aggrieved with said Refusal of Authorization, you may prefer an Appeal under Rule 16(1) of the Bio-Medical Waste Management Rules, 2016 before Appellate Authority within a period of 30 days from the date of receipt of the said letter.

For and on behalf of the
Maharashtra Pollution Control Board



(Pratap Jagtap)

Sub-Regional Officer, Chandrapur.

Copy submitted for favors of information to:

- 1) Principal Scientific Officer, M. P. C. Board, Mumbai.
- ✓ 2) Regional Officer, M. P. C. Board, Chandrapur.