

MAHARASHTRA POLLUTION CONTROL BOARD

SUB REGIONAL OFFICE, RATNAGIRI

Telefax : (02352) 220813
e-mail : sroratnagiri@mpcb.gov.in



Sub Regional Office Ratnagiri,
Central Administration Building No.2,
2nd Floor, Collector Officer Compound,
Ratnagiri - 415 612.

No. MPCB/SROR/429 /18

Date: 25/07/2018

To,
M/s. Aum Clinical Laboratory,
Dr. Prashant Dhanaji Gulekar,
A/p. Vaibhavwadi,
Tal. Vaibhavwadi, Dist. Sindhudurg.

Sub -Return of application.

- Ref.** – 1) Circular-returning of Application for consent & Authorization only with approval of competent authority as per the power delegated for the consent management No.Bo/P&L Divn./B-167/ Dtd. 02.04.2013.
2) Your Application received to this office.
(MPCB-BMW_AUTH-0000010161)
3) This office letter no. 605, dtd. 12/12/2017.

With reference to above cited subject, you have submitted application for grant of Authorization. On scrutiny of your application, this office has issued a scrutiny letter vide reference no.3 above. But till date you have not submitted any documents.

In view of above, the application is hereby returned to you for compliance & resubmission within 15 days. Operation of Hospital/Clinic without valid authorization is violation of Environmental acts, which attract legal action as deem fit, which may please be noted.

Yours Faithfully

Sub-Regional Officer, Ratnagiri.

Copy submitted for information & necessary action to:-
Regional Officer, MPC Board, Kolhapur.