

**MAHARASHTRA POLLUTION CONTROL BOARD**

Phone : 0257-2221288  
Fax : 0257-2221288  
Email : srojalgan1@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Sub-Regional Office,  
Old B. J. Market, 3<sup>rd</sup> Floor,  
Hall No. A, Jalgaon  
Jalgaon - 425001

**LETTER OF BIO-MEDICAL WASTE AUTHORISATION**  
*[Authorization for Generation of Bio-Medical Wastes under Rule 7(4)]*

UAN No. MPCB-BMW\_AUTH-0000019220

- I. File number of authorization and date of issue  
**SRO-JALGAON/BMW\_AUTH/1901000220** **Date: 07 Jan 2019**
- II. **M/s. Kusumshree Nursing Home** is hereby granted an authorization for generation of biomedical waste on the premises situated at **13/2, Bhusawal Road, Muktainagar, Tal. Muktainagar, Dist. Jalgaon.**
- III. This authorisation shall be in force for a period up to **31 Dec 2021**. An application shall be made by the occupier/operator for renewal **3 Months** before expiry of earlier authorisation.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: **15 (Fifteen Beds).**

**Terms and Conditions of authorisation**

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.  
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
6. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :



Category	Description	Quantity	Type of Bag/ container used	Treatment and Disposal	
Yellow	A	<b>Human Anatomical Waste:</b> Human tissues, organs, body parts and fetus below the viability period (as per the Medical Termination of Pregnancy Act 1971, mended from time to time)	30 Kg/M	Yellow colored non-chlorinated plastic bags	<b>Bio medical Waste shall be sent to Common BMW Treatment &amp; Disposal facility authorized by MPCB</b>
	B	<b>Animal Anatomical Waste :</b> Experimental animal carcasses, body parts, organs, tissues, including the waste generated from animals used in experiments or testing in veterinary hospitals or colleges or animal houses	---		
	C	<b>Soiled Waste:</b> Items contaminated with blood, body fluids like dressings, plaster casts, cotton swabs and bags containing residual or discarded blood and blood components	0.7 Kg/M		
	D	<b>Expired or Discarded Medicines:</b> Pharmaceutical waste like antibiotics, cytotoxic drugs including all items contaminated with cytotoxic drugs along with glass or plastic ampoules, vials etc	---	Yellow colored non-chlorinated plastic bags or containers	
	E	<b>Chemical Waste:</b> Chemicals used in production of biological and used or discarded disinfectants	20 Liters/M	Yellow colored containers or non-chlorinated plastic bags	
	F	<b>Chemical Liquid Waste :</b> Liquid waste generated due to use of chemicals in production of biological and used or discarded disinfectants, Silver X-ray film developing liquid, discarded Formalin, infected secretions, aspirated body fluids, liquid from laboratories and floor washings, cleaning, house-keeping and disinfecting activities etc	---	Separate collection system leading to effluent treatment system	
	G	<b>Discarded linen, mattresses, beddings contaminated with blood or body fluid</b>	---	Non-chlorinated yellow plastic bags or suitable packing material	
	H	<b>Microbiology, Biotechnology and other clinical laboratory waste:</b> Blood bags, Laboratory cultures, stocks or specimens of micro-organisms, live or attenuated vaccines, human and animal cell cultures used in research, industrial laboratories, production of biological, residual toxins, dishes and devices used for cultures	---	Autoclave safe plastic bags or container	
Red	- <b>Contaminated Waste (Recyclable)</b> - Wastes generated from disposable items such as tubing, bottles, intravenous tubes and sets, catheters, urine bags, syringes (without needles and fixed needle syringes) and vacutainers with their needles cut) and gloves.	0.5 Kg/M.	Red colored non-chlorinated plastic bags or containers		
White (Translucent)	- <b>Waste sharps including Metals:</b> Needles, syringes with fixed needles, needles from needle tip cutter or burner, scalpels, blades, or any other contaminated sharp object that may cause puncture and cuts. This includes both used, discarded and contaminated metal sharps	0.8 Kg/M	Puncture proof, Leak proof, tamper proof containers		
Blue	A <b>Glassware:</b> Broken or discarded and contaminated glass including medicine vials and ampoules except those contaminated with cytotoxic wastes	---	Cardboard boxes with blue colored marking		
	B <b>Metallic Body Implants</b>	----			

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.



8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
- (ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.
9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.

10. **Standards for waste autoclaving:**

The autoclave should be dedicated for the purposes of disinfecting and treating bio- medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
- (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
- (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;
- or
- (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
- (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
- (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for



any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.


- (IV) *Recording of operational parameters*, - Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing*. - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least  $1 \times 10^4$  spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) *Routine Test*.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.
11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31<sup>st</sup> January every year including information about the categories and quantities of BMW handled during the preceding year.
12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
- (ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
14. The Board reserves the rights to add/amend/revoke any condition in this application and the same shall be binding on the applicant.
15. The Board can refuse/cancel your authorization in case of violation of provisions of BMW Rules -Bio medical waste management.
16. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
17. The Hospital Authority shall furnish the following BG's towards compliance of conditions of authorization within 15 days from date of issuance of the authorization as per Circular of MPCB, HQ, Mumbai vide letter No. MPCB/PSO/BMW/B-1825 dtd.10.04.2013.



Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount	Bank Guarantee(s) validity
<b>I (A)</b>	<b>Operation and Maintenance</b>			
1	To Segregate and Handle BMW as per Rule	Continuous	25,000/-	31/12/2021
<b>I (B)</b>	<b>Records</b>			
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31 <sup>st</sup> January	Continuous	15,000/-	31/12/2021
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10,000/-	31/12/2021
<b>II</b>	<b>Performance</b>			
1	To provide Separate BMW storage facility As per guidelines of CPCB.	Continuous	25,000/-	31/12/2021
		<b>Total</b>	<b>75,000/-</b>	

18. The above Bank Guarantee(s) shall be submitted by the applicant at the respective Regional Office within 15 days of the date of issue of BMW Authorization.
19. This authorization should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
20. As per Bio-Medical Waste Management Rules, 2016 as amended in March 2018, as per the amendment, Hospital shall have to install Sewage Treatment Plant for treatment of Sewage before 31st December 2019.

For and on behalf of the  
Maharashtra Pollution Control Board

  
(S. M. Kurmude)  
Sub-Regional Officer,  
M. P. C. Board, Jalgaon

To  
Dr. Vikrant Shriram Jaiswal  
M/s. Kusumshree Nursing Home  
13/2, Bhusawal Road, Muktainagar, Tal. Muktainagar, Dist. Jalgaon.



**Authorization Fees Received:-**

Sr. No.	Amount	Transaction Number	Transaction Date	Transaction Type
1	Rs.3,750/-	TXN1901000327	03 Jan 2019	e-Payment

Copy Submitted to:-

- Chief Accounts Officer, MPCB Board Mumbai
- Regional Officer(HQ), MPCB, Sion Mumbai

Copy to:-

As Per delegation