

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0251 - 2310212/ 2310122
Fax: -
Website: <http://mpcb.gov.in>
Email: srokalyan1@mpcb.gov.in



Maharashtra Pollution
Control Board,
Sidhivinayak Sankul, 3rd
and 4th Floor, Station
Road, Kalyan (West)

ORANGE/S.S.I (G37)
**No:- Format1.0/RO/UAN No.MPCB-
CONSENT_AMMENDMENT-0000019752/CO/2603000161**

Date: 17/03/2026

To,
M/s. Out N Out Infotech (India) LLP.
Sai world Dreams, Survey No. 67 /1, Village Sagaon,
Survey No. 16/1, 16/2, 20/1, 20/2, 21/1, 21/2,
21/3,21/4, 42/2, 44/1, 44/2, 44/3, 44/20,
51/1, 51/2, 56/1 & 56/2 of Village Gharivali
& Survey No.46/1, 47 & 49 Village Usarghar,
Dombivali, Dist- Thane.



Sub: Consent to Operate.

Ref: Consent to Operate granted by SRO in green category vide No. Format1.0/SRO/UAN No. 0000180793/CO/2311000186, valid upto 30/09/2032.

Your application No.MPCB-CONSENT_AMMENDMENT-0000019752 Dated 05.03.2026

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to operate is granted for a period up to:- 30.09.2031**
- The capital investment of the project is Rs.3.25 Crs. (As per C.A Certificate submitted by industry)**
- Consent is valid for the manufacture of:**

| Sr No | Product | Maximum Quantity | UOM |
|--------------|---------------------------------------|-------------------------|------------|
| Products | | | |
| 1 | Ready Mix Concrete (Captive Purpose) | 100 | m3/day |

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

| <i>Sr No</i> | <i>Description</i> | <i>Permitted (in CMD)</i> | <i>Standards to</i> | <i>Disposal Path</i> |
|--------------|--------------------|---------------------------|---------------------|--|
| 1. | Trade effluent | 2.0 | As per Schedule -I | Treated effluent reuse in process, water sprinkling system or gardening / plantation only. |
| 2. | Domestic effluent | 1.0 | As per Schedule -I | Soaked in soak pit |

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

| <i>Sr No.</i> | <i>Stack No.</i> | <i>Description of stack / source</i> | <i>Number of Stack</i> | <i>Standards to be achieved</i> |
|---------------|------------------|--------------------------------------|------------------------|---------------------------------|
| 1 | 1 | Silos | 0 | As per Schedule -II |

6. **Non-Hazardous Wastes:**

| <i>Sr No</i> | <i>Type of Waste</i> | <i>Quantity</i> | <i>UoM</i> | <i>Treatment</i> | <i>Disposal</i> |
|--------------|----------------------|-----------------|------------|------------------|------------------|
| 1 | Slurry | 100 | m3/month | reuse | Reuse in process |

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

| <i>Sr No</i> | <i>Category No./ Type</i> | <i>Quantity</i> | <i>UoM</i> | <i>Treatment</i> | <i>Disposal</i> |
|--------------|---------------------------|-----------------|------------|------------------|-----------------|
| 1 | | 0 | --NA-- | NA | NA |

8. The consent is issued subject to direction issued by CPCB under section 18(1) (b) of Water (Prevention and Control of Pollution) Act, 1974, regarding classification of Industries dated 07th March 2016.
9. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
10. The Board may make the standards stringent for the RMC/batching plants located within Corporation area.
11. Operation of RMC plant shall be in daytime only. The Day time is reckoned in between 6 a.m. and 6 p.m. i.e. from sun rise to sunset.
12. Operation of RMC plant shall be in day time only. However in notified MIDC area, notified industrial parks, outside corporation area timing are not applicable. The Day time shall mean from 6 a.m. to 10 p.m.
13. Commercial plants shall install continuous ambient air quality monitoring station (CAAQMS) within the premises.
14. Captive plants shall carryout ambient air quality monitoring twice in a week for 24 hours.
15. Industry shall carry out monitoring of ambient air quality twice in a week for 24 hours at windward & lean ward direction and submit the data to Board office on monthly basis.

16. The captive RMC plants shall not act as a commercial plant if found acting as a commercial plant then it shall be closed permanently.
17. The RMC plant shall be fully covered from all sides by using tin / similar type of material like a box structure for raw material handling, silos, Loading & unloading area including conveyor belt, mixing unit, hopper bottom or total plant area shall be fully covered from all sides within a period of 01 months from the date of issuance of this Notification and shall submit Bank Guarantee towards compliance of the same.
18. The remediation and restoration measure shall be taken by the project proponent in case of any environmental pollution in the surrounding area due to emission/effluent in excess of the standards being discharged/emitted into the environment and violation of consent conditions and thereby causing environmental pollution.
19. After possession / Completion of 70% work of project for which Consent to Operate (part area) is granted , the captive plant shall be shifted/ dismantled within a period of 1 month from the premises.
20. The applicant shall provide adequate Water Treatment and Disposal Facility for generated effluent from their activity. They shall comply with provisions under the water (Prevention and control of Pollution) Act, 1974.
21. The applicant shall provide adequate Air Pollution Control arrangement at the source. The shall comply with the provision under the Air (Prevention and Control of Pollution) Act. 1981 and conditions prescribed.
22. The RMC plants where the norms are not followed and the technology is old (Star type) shall be discarded. Existing RMC plant shall implement the suggested guidelines. The renewal of Maharashtra Pollution Control Board's consent shall be considered only after implementation of new guidelines. The RMC's having valid consent of Maharashtra Pollution Control Board shall amend their consent in compliance with guideline within a year.
23. CCTV camera shall be installed at all the entry and exist points.
24. Fogging / fogging system within minimum 50 mtrs. Of water mist fog shall be installed at all dust generated source.
25. Automatic two-level tyre washing facility shall be provided at entry and exit points, for transit mixture vehicle.
26. Daily cleaning / removal of dust accumulation inside the plant (dry / wet) shall be carried out, with using compact mobile unit with vacuum system of high-pressure cleaning.
27. Global Positioning System (GPS) tracking system shall be installed to all RMC carrying Vehicles.
28. The project proponent should comply with other locational statutory requirements in force such as Development Control (DC) Rules & as per MoEF & CC guidelines etc., while obtaining Consent to Operate from the Maharashtra Pollution Control Board.
29. Mixing section of cement, aggregate & sand shall be equipped with adequate capacity dust collection system, such as multi-cyclone followed by bag house, so as to limit dust emissions.
30. Commercial plants shall install standard sensor-based Air Quality Monitoring System within the premises for parameter PM10 & PM2.5.
31. Ready mix concrete industry shall comply with the provision under the Noise Pollution (Regulation and Control) Rule 2000, to control Noise Pollution.
32. In event of uses of ground water PP must obtain NOC from CGWA, unless falling in exempted category as per MoJS dtd. 24/09/2020 and amendment dtd. 29/03/2023 thereto and for that PP must apply for ground water NOC within one month after obtaining CCA/ CTE/CTO.

33. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
34. The applicant shall not take any effective steps towards additional investment, modernization/upgradation/additional machinery or construction, modification/alternation of manufacturing process and expansion in production consented quantity without prior permission of the MPC Board.
35. The industry strictly Implement the Guidelines for SITTING CRITERIA OF READY MIX CONCRETE (RMC) PLANT in the State of Maharashtra as per notification dtd. 17/10/2025. and supersede earlier guidelines dtd. 07/11/2026 and 27/11/2024.
36. This consent is issued with overriding effect of previous consent vide no. Format1.0/SRO/UAN No. 0000180793/CO/2311000186, valid upto 30/09/2032.
37. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent. (Operate/Renewal)

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Received Consent fee of -

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date | Transaction Type |
|--------------|--------------------|---------------------------|-------------|-------------------------|
| 1 | 75000.00 | MPCB-DR-21312 | 05/09/2023 | NEFT |

Copy to:

1. Regional Officer, MPCB, Kalyan and Sub-Regional Officer, MPCB, Kalyan I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] The wastewater generated from the sources like washing, Transit Mixer washing, Vehicle tyre washing and floor washing area shall be collected through well designed drainage system in a collection tank and the same shall be treated by providing comprehensive treatment system as is warranted to meet the disposal standards mentioned below.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

| Sr.No | Parameters | Limiting concentration not to exceed in mg/l, except for pH |
|--------------|-------------------|--|
| (1) | pH | 5.5 to 9..0 |
| (2) | BOD (3 days 27°C) | 30 |
| (3) | COD | 150 |
| (4) | Oil & Grease | 10 |
| (5) | SS | 100 |

- C] NA
 - D] The treated effluent shall be reused in the process, water sprinkling system or gardening / plantation only. There should not be any discharge of effluent from the plant outside the project premises.
2. A] As per your application, you have provided Septic Tank followed by Soak pit for the treatment of 1.0 CMD of sewage.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

| Sr.No | Parameters | Standards (mg/l) | |
|--------------|-------------------|-------------------------|-----|
| 1 | Suspended Solids | Not to exceed | 100 |
| 2 | BOD 3 days 27°C | Not to exceed | 100 |

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way for gardening / outside factory premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|----------------|--|---|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 0.00 |
| 2. | Domestic purpose | 1.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 80.00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 |
| 5. | Gardening | 0 |

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

| Stack No. | Source | APC System provided/proposed | Stack Height(in mtr) | Type of Fuel | Sulphur Content(in %) | Pollutant | Standard |
|-----------|--------|--|----------------------|--------------|-----------------------|-----------|----------|
| 1 | Silos | Dust Collection System with Covered Shed | 0.00 | - | - | NA | - |

Industry shall provide adequate capacity of air pollution control system to all gases/dust pollutants generating sources to control the emissions. Industry shall ensure that there shall not be any type of fugitive emission due to said activity.

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:
6. Control Equipment:

a. In-house measures :-

1. Transfer points should be covered from all the sides.
2. The dust containment system shall be provided incorporating either of the following -
 - i) Water sprinkling/Chemical dust stabilizing agent spraying system along the periphery inside the premises of RMC.
 - ii) Tree plantation along the periphery inside boundary of the RMC premises be carried out. The foliage of the trees shall adequately cover area up to about 20 feet. height. shall be carried out.
3. Internal movement area shall be cement concreted /Asphalted.
Daily cleaning / Removal of dust accumulation inside the plant (dry/wet) shall be carried out, with using compact mobile unit with vacuum system of high-pressure cleaning.
4. Automatic two-level tyre washing facility shall be provided at entry and exit points, for transit mixture vehicle.
5. Foggers/ Fogging system with minimum 50 mtrs of water mist fog shall be installed at all dust generating sources.
6. CC TV cameras shall be installed at all the entry and exit points.

8. Global Positioning System (GPS) tracking system shall be installed to all RMC carrying vehicles.

It will be responsibility of RMC plant to ensure all vehicles shall be thoroughly cleaned before leaving RMC plant premises and is also cleaned at the place where RMC is dispatched. In no case transit mixtures carrying material on its outer surface shall be operated. Operator of the RMC plant will be held responsible for this lapse.

b. Raw material storage & handling:-

1. Storage silos of cement & fly-ash shall be equipped with adequate capacity of dust Collection system such as multi- cyclone followed by bag house assembly
2. Handling of Cement, sand, fly ash, gypsum and aggregates shall be carried out with mechanical closed system only.
3. Manual operations shall be permitted only in a closed shed which will be equipped with dust control system at the loading point as well as roof top secondary dust control system.
4. All Conveyor belts of Sand, aggregate shall be covered with tin sheets and at transfer points dust collection system to be installed to avoid secondary fugitive emissions.
5. All the raw materials must be stored in closed silos /bins of adequate capacity.
6. Mixing section of cement, aggregate & sand (equivalent) shall be equipped with adequate capacity dust collection system, such as multi-cyclone followed by bag house, so as to limit dust emissions.
7. Storage area of sand (equivalent) & aggregate shall be equipped with roof top water sprinkler system.
8. The operation of the plant shall be interlocked with air pollution control devices.
9. Alternative power supply system should cover both the production and Air pollution control system.

c. The unit shall monitor ambient air quality at the plot boundary and meet the following ambient air quality standards (24 hours Average)

| | | |
|---------------------------|---------------|-----------------------|
| Particulate Matter PM 10 | Not to Exceed | 100 ug/m ³ |
| Particulate Matter PM 2.5 | Not to Exceed | 60 ug/m ³ |

(a) Commercial plants shall install standard sensor-based Air Quality Monitoring System within the premises for parameters PM10 & PM2.5.

(b) Captive plants shall carry out ambient air quality monitoring twice a week for 24 hours.

(c) All such records shall be made available during inspection by MPCB officials.

SCHEDULE-III

Details of Bank Guarantees:

| Sr. No. | Consent(C2E/C2O/C2R) | Amt of BG Imposed | Submission Period | Purpose of BG | Compliance Period | Validity Date |
|---------|----------------------|-------------------|-------------------|--|-------------------|---------------|
| 1 | C to O | Rs. 15.0 lakh | 15 days | towards compliance of SITTING CRITERIA OF READY MIX CONCRETE (RMC) Guidelines PLANT in the State of Maharashtra as per notification dtd. 17/10/2025. | 30.09.2031 | 31.12.2031 |

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

| Srno. | Consent (C2E/C2O/C2R) | Amount of BG imposed | Submission Period | Purpose of BG | Amount of BG Forfeiture | Reason of BG Forfeiture |
|-------|-----------------------|----------------------|-------------------|---------------|-------------------------|-------------------------|
| NA | | | | | | |

BG Return details

| Srno. | Consent (C2E/C2O/C2R) | BG imposed | Purpose of BG | Amount of BG Returned |
|-------|-----------------------|------------|---------------|-----------------------|
| NA | | | | |



SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. The PP shall provide personal protection equipment as per norms of Factory Act
14. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

24. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
26. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

This certificate is digitally & electronically signed.
