

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/L.S.I

Date: 12/12/2025

No:- Format1.0/CC/UAN No.0000249567/CR/2512001065

To,

1. Municipal Commissioner,
Municipal Corporation of Greater Mumbai, Mumbai City

(Owner)

2. SMS Envoclean Pvt Ltd

5904/1A,5804/AB,Near Deonar Dumping Ground Ghatkoper-Mankhurd
Link Road Kurla, Mumbai Suburban-400043

(Operator)

Email:infosmsenvoclean@smsl.co.in

Contact No.:8422848430

Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Previous CCA granted vide No. Format1.0/CC/UAN No.MPCB-CONSENT-0000171815/CR/2312000751 dated 07/12/2023.
 2. Your application for plain renewal of CCA dated 13/06/2025.
 3. Visit Report dated 30/06/2025.
 4. SCN for refusal issued on 01/08/2025.
 5. Reply to SCN uploaded on 08/08/2025.
 6. Minutes of 7th Consent Committee meeting held on 20/08/2025.
 7. Board letter dated 26/08/2025.
 8. Your reply dated 10/09/2025.
 9. Minutes of 9th Consent Committee meeting dated 22/09/2025.
 10. SCN issued on 23/09/2025.
 11. Your reply dated 25/09/2025.
 12. Your letter dated 10/10/2025.
 13. Order dated 16/10/2025 passed by the Hon'ble High Court Bombay in I.A. No.5225 of 2025 in PIL No.50 Of 2023.
 14. Minutes of 10th CC meeting held on 04/11/2025.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to CBMWTSDF under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-IV)** enclosed in this order.

1. This CCA shall be in force for a period From **11-09-2025 To 16-07-2027**
2. HCF Area : - Plot Area 4088.00 M² with Built-up area 1301.00 M².
3. The Jurisdiction allocated for waste collection: A) Mumbai Municipal Corporation area, B) Ulhasnagar, Badlapur, Ambernath, Bhiwandi, Shahpur and Murbad area till establishment of new facility for said area.
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 190 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
5. **Conditions under the Air (P&CP) Act,1981:-**
 1. You shall use the fuel for DG set and incinerator and provide the adequate air pollution control devices as specified to maintain the emissions from the stack attached to the incinerator and DG Set as specified in the **Annexure-II**.
 2. You shall provide adequate emission control system to DG set and incinerator as specified in **Annexure-II**.
 3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	37.2 Ash from incinerator and flue gas cleaning residue	37.2	723.79	MT/A	CHWTSDF
2	35.3 Chemical sludge from waste water treatment	35.3	35.02	MT/A	CHWTSDF

7. Conditions under BMW Management rules 2016:-

You shall operate Treatment plant as below and shall comply with the operational conditions mentioned at Schedule-I.

Sr No	Treatment Technology	Installed Capacity	Operational Capacity/Day	Compliance of Standards
1	Incinerator (250 kg/Hr X 04 nos.)	1000 Kg/Hr	18000 Kg/Day	As per Annexure-II
2	Autoclave	400 Ltr/Cycle	6400 Kg/Day	As per Annexure-III
3	Shredders (150 Kg/Hr, 200 Kg/Hr & 300 Kg/Hr)	650 Kg/Hr	11700 Kg/Day	

Part A - Responsibility of Commissioner, Municipal Corporation of Greater Mumbai (Owner of Facility):

- I. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
- II. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- III. You shall ensure that operator of the facility ensure round 'O' clock operation of online continuous monitoring system as per CPCB guidelines & data is transmitted directly from Data Logger to CPCB and MPCB server .
- IV. You shall ensure operator of facility collects, segregated BMW regularly and dispose Off within 48 hrs from generation.
- V. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.

Part B - Responsibility of SMS Envoclean Pvt Ltd (Facility Operator) :

- I. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
- II. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- III. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof or erection of new pollution control equipment.
- IV. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
- V. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- VI. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
- VII. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year.
- VIII. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
- IX. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

- X. You shall take all necessary steps to ensure that the bio-medical waste collected from the occupier is transported, handled, stored, treated and disposed of, without any adverse effect to the human health and the environment, in accordance with these rules and guidelines issued by the Central Government or, as the case may be, the central pollution control board from time to time.
 - XI. You shall ensure strict compliance with the Bio-Medical Waste Management Rules, 2016 (as amended) and CPCB guidelines by: segregating and handling bio-medical waste as per Schedule I; operating and maintaining STP/ETP to meet prescribed discharge standards; maintaining records of bio-medical waste and submitting the Annual Report in Form IV by 30th June each year; documenting recyclable waste handed over to MPCB/CPCB-authorized recyclers and hazardous waste disposed at CHWTSDf; operating and maintaining APCDs to meet emission standards; achieving required temperatures in the primary and secondary chambers of incinerators; conducting autoclave validation tests using biological indicators (*Geobacillus stearothermophilus* spores = 1×10^6) every three months and chemical indicator strips/tapes for each batch; maintaining OCEMS connectivity with MPCB/CPCB servers; ensuring VTS system connectivity with MPCB server and implementing the barcode tracking system; and imparting and recording training for all healthcare establishments under your jurisdiction
 - XII. You shall operate the facility in strict compliance with Biomedical Waste Management Rules, 2016 and CPCB guidelines.
 - XIII. You shall apply for renewal of Combined Consent to Operate and Biomedical Waste Authorization 120 days before lapse of validity. Failure to apply attract penal fee as per Board circular dated 28/04/2025.
8. You shall use only dedicated vehicles as detailed in Annexure-IV for collection and transportation of Bio-Medical waste within allocated Jurisdiction. Vehicles Authorized for BMW Collection shall strictly comply with this BMW Rules 2016 and CPCB/MPCB guidelines and Motor Vehicles act, 1988 (59 of 1988).
 9. You shall collect the BMW Strictly complying with the Provisions of Schedule-I and Treatment & Disposal as specified in Schedule-I of BMW Rules, 2016 as amended.
 10. You shall not collect outdated, discarded, unused cytotoxic drugs/waste generated in the Cancer research centers and health care establishments unless they are specifically marked with the symbol of Bio Hazard & Cytotoxic Hazard.
 11. You shall collect and dispose-off the Mercury Waste from HCE as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
 12. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 and Consent to Establish from the MPC Board.
 13. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this authorization.
 14. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding upon you.
 15. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
 16. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) Act 1981 shall attract provisions of respective act including closure of the facility and prosecution.

17. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
18. As per decision of 10th CC meeting held on 04/11/2025 plain renewal of Consent to Operate and BMW Authorization is granted for period of 21 Months i.e. upto 16/07/2027 (As per timeline given by Hon'ble High Court in order dated 16/10/2025)
19. If CBWTF willing to continue operation of Autoclave and Shredding activity after expiry of validity of this consent till the validity of existing agreement between MCGM and M/s SMS Envoclean, then they shall obtain separate permission/consent from MPCB.
20. The penal fee of Rs.25000/- is adjusted from the balanced fee of previous CCA vide No. Format1.0/CC/UAN No.MPCBCONSENT-0000171815/CR/2312000751 dated 07/12/2023
21. You shall extend the existing bank Guarantee of Rs.9.00 Lakh and submit to Regional Officer, Mumbai within 15 days. failure to submit attract 12% penal interest.
22. The industry / HCE shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
--------------	--------------------	---------------------------	-------------	-------------------------

The balanced fee of Rs. 2,65,110/-/- from previous CCA vide No. Format1.0/CC/UAN No.MPCBCONSENT-0000171815/CR/2312000751 dated 07/12/2023 is considered for penal fee and consent fee of this application.

Copy to:

1. Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai III
 - Regional Officer, MPCB, Mumbai directed to ensure that CTF shall submit the extended bank guarantees as per schedule-III within stipulated time and monitor the compliance.
 - Sub Regional Officer, MPCB, Mumbai-III directed to monitor the compliance of CCA condition. You shall carry out physical inspection regularly on monthly basis and monitor the present plant and also carry out regular monitoring of pollution level in that area.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	180.00
2.	Domestic purpose	10.00
3.	Pathology Laboratory, Floor washing, Operation Theater	0.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	8.5	As per clause 'C'	100% Recycle
2	Trade effluent	160	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	Incinerator	HSD	140.00 Ltr/Hr	32.00
2	DG	HSD	7.00 Ltr/Hr	2.40

2. You shall provide following Air pollution Control Devices (APCD) as stated at "C" below and shall observe the following operating conditions and emission standards:

a. Operating Standards:-

i. Combustion efficiency (CE) shall be at least 99.00%.

ii. The Combustion efficiency is computed as follows;

$$\% \text{ CO}_2$$

$$\text{C.E.} \text{ ----- } \times 100$$

$$\% \text{ CO}_2 + \% \text{ CO}$$

iii. The temperature of the primary chamber shall be minimum 800°C, and of the secondary chamber shall be minimum 1050 ± 50°C.

iv. The secondary chamber gas residence time shall be at least 2 (Two) seconds at 1050 ± 50°C.

b. Emission Standards:-

Sr.No.	Parameters	Limiting Concentration in mg/Nm³ unless stated
1	Particulate matter	50
2	Nitrogen Oxides	400
3	HCL	50
4	Total Dioxin & Furans	0.1 ngTEQ/Nm ³ (at 11% O ₂)
5	Hg & It's Compounds	0.05

c. Essential Components of Incinerator to Meet emission standards of BMW Management Rules 2016:-

i. Secondary chamber-2 No.s (for 2 second residence time)

ii. Individual burner for primary & secondary chamber.

iii. Venturi scrubber having min. 600mm WC pressure drop with Recirculation pump and recirculation Tank.

iv. Activated carbon dosing for Dioxin removal.

v. ID fan having 900-1000 mm WC pressure drop.

- vi. Packed bed for scrubbing for gaseous pollutants with recirculation pump and recirculation tank.
- vii. Minimum stack height shall be 30 meters above the ground and shall be attached with the necessary monitoring facilities as per requirement of monitoring of general parameters as notified under the E (P) Act, 1986 and in accordance with the CPCB Guidelines of Emission Regulation Part-III.
- viii. Online OCEMS and Temperature recording for primary and secondary chamber with data logger and connectivity to MPCB and CPCB server.

d. General Requirements:-

- i. Volatile Organic Compounds in the incineration ash shall not be more than 0.01%.
- ii. The Operator shall provide ports in the chimney and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's staff. The chimneys shall be numbered as S-1, S-2 etc and these shall be painted / displayed to facilitate identification.
- iii. The operator shall monitor the stack gaseous emissions (under optimum capacity of the incinerator) of above mentioned parameters at least quarterly from the laboratory recognized under the Environment (Protection) Act, 1986 & NABL accredited and record of such analysis results shall be maintained and submitted to the prescribed authority. In case of dioxins and furans, monitoring should be done once in a year.

Note:-

- i. Wastes to be incinerated shall not be chemically treated with any chlorinated disinfectants.
- ii. Only low Sulphur fuel like Light Diesel Oil or Low Sulphur Heavy Stock or Diesel, Compressed Natural Gas, Liquefied Natural Gas or Liquefied Petroleum Gas shall be used as fuel in the incinerator.
- iii. You shall install continuous emission monitoring system for the parameters as stipulated by Central Pollution Control Board for CO₂, CO and O₂.
- iv. All monitored values shall be corrected to 11% Oxygen on dry basis.
- v. Incinerators (combustion chambers) shall be operated with such temperature, retention time and turbulence, as to achieve Total Organic Carbon content in the bottom ashes less than 3% or their loss on ignition shall be less than 5% of the dry weight.
- vi. The occupier or operator of a common bio-medical waste incinerator shall use combustion gas analyzer to measure CO₂, CO and O₂.

3. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
 - i. Provide one stack of height above roof level.
4. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



**Standards for Treatment and Disposal of “RED” Category (Autoclavable) Bio-Medical Waste
Standards for Waste Autoclave:**

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste.

1. When operating a vacuum autoclave, medical waste shall be subjected to a minimum of three pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
 - i. A temperature of not less than 121^o C and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes
2. Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
3. Recording of operational parameters: - Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
4. Validation test: Spore Test: - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be Geobacillus stearothermophilus spores using vials or spore strips, with at least 1x 10⁶ spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, a temperature less than 121^o C or a pressure, less than 15 psi. Test should be conducted at least once in every week & record in this regard shall be maintained.
5. Routine Test: A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved. Test should be conducted during autoclaving of each batch & record in this regard shall be maintained.

BMW Collection and Transportation


1. You shall use following dedicated, GPS enabled vehicles having separate compartments for storage as per colour coding, for collection & transportation of BMW. You shall provide login details of Vehicle Tracking system to the respective SRO, MPCB. Vehicle tracking data shall be stored in archive data for minimum period of 3 months.
2. Use of unauthorized vehicles other than mentioned below shall attract penal action. You shall obtain amendment to Authorization for any new addition or Deletion of the vehicles during the period of this CCA.

Sr. No.	Vehicle No.	Make & Model	Capacity (MT)	VTS (ID/IMEI)	Barcode (Yes/No)
1	MH03CV5161	ASHOK LEYLAND (ASHOK LAYLAND DOST LITE)	1.48	54524245	Yes
2	MH03CV8242	ASHOK LEYLAND (ASHOK LAYLAND DOST LITE)	1.48	355172105386666	Yes
3	MH03CV8243	ASHOK LEYLAND (ASHOK LAYLAND DOST LITE)	1.48	356218603989870	Yes
4	MH03CV8244	ASHOK LEYLAND (ASHOK LAYLAND DOST LITE)	1.48	862549047955052	Yes
5	MH03CV8250	ASHOK LEYLAND (ASHOK LAYLAND DOST LITE)	1.48	862549048136041	Yes
6	MH03CV8251	ASHOK LEYLAND (ASHOK LAYLAND DOST LITE)	1.48	355172105468274	Yes
7	MH03CV8252	ASHOK LEYLAND (ASHOK LAYLAND DOST LITE)	1.48	356218604222941	Yes
8	MH03CV9230	ASHOK LEYLAND (ASHOK LAYLAND DOST LITE)	1.48	867440061192001	Yes
9	MH03CV9231	ASHOK LEYLAND (ASHOK LAYLAND DOST LITE)	1.48	867440061290623	Yes
10	MH03CV9232	ASHOK LEYLAND (ASHOK LAYLAND DOST LITE)	1.48	867440061272134	Yes
11	MH03DV5189	EICHER (EICHER PRO 2114XP)	9.78	355172105390569	Yes
12	MH03DV5154	MARUTI SUZUKI (EECO CARGO CNG)	0.53	355172106243460	Yes

13	MH03DV5156	MARUTI SUZUKI (EECO CARGO CNG)	0.53	355172106247172	Yes
14	MH03DV5168	MARUTI SUZUKI (EECO CARGO CNG)	0.53	355172106246844	Yes
15	MH01CR6257	MARUTI SUZUKI (EECO CARGO CNG)	0.53	356218604980654	Yes
16	MH03DV0768	MARUTI SUZUKI (EECO CARGO CNG)	0.53	54521788	Yes
17	MH47Y1559	MARUTI SUZUKI (EECO CARGO CNG)	0.53	356218603443993	Yes
18	MH02YA6039	MARUTI SUZUKI (OMNI)	0.58	54521623	Yes
19	MH02YA8565	MARUTI SUZUKI (OMNI)	0.58	54524263	Yes
20	MH03CE0760	MARUTI SUZUKI (OMNI)	0.58	867440062689518	Yes
21	MH04HD4389	MARUTI SUZUKI (OMNI)	0.58	355172106934894	Yes
22	MH03CV5230	MARUTI SUZUKI (SUPER CARRY)	0.74	355172106935057	Yes
23	MH03CV5186	TATA MOTORS (TATA 407)	2.96	867440061691275	Yes
24	MH04EB6793	TATA MOTORS (TATA ACE)	0.75	356218603470830	Yes
25	MH04JU1736	TATA MOTORS (TATA ACE)	0.75	862549049014262	Yes
26	MH05EL4297	TATA MOTORS (TATA ACE)	0.75	54529925	Yes
27	MH48BM5453	TATA MOTORS (TATA ACE)	0.75	54525824	Yes
28	MH03CV0273	TATA MOTORS (TATA ACE GOLD)	0.75	54521678	Yes
29	MH03CV2406	TATA MOTORS (TATA ACE GOLD)	0.75	54524855	Yes
30	MH03EG2576	TATA MOTORS (TATA ACE GOLD)	0.75	356218604015667	Yes
31	MH03EG2578	TATA MOTORS (TATA ACE GOLD)	0.75	867440065290603	Yes
32	MH03EG2579	TATA MOTORS (TATA ACE GOLD)	0.75	867440065284713	Yes
33	MH03EG2575	TATA MOTORS (TATA ACE GOLD)	0.75	867440064577596	Yes
34	MH03EG2580	TATA MOTORS (TATA ACE GOLD)	0.75	867440064925068	Yes
35	MH03EG2614	TATA MOTORS (TATA ACE(EV))	0.60	867440064134539	Yes
36	MH03EG7535	TATA MOTORS (TATA ACE(EV))	0.60	356218603443118	Yes
37	MH03EG7536	TATA MOTORS (TATA ACE(EV))	0.60	54526927	Yes
38	MH03ES7350	TATA MOTORS (TATA ACE(EV))	0.60	54521782	Yes
39	MH03ES7351	TATA MOTORS (TATA ACE(EV))	0.60	869925071449472	Yes
40	MH03ES7352	TATA MOTORS (TATA ACE(EV))	0.60	54524091	Yes
41	MH03ES7353	TATA MOTORS (TATA ACE(EV))	0.60	869925071410813	Yes
42	MH03ES7354	TATA MOTORS (TATA ACE(EV))	0.60	54522568	Yes
43	MH03ES7355	TATA MOTORS (TATA ACE(EV))	0.60	54521642	Yes
44	MH03ES7372	TATA MOTORS (TATA ACE(EV))	0.60	54522593	Yes
45	MH03ES7375	TATA MOTORS (TATA ACE(EV))	0.60	54522006	Yes
46	MH03ES7376	TATA MOTORS (TATA ACE(EV))	0.60	54524889	Yes
47	MH03ES7378	TATA MOTORS (TATA ACE(EV))	0.60	54524086	Yes
48	MH03CV8881	TATA MOTORS (TATA INTRA)	1.00	356218603443837	Yes
49	MH03CV8237	TATA MOTORS (TATA INTRA)	1.00	862549048126950	Yes
50	MH03CV8239	TATA MOTORS (TATA INTRA)	1.00	862549047973360	Yes

51	MH03CV8327	TATA MOTORS (TATA INTRA)	1.00	356218604212793	Yes
52	MH03CV8328	TATA MOTORS (TATA INTRA)	1.00	356218604221083	Yes
53	MH03CV8329	TATA MOTORS (TATA INTRA)	1.00	862549047956076	Yes
54	MH03CV8330	TATA MOTORS (TATA INTRA)	1.00	862549047973410	Yes
55	MH03DV0384	TATA MOTORS (TATA INTRA)	1.00	862549048939238	Yes
56	MH03DV0385	TATA MOTORS (TATA INTRA)	1.00	862549047943363	Yes
57	MH03DV0386	TATA MOTORS (TATA INTRA)	1.00	862549047946234	Yes
58	MH03DV0387	TATA MOTORS (TATA INTRA)	1.00	355172105466252	Yes
59	MH03DV0388	TATA MOTORS (TATA INTRA)	1.00	356218604361491	Yes
60	MH03DV0389	TATA MOTORS (TATA INTRA)	1.00	867440065290116	Yes
61	MH03DV0390	TATA MOTORS (TATA INTRA)	1.00	862549047990273	Yes
62	MH03DV0391	TATA MOTORS (TATA INTRA)	1.00	867440064529159	Yes
63	MH03DV0392	TATA MOTORS (TATA INTRA)	1.00	356218603435023	Yes
64	MH03DV0393	TATA MOTORS (TATA INTRA)	1.00	356218603447044	Yes
65	MH03CV5387	TATA MOTORS (TATA LPT810)	5.00	54524051	Yes
66	MH03CV5204	TATA MOTORS (TATA ULTRA 1014)	6.69	54524140	Yes
67	MH03CV5210	TATA MOTORS (TATA ULTRA 1014)	6.69	54524108	Yes

3. Body of the Vehicles used for BMW Transportation must be painted from outside with coloured symbol of BIOHAZARD and CYTOTOXIC as shown below, Label shall be NONWASHABLE and be prominently visible on both side of the vehicle body.



4. Name of CTF, Emergency Contact details and warning for safe handling during accident/spillage must be prominently mentioned on both sides of the vehicle must be mentioned on vehicle and must prominently visible.
5. Driver must have valid Driving license and trained to handle emergency.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Collection, Transportation, Treatment and disposal of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	90500.00	Yellow coloured non- chlorinated plastic bags.	Incineration of Pretreated sterilized waste as per National AIDS Control Organisation or World Health Organization guidelines.
		b) Animal Anatomical Waste	50000.00		
		c) Soiled Waste	220000.00		
		d) Expired or Discarded Medicines	100000.00		
		e) Chemical Waste	4500.00		
		f) Chemical Liquid Waste	15000.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	40000.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	20000.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	192000.00	Red coloured non chlorinated plastic bags or containers.	Red coloured non chlorinated plastic bags or containers.
3	White (Translucent)	Waste sharps including Metals	3100.00	Puncture proof, Leak proof, tamper proof container.	Disinfected and mutilated sharps to be sent to authorized metal recycler.
4	Blue	a) Glassware	55000.00	Puncture proof, Leak proof with Blue coloured marking.	Chemically treated disinfected Glass/Metal waste to be sent to authorized recycler.
		b) Metallic body implants	5000.00		

Responsibilities of CBWTF

1. You shall upgrade /Operate Common BMW Treatment Facility, in accordance with BMW Management Rules, 2016 as amended 2018 and CPCB guidelines issued time to time.
2. You shall ensure that all Health Care Establishments and Institutions generating BMW in your jurisdiction shall obtain membership of the Common Facility and CCA from MPCB and each HCE authorised shall hand over the waste to the Facility. Also ensure that records of the members are maintained properly.
3. You shall establish and implement bar code for waste collections and global positioning system enabled for vehicle tracking of bio-medical waste transport vehicle
4. You shall ensure Receipt, Treatment and Disposal of only segregated Bio-Medical Waste in colour coded bags from the HCEs within 48 hours from the generation.
5. You shall Supply non-chlorinated plastic coloured bags to the occupier as per mutual agreement
6. You shall ensure mandatory colour coded bins are used for source segregation of BMW by the HCEs and Institutions generating BMW.
7. You shall fix the charges for providing services to HCEs in consultation with local Medical Association. Any dispute regarding charges shall be resolved at District Advisory Committee under the Chairmanship of District Collector
8. The treated Plastic / Metal Waste shall be handed over to the Recycler authorized by MPCB for recycling of treated Bio Medical Waste, record shall be maintained.
9. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record of effectiveness thereof.
10. You shall undertake appropriate medical examination at the time of induction and at least once in a year and immunize all workers involved in handling of bio medical waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
11. You shall provide PPE as per norms of Factory Act 1948 and ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc.
12. You shall develop your own website. The website should be uploaded on periodically basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report, as directed time to time.
13. You shall maintain a log book for each of its treatment equipment according to weight of batch; categories of waste treated; time, date and duration of treatment cycle and total hours of operation and daily fuel/energy consumption.
14. You shall maintain all record for operation of incineration, autoclaving, shredding, hazardous Waste disposed and recyclable disposed for a period of five years and produce whenever asked by MPCB authorities.
15. The owner and operator of a common bio medical waste treatment facility both shall be liable for all the damages caused to the environment or the public due to improper management of bio-medical wastes.
16. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW collected and Disposed at Facility in Form IV for preceding year before 30th June of every year to the Sub-Regional Office, MPCB, and uploading the same to MPCB website(<https://www.mpcb.gov.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To comply the conditions mention in this Renewal Combined Consent to Operate and BMW authorization	Continuous	900,000.00
Total			9,00,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122



General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Mumbai.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

This certificate is digitally & electronically signed.

