

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 25505928  
Fax: 22640345  
Website: <http://mpcb.gov.in>  
Email: [romumbai@mpcb.gov.in](mailto:romumbai@mpcb.gov.in)



Kalpataru Point, 2nd floor,  
Opp. PVR Theatre, Sion (E),  
Mumbai-400022  
,Maharashtra

No. BO/MPCB/SRO/Refusal/UAN  
No.0000125946/CE/2603000292

Date: 31/03/2026

To,  
Lupin Healthcare Ltd (Lupin Diagnostics)  
Shop No 7 & 8, Ground floor, F/3,Shop No 7 & 8,  
Ground floor, F/3, Vijay Nagar Co-operative housing  
society, Swami Nityanand Marg, Andheri (E), Mumbai  
Andheri (E), Mumbai,Mumbai city-Mumbai city



**Sub:** Refusal of Combine Consent to Operate & Authorization under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

**Ref:** Your application for grant of Consent to Establish (UAN No. MPCB-CONSENT-0000125946)

WHEREAS, this office is in receipt of your application for grant of Consent to Establish under section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

AND WHEREAS, diagnostic center categorized in red category and needs to obtained combine consent and authorization in prescribed format with fee. But you have obtained consent as non bedded clinic.

AND WHEREAS, you have failed to submit application in Board prescribed format and fee after sufficient & reasonable opportunity given for the submission of same and in the absence of the desired information, the Board is unable to take decision about grant of consent.

In view of above, your application for grant of amendment in consent is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 for the above non-compliances. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter.

**Copy to:**

1. Regional Officer, MPCB-Mumbai- for information, please.

