

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: (02482) 220120
Fax: (02482) 220120
Website: <http://mpcb.gov.in>
Email: srojalna@mpcb.gov.in



**Plot No. P-3/1 & 3/2, Add.
MIDC, Phase-II, Jalna,
Jalna-Chh. Sambhajinagar
Road, Near Hotel Adarsh
Palace, Jalna-431203**

**No. BO/MPCB/SRO/Refusal/UAN
No.0000254135/CO/2602000006**

Date: 02/02/2026

To,
M/s. Yogita Nursing Home and Pediatric Hospital
Wakal Wadi, Kaij, Tal. Kaij, Dist. Beed-431123
Email:dr.hema.raut@outlook.com Contact
No.:7038722938

,

**Sub: Refusal of Consent to Operate under Section 27 of the Water
(Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of
the Air (Prevention & Control of Pollution) Act, 1981.**

Ref:

1. The earlier CCA was granted vide letter No.- Format1.0/SRO/UAN No.0000254135/CO/2507002850 dated 23/07/2025 for 20 Beds, which is valid up to 31.07.2029.
2. Your application for grant of Amendment MPCB-
CONSENT_AMMENDMENT-0000019380



WHEREAS, this office is in receipt of your application for grant of Amendment e under section 26 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

AND WHEREAS, The earlier CCA was granted vide letter No.- Format1.0/SRO/UAN No.0000254135/CO/2507002850 dated 23/07/2025 for 20 Beds, which is valid up to 31.07.2029. AND WHEREAS, In earlier online application form the HCE has applied for 20 Beds & board has granted CCA accordingly.

In view of above, considering the above Information , your application for grant of required amendment is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981. You are hereby directed not to take any effective steps towards operation of the unit without permission of the Board, else Board will initiate legal action as per the provisions of Environmental enactments. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 days' time from the date of receipt of this letter.

Copy to:

1. Regional Officer, MPCB-Chhatrapati Sambhajinagar- for information, please.

