

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: (0724)- 2402344, 2402992
Fax: 0724-2452344/2459992
Website: <http://mpcb.gov.in>
Email: sroakola@mpcb.gov.in



Sub-Regional Office,
M.P.C. Board, Alsi Plot,
Opp. Hutatma Smarak,
Nehru Park Chowk,
Akola-444001

No. BO/MPCB/SRO/Refusal/UAN
No.0000301937/CE/2610000047

Date: 06/10/2026

To,
Navjivan Hospital
Khadki Bk., Akola
Tal. & Dist- Akola.



Sub: Refusal of Amendment in consent application under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

Ref: Your application for grant of amendment in consent application vide MPCB-CONSENT_AMMENDMENT-0000021767

AND WHEREAS, Board office has issued a circular dated 25/08/2025 outlining guidelines for applications seeking amendment to consent. As per the circular, this application does not fall under the specified conditions mentioned in the circular.

In view of above, your consent application for grant of amendment is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 for the above non-compliances. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter.



Generated by PrintBlock
1706b4f2
8525720f
591a3079
40140898
ca9221fa
ae700ac5
272fa807
ff162e75

Signed by: **Shri. Mahesh D Bhiwapurkar**
Sub Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
sroakola@mpcb.gov.in
2026-10-06 13:07:36 IST

Copy to:

1. Regional Officer, MPCB-Amravati- for information, please.