

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563593  
Fax: 0721-2563597  
Website: <http://mpcb.gov.in>  
Email:  
sroamravati1@mpcb.gov.in



Sahkar Surbhi Bapatwadi,  
Near Vivekanand Colony,  
Amravati- 444606

No. BO/MPCB/SRO/Refusal/UAN  
No.0000211404/CO/2408002432

Date: 29/08/2024

To,  
M/s. Gahukar Pathology Laboratory  
Ground Floor, Gulshan Arcade, Rly Station Square,  
Tq. & Dist. Amravati.



**Sub: Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.**

**Ref:** 1. Your application for grant of Consent to Operate (UAN No. MPCB-CONSENT-0000211404)  
2. Scrutiny letter issued by this office on 08.08.2024.

WHEREAS, this office is in receipt of your application for grant of Consent to Operate under section 26 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

AND WHEREAS, Board office has issued letter vide reference no.2 above in which asked to submit the desired information required for processing the application. You have failed to submit desired information and payment despite of the sufficient and reasonable opportunity given for the submission of the same

In view of above, your application for grant of Combined Consent and Authorization is hereby reject/returned under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 for the above noncompliance.

You shall resubmit the application along with necessary documents/fees for Combined Consent and Authorization under the Water (Prevention & Control of Pollution) Act, 1974; Air (Prevention & Control of Pollution) Act, 1981, Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2016 and Biomedical Waste Management Rules,2016.

**Copy to:**

1. Regional Officer, MPCB-Amravati- for information, please. He is directed to issue stop work Direction to the PP after one month with intimation to competent planning Authority & report to HQ.

