

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

RED/L.S.I (R58)

Date: 10/07/2025

No:- Format1.0/CAC/UAN No.MPCB-  
CONSENT\_AMMENDMENT-0000015260/CR/2507000052

To,  
M/s. Centaur Pharmaceuticals Pvt. Ltd.  
Plot No. 74, 75, 75/1, 76 & 76/1, Chikhli MIDC,  
Ambernath, Dist- Thane



Your Service is Our Duty

**Sub: Amendment in Consent to Operate, under RED category.**

- Ref:**
1. Consent to Operate granted vide No:- Format1.0/CAC/UAN No.0000166359/CR/2307000554 dated 11/07/2023.
  2. Environmental Clearance granted vide No. SEIAA-EC-0000001912 dated 31/7/2019
  3. Amendment in Environmental Clearance granted vide No. SIA/MH/IND3/236873/2021 dated 17/3/2022 for removal of ZLD condition
  4. Minutes of 3rd Consent Appraisal Committee meeting held on 10.06.2025.

Your application No.MPCB-CONSENT\_AMMENDMENT-0000015260 Dated 02.12.2024

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent to renewal is granted for a period up to 30/04/2028
2. The capital investment of the project is Rs.159.3504 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. 93.6085 Crs + Increase in C.I. - Rs. 6.61 Crs + Expansion in CI Rs. 59.1315 Cr)
3. Consent is valid for the manufacture of:

Sr No	Product	Maximum Quantity	UOM
Products			
1	HYPNOTIC/SEDATIVE/TRANQUILIZER/ANXIOLYTIC/ANTICONVULSANT/ANASTHETIC/ANTIDIABETIC	0	--NA--
	Group I (Nitrazepam, Clonazepam, Bromazepam, Diazepam, Clotiazepam, Flurazepam Mono hydrochloride, Tetrazepam, Delorazepam, Clobazam, Phenazepam)	19748	Kg/Annum
	Group II (Alprazolam, Oxazepam, Lorazepam, Zolpidem Tartrate, Triazolam, Etizolam, Temazepam)	19673	Kg/Annum
	Group III (Zopiclone(058))	19588	Kg/Annum
	Group IV (Chloridazepoxide, Zaleplon, Sodium Oxybate, Stiriepentol, Brivaracetam, Empagliflozin, Dapagliflozin, Saxagliptin, Sitagliptin, Teneligliptin, Linagliptin, Vildagliptin, Chlorodiazepoxide hydrochloride)	16279	Kg/Annum
	Group V (Midazolam base, Midazolam HCl, Midazolam maleate, Clorazepate Di Potassium, Brotizolam, Loprazolam Mesilate, Propiomazine Maleate, Propiomazine HCl, Prazepam, Estazolam, Fludiazepam, Flunitrazepam, Lormetazepam, Pinazepam, Es-Zopiclone)	1191	Kg/Annum

<b>Sr No</b>	<b>Product</b>	<b>Maximum Quantity</b>	<b>UOM</b>
2	ANTIDEPRESSANT/CNS STIMULANT (Nortriptyline HCl, Melitracen HCl, Tranylcypromine Sulphate, Amoxapine, Loxapine Succinate, Loxapine HCl, Methylphenidate HCl, Dexamethylphenidate HCl)	7245	Kg/Annum
3	ANTI-GLUCOMA/ ANTIHISTAMINIC (Brimonidine Tartrate, Timolol Maleate, Dorzolamide HCl, Chlorpyramine HCl, Olopatadine HCl)	1969	Kg/Annum
4	ANTIPROTAZOAL (Nimorazole)	675	Kg/Annum
5	ANTIPSYCHOTIC/ANTIPYRETIC/ANTI-INFLAMMATORY/ ANALGESIC /ANTI-ULCER (Rebamipide, Acotiamide HCl Hydrate, Fluphenazine HCl, Flupentixol, Dihydrochloride, Aripiprazole, Flupentixol Decanoate, Fluphenazine Decanoate, Asenapine Maleate, Benzydamine HCl USP, Zuclopentixol Acetate/HCl/Dacanoate, Brexpiprazole Diperoxochloric Acid Concentrate, Pimavanserin, Mexazolam Quinagolide)	8287	Kg/Annum
6	ANTIEMETIC (Metopimazine, Nabilone)	567	Kg/Annum
7	ANTISPASMODIC/MUSCLE RELAXANT (Chlorzoxazone, Tiemonium Methyl sulphate, Pitofenone HCl)	23009	Kg/Annum
8	ANTIDYSKINETIC/DIURETIC/SNR INHIBITOR/CHOLINERGIC/URINARY INCONTINENCE (Tetrabenazine, Metolazone(36), Milnacipran HCl, Levomilnacipran HCl, Fampyridine, Rivastigmine Hydrogen tartarate, Valebenazine, Deutetrabenazine, Propiverine HCl)	1034	Kg/Annum
9	HYPERTENSION/ ANTIHYPERTENSION (Pindolol)	135	Kg/Annum
10	PLATELET INHIBITOR (Prasugrel)	30	Kg/Annum
11	R & D ACTIVITY & OTHERS (Tolterodine, Silodosin, Voriconazole, Ezetimibe, Solifenacin, Amitriptyline HCl, Pyridostigmine Bromide, Indapamide, Acetazolamide, Clidinium bromide)	600	Kg/Annum

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

<b>Sr No</b>	<b>Description</b>	<b>Permitted (in CMD)</b>	<b>Standards to</b>	<b>Disposal Path</b>
1.	Trade effluent	74	As per Schedule - I	Partly recycle 5 CMD & partly CETP 69 CMD
2.	Domestic effluent	20	As per Schedule - I	Partly recycle 4 CMD & partly CETP 16 CMD

5. **Conditions under Air (P&CP) Act, 1981 for air emissions:**

<b>Sr No.</b>	<b>Stack No.</b>	<b>Description of stack / source</b>	<b>Number of Stack</b>	<b>Standards to be achieved</b>
1	S-1	Boiler (4 nos.)	1	As per Schedule - II
2	S-2	Alkali Scrubber	1	As per Schedule - II

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
3	S-3	Alkali Scrubber	1	As per Schedule -II
4	S-4	Water Scrubber	1	As per Schedule -II
5	S-5	DG Set	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Glass bottles	13600	Kg/Annum	NA	Sell to authorised recycler
2	Plastic bags	6080	Kg/Annum	NA	Sell to authorised recycler
3	Corrugated sheets	1800	Kg/Annum	NA	Sell to authorised recycler
4	Empty drums	4500	No/M	NA	Sell to authorised recycler
5	Metal scrap	20	Ton/Y	NA	Sell to authorised recycler
6	Paper waste	5	Ton/Y	NA	Sell to authorised recycler
7	Plastic waste	4	Ton/Y	NA	Sell to authorised recycler
8	Rubber waste	1	Ton/Y	NA	Sell to authorised recycler
9	Boiler Ash	15	Ton/Y	NA	Sell to authorised recycler
10	Wooden waste	1	Ton/Y	NA	Sell to authorised recycler

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	GC/HPLC column & Lamp	1200	Nos./Y	Co-processing/Pre-processing/Landfill	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
2	Autoclave material	1200	Kg/Annum	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
3	28.4 Off specification products	5	Ton/Y	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
4	3.3 Sludge and filters contaminated with oil	2	Ton/Y	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
5	37.1 Sludge from wet scrubbers	1	Ton/Y	Co-processing/Pre-processing/Landfill	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
6	35.3 Chemical sludge from waste water treatment	150	Ton/Y	Co-processing/Pre-processing/Landfill	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
7	35.2 Spent ion exchange resin containing toxic metals	0.5	Ton/Y	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
8	36.1 Any process or distillation residue	120	Ton/Y	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
9	33.2 Contaminated cotton rags or other cleaning materials	1	Ton/Y	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
10	15.2 Discarded asbestos	0.8	Ton/Y	Co-processing/Pre-processing/Landfill	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
11	28.5 Date-expired products	5	Ton/Y	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
12	36.2 Spent carbon or filter medium	2	Ton/Y	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
13	5.1 Used or spent oil	14.8	Ton/Y	Recycle	Sale to authorised party
14	20.2 Spent solvents	3000	Ton/Y	Recycle*	Sale to authorised party
15	28.1 Process Residue and wastes	663	Ton/Y	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
16	35.1 Exhaust Air or Gas cleaning residue	3	Ton/Y	Co-processing/Pre-processing/Landfill	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
17	37.3 Concentration or evaporation residues	30	Ton/Y	Co-processing/Pre-processing/Landfill	Sale to authorised party / CHWTSDF
18	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	2000	Kg/M	 Recycle*	Sale to authorised party
19	28.3 Spent carbon	254	Ton/Y	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
20	Nitrile & sterile handgloves	3600	Kg/Annum	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
21	Canister/Dust mask	1200	Kg/Annum	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
22	5.2 Wastes or residues containing oil	0.3	Ton/Y	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
23	28.6 Spent organic solvents	400	Ton/M	Recycle*	Sale to authorised party

\* Sale to Authorized Party having permission under Rule 9 of H&OW Rule

8. **Conditions under Batteries (Management & Handling) Rules, 2001:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Used Batteries	100.00	Nos./Y	Sale to Authorized Party

**Specific Conditions for used Batteries:**

- The applicant shall ensure that used batteries are not disposed of in any manner
- other than by depositing with the authorized dealer/ manufacturer/ registered recycler/ importer/ re-conditioner or at the designated collection center.
  - The applicant shall file half-yearly return in Form VIII to the M.P.C. Board.
  - Bulk consumers to their user units may auction used batteries to registered recyclers only.

9. **Conditions under E-Waste Management:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	E-Waste	500.00	Kg/M	Sale to Authorized Party

10. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDf:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Soiled Waste	20.00	Yellow colored non- chlorinated plastic bags	CBMWTSDf
		b) Expired or Discarded Medicines	20.00		
		c) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00		
2	Red	Contaminated waste (Recyclable)	20.00	Red colored non chlorinated plastic bags or containers	CBMWTSDf
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDf

- The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- This consent is issued with overriding effect on earlier Consent to Operate granted vide No:- Format1.0/CAC/UAN No.0000166359/CR/2307000554 dated 11/07/2023.
- The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. SEIAA-EC-0000001912 dated 31/7/2019

15. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.
16. This consent is issued as per the minutes of 3rd Consent Appraisal Committee meeting held on 10.06.2025.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

**Received Consent fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	1593504.00	TXN2304001984	15/04/2023	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kalyan and Sub-Regional Officer, MPCB, Kalyan II  
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC-CAC updating.

### **SCHEDULE-I**

#### **Terms & conditions for compliance of Water Pollution Control:**

1. A] As per application, Low COD/Low TDS & High COD/High TDS effluent is segregated. High COD/High TDS effluent is treated in stripper, MEE followed by ATFD. MEE condensate along with Low COD/Low TDS effluent is treated in Primary, Secondary & Tertiary treatment
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

<b>Sr.No</b>	<b>Parameters</b>	<b>Limiting concentration not to exceed in mg/l, except for pH</b>
(1)	pH	6.0 -8.5
(2)	BOD (3 days 27°C)	30
(3)	COD	250
(4)	TSS	100
(5)	Oil & Grease	10
(6)	Sulphides as S	2
(7)	Phenolic Compounds	1
(8)	Hexavalent Chromium (Cr 6+ )	0.1
(9)	Chlorides	600
(10)	Sulphate	1000
(11)	Total Dissolved Solids	2100

- C] The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
- D] The treated effluent shall be partly recycled for secondary purposes and remaining shall be discharged to CETP after confirming above standards. In no case, effluent shall find its way for gardening / outside factory premises.
2. A] As per your application, primary treated sewage connected to Effluent Treatment Plant for further treatment & disposal.
- B] Industry shall comply prescribed standards & disposal path as prescribed at Sr. No. 1 B & C of schedule I.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	267.00
2.	Domestic purpose	25.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	41.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	44.00
5.	Gardening	30

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

#### SCHEDULE-II

##### **Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	Boiler (4 nos.)	Stack	40.00	LDO/Natural Gas 365 Kg/Hr	1.8	TPM	150 Mg/Nm <sup>3</sup>
						SO <sub>2</sub>	-
S-2	Alkali Scrubber	Scrubber	10.00	-	-	Acid Mist	35 Mg/Nm <sup>3</sup>
S-3	Alkali Scrubber	Scrubber	10.00	-	-	Acid Mist	35 Mg/Nm <sup>3</sup>
S-4	Water Scrubber	Scrubber	10.00	-	-	Solvent Traces	-
S-5	DG Set	Acoustic Enclosure	6.50	HSD 250 Kg/Hr	-	TPM	150 Mg/Nm <sup>3</sup>
						SO <sub>2</sub>	-

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Parameters	Standards (unit)	
Total Particulate Matter	Not to exceed	150 mg/ Nm <sup>3</sup>



4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

### **SCHEDULE-III**

#### **Details of Bank Guarantees:**

<b>Sr. No.</b>	<b>Consent(C2E/C2O/C2R)</b>	<b>Amt of BG Imposed</b>	<b>Submission Period</b>	<b>Purpose of BG</b>	<b>Compliance Period</b>	<b>Validity Date</b>
1	C to O	25 Lakh	15 Days	Towards O&M of Pollution Control System	30/4/2028	31/10/2028

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

**# Existing BG obtained for above purpose if any may be extended for period of validity as above.**

#### **BG Forfeiture History**

<b>Srno.</b>	<b>Consent (C2E/C2O/C2R)</b>	<b>Amount of BG imposed</b>	<b>Submission Period</b>	<b>Purpose of BG</b>	<b>Amount of BG Forfeiture</b>	<b>Reason of BG Forfeiture</b>
NA						

#### **BG Return details**

<b>Srno.</b>	<b>Consent (C2E/C2O/C2R)</b>	<b>BG imposed</b>	<b>Purpose of BG</b>	<b>Amount of BG Returned</b>
NA				

## **SCHEDULE-IV**

### **General Conditions:**

1. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
2. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
3. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
4. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
5. Specific Conditions for storage, Handling and Disposal of Waste from Electrical & Electronic equipment (WEEE):

1. **Collection of WEEE** - The applicant must provide appropriate and dedicated vehicles duly identified as per the norms for transportation of Hazardous Waste. The applicant shall obtain all the required permits for transportation of WEEE from competent authority. The applicant shall ensure the safe transport of the WEEE without any spillage during transportation.

**Storage for disassembled parts:** The applicant must provide appropriate storage for disassembled spare parts from WEEE. Some spare parts (e.g. motors and compressors) will contain oil and/or other fluids. Such part must be appropriately segregated and stored in containers that are secured such that oil and other fluids cannot escape from them. These containers must be stored on an area with an area with an impermeable surface and a sealed drainage system.


2. **Storage for other components and residues:** Other components and residues arising from the treatment of WEEE will need to be contained following their removal for disposal or recovery. Where they contain hazardous substances they should be stored on impermeable surface and in appropriate containers or bays with weatherproof covering. Containers should be clearly labelled to identify their contents and must be secured so that liquids, including rain water cannot enter them. Components should be segregated having regard to their eventual destinations and the compatibility of the component types. All batteries should be handled and stored having regard to the potential fire risk associated with them.
3. **Balances :** WEEE Guidelines also requires that sites for handling of WEEE have "balances to measure the weight of the segregated waste". The objective is to ensure that a record of weights can be maintained of WEEE entering a facility and components and materials leaving each site (together with their destinations). The nature of the weighing equipment should be appropriate for the type and quantity of WEEE being processed.

4. Plastic, which cannot be recycled and is hazardous in nature, is recommended to be land filled in nearby CHWTSDf.
  5. Ferrous and nonferrous metal recycling facilities fall under the purview of existing environmental regulations for air, water, noise, land and soil pollution and generation of hazardous waste and the same should be followed.
  6. CFCS should be either reused or incinerated in common hazardous waste Incineration facilities at CHWTSDf.
  7. Waste Oil should be either reused or incinerated in common hazardous waste incineration facilities.
  8. PCB's containing capacitors shall be incinerated in common hazardous waste incineration facilities at CHWTSDf.
  9. Mercury recovery and lead recycling facilities from batteries fall under the Hazardous & Other Wastes (M & TM) Rules, 2016.
  10. Existing environmental regulations for air; water; noise, land and soil pollution and generation of hazardous waste and the same should be followed. In case Mercury or lead recovery is very low, they can be temporarily stored at e-waste recycling facility and later disposed in TSDF.
  11. The industry shall maintain records of the e-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 as per Rules 11(9) & 13(3)(vii) of the E-Waste(M) Rules, 2016; on or before 30th day of June of every year.
6. The Energy source for lighting purpose shall preferably be LED based
  7. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
  8. Conditions for D.G. Set
    - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
    - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
    - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
    - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
    - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
    - f) D.G. Set shall be operated only in case of power failure.
    - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
    - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
  9. The applicant shall maintain good housekeeping.

10. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
11. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
12. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
13. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
14. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
15. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
16. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
17. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
18. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
19. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
20. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
21. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
22. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
23. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

24. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
25. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
26. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
27. The industry should not cause any nuisance in surrounding area.
28. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
29. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
30. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
31. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
32. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
33. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
34. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
35. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
36. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.

37. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
38. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
39. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
40. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
41. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
42. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year
43. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year



---

This certificate is digitally & electronically signed.

---