

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 020 - 25811694
Fax: 020 - 25811701
Website: <http://mpcb.gov.in>
Email: sropune1@mpcb.gov.in



Jog Center, 3rd floor,
Mumbai Pune Road,
Wakdevadi, Pune - 411003.

ORANGE/
No:- Format1.0/SRO/UAN No.0000018985

Date: 09/12/2025

To,
M/s. ANUJA HOSPITAL
1st. Floor, Chavan Mohite Complex,
umbrya Ganpati Chowk, Dhayari, Tal- Havel, DistPune.



Sub: Application for consent amendment

Ref: Consent granted by board vide consent no. UAN
No.0000266926/CO/2512000399 dated 5.12.2025 valid up to 30.11.2034.

Ammendment in Combined Consent to Operate & BMW authorization

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986 is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. Following Amendment in Consent to Operate & BMW authorization:

| Sr. No. | As per earlier CCA | Ammended |
|---------|---|---|
| 1 | D WING ANUJA NIWAS, VENKATESHWARA KAUSTUBH SOCIETY, DHAYARI, PUNE.-411041 | 1st. Floor, Chavan Mohite Complex, umbrya Ganpati Chowk, Dhayari, Tal- Havel, DistPune. |

2. All the other conditions mentioned in ref.no. 1 remains unchanged
3. This is issued with the overriding effect over orders issued by the Board vide ref. no. 1

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Copy to:

1. Regional Officer, MPCB, Pune
2. Chief Accounts Officer, MPCB, Sion, Mumbai

