

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240-2993004  
Fax: 0240 - 2473462  
Website: <http://mpcb.gov.in>  
Email:  
sroaurangabad1@mpcb.gov.in



Paryavaran Bhavan, A -  
4/1 , MIDC Area ,  
Chikalthana, Near Seth  
Nandlal Dhoot Hospital ,  
Jalna Road , Chatrapati  
Sambhaji Nagar - 431 210

No. BO/MPCB/SRO/Refusal/UAN  
No.0000266136/CO/2603000098

Date: 14/03/2026

To,  
M/s. Drishti Netralaya  
First Floor, Chetan Pushpa Complex,  
Pundliknagar Road, Garkheda,  
Tal. & Dist. Chh. Sambhajinagar.



**Sub: Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.**

**Ref:** Your application for grant of Consent to Operate (UAN No. MPCB-CONSENT-0000266136)

WHEREAS, this office is in receipt of your application for grant of Consent to Operate under section 26 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundry Movement) Rules, 2016.

AND WHEREAS, this office has issued show cause notice vide above reference (2) as applied for consent to operate for expansion but You have mention Total Number of Beds - 2 Nos. in earlier application (No typographical mistake). due to you should be applied for consent to establish (expansion).

AND WHEREAS, you have submitted reply which is not satisfactory as failed to submit datils of actual bed qauantity.

In view of above, considering the above noncompliance, your application for grant of Consent to Operate is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981. You are hereby directed not to take any effective steps towards operation of the unit without permission of the Board, else Board will initiate legal action as per the provisions of Environmental enactments.

If you are aggrieved by this order, you may prefer on appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 days' time from the date of receipt of this letter.

**Copy to:**

1. Regional Officer Chhatrapati Sambhaji Nagar- for information

