

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240-2993004
Fax: 0240 - 2473462
Website: <http://mpcb.gov.in>
Email:
sroaurangabad1@mpcb.gov.in



Paryavaran Bhavan, A -
4/1 , MIDC Area ,
Chikalthana, Near Seth
Nandlal Dhoot Hospital ,
Jalna Road , Chatrapati
Sambhaji Nagar - 431 210

No. BO/MPCB/SRO/Refusal/UAN
No.0000279523/CO/2605000198

Date: 19/05/2026

To,
M/s. Shantai Hospital,
At. 19, Sant Eknath Housing Society, Opp Akashwani,
Jalna Road, Tal. & Dist. Chh. Sambhajinagar.



Sub: Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

Ref:

1. Combine Consent and Bio-Medical Waste Authorization granted by the Board on 16/03/2026.
2. Your application for grant of Consent to Amendment vide UAN No. MPCB-CONSENT_AMMENDMENT-0000020174.

WHEREAS, this office is in receipt of your application for grant of Consent to Amendment under section 26 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundry Movement) Rules, 2016.

AND WHEREAS, Board has granted Combined Consent to 1st Operate and BMW Authorization (CCA) on 16/03/2026 for 5 no. of beds valid upt 31.12.2030. You have applied for amendment for consent validity period, however consent to estsablsh fees of Rs. 2000/- & penal charges of Rs. 2000/- were considered from your submitted conent fees with granted application of Uan No. 0000279523.

AND WHEREAS, your application for amendment is not considered as Board has already granted Combined Consent to Operate and BMW Authorization (CCA) with required consent fees.

In view of above, your application for grant of Combine Consent/BMW authorization is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 for the above non compliances. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter.

Copy to:

1. For information to : Regional Officer, MPCB, Chhatrapati Sambhajnagar.

