

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: ast@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/S.S.I

Date: 24/09/2026

No:- Format1.0/AS(T)/UAN No.0000021543

To,
M/s. Jayant Specialities Pvt. Ltd.
Plot No. K-21 & K-22, MIDC Tarapur
Palghar, Palghar-Palghar



Sub: Grant of amendment in consent to operate under Red/SSI category

- Ref:**
1. Your application for grant of Amendment in Consent to Operate (UAN No. MPCB-CONSENT_AMMENDMENT-0000021543)
 2. Consent to Operate accorded by Board vide No:- Format1.0/AS(T)/UAN No.MPCB-CONSENT- 0000290712/CR/2608001199 Date: 13/08/2026 valid up to 31.08.2031.
 3. Consent to Establish accorded by Board vide No:- No. BO/ WPAE/ Thane / E-74 Date: 14/2/2003
 4. Consent to Operate accorded by Board vide No:- Consent No. BO/TB/ WPAE /Thane-23/CC-51 Date: 12/02/2004 which is valid up to 31.08.2008.
 5. SCN issued vide no. MPCB/SCN/2607230025 dt.23.07.2026
 6. Reply to the SCN submitted on dt.10.08.2026

Change in disposal path of treated trade effluent in case of contingencies.

Grant of Amendment in Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the amendment in consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. Following Amendment in Existing Consent :

Sr. No.	As per Existing Consent	Amended
1	i) Strong COD/TDS stream of 2.0 CMD - Treatment system comprising of Primary (Collection tank, Neutralization tank, Primary after stnt) followed by Distillation column.	i) Strong COD/TDS stream of 2.0 CMD: Treatment system comprising primary treatment units (Collection Tank, Neutralization Tank and Primary Settling Tank), followed by a Distillation Column. The treated effluent shall be disposed of through SEPL Facility in case of contingencies.
2	Addition of Hazardous waste category no.29.4 Spent Solvent -10 MT/M	Addition of Hazardous waste category no.29.4 Spent Solvent -10 MT/M

2. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
3. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
4. The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
5. The applicant shall not carry out any excess production or produce new products without Consent of the Board and without Environmental Clearance wherever it applicable.
6. Industry shall comply with direction issued to CETP on 22.01.2021, regarding installation of two-way SCADA, Auto-sampler, Non-Return Valve (NRV) with positive discharge to CETP chamber.
7. This Consent is issued without prejudice to the order passed as may be passed by the Hon'ble NGT, in the matter O.A. No. 1038/2018.
8. The applicant shall make an application for renewal of consent 120 days prior to date of expiry of the consent. (Operate/Renewal)
9. This consent is issued as per the Office Order for Consent Management of the Board No. 12/2020 dtd. 23.12.2020.
10. The applicant shall strictly comply with the circular issued by the Board vide No. MPCB / JD(APC) / NACP / DG Set / B-0090 dtd. 02/06/2023 regarding Retrofitting of Emission Control Device (RECD) for in-use Diesel Operated Internal Combustion Engines / D.G. Sets.
11. The above-mentioned table shall be read as incorporated into the existing CTO vide No. Format1.0/AS(T)/UAN No. MPCBCONSENT- 0000290712/CR/2608001199 Date: 13/08/2026 valid up to 31.08.2031
12. The industry shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Copy to:

1. Regional Officer, MPCB, Thane and Sub-Regional Officer, MPCB, Tarapur I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai