

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240 - 2473462
Fax: 0240 - 2473461
Website: <http://mpcb.gov.in>
Email:
roaurangabad@mpcb.gov.in



Paryavaran Bhavan, A -
4/1, MIDC Area ,
Chikalthana, Near Seth
Nandlal Dhoot Hospital,
Jalna Road , Chatrapati
Sambhaji Nagar - 431 210

ORANGE/S.S.I (O64)
No:- Format1.0/RO/UAN No.MPCB-
CONSENT_AMMENDMENT-0000011740/CR/2504000261

Date: 15/04/2025

To,
M/s Bodhekar Stone Crusher,
Gut No. 422, Dongargaon, Tal- Sillod,
Dist Aurangabad



Sub: Grant of Amendment in Consent.

Ref: 1. Your application for renewal of consent in Auto Renewal Application UAN No. 162951/CR
2. Consent granted by the Board vide No. Format1.0/RO/UAN No.0000162951/CR/2309001123 on 14.09.2023 valid upto. 31.10.2025.

Your application No.MPCB-CONSENT_AMMENDMENT-0000011740 Dated 14.09.2023

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to renewal is granted for a period up to 31/10/2025**
- The capital investment of the project is Rs.19.5 Crs. (As per C.A Certificate submitted by industry)**
- Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Stone Metal	340	Brass/M

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	0	As per Schedule -I	Not Applicable
2.	Domestic effluent	0.4	As per Schedule - I	Soaked in soak pit

- Conditions under Air (P & CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	0	0	0	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Stone Dust	30	Brass/M	Sale	Sale to Brick Manufacturer

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1		0	--NA--		Other

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
10. The applicant shall comply with the Circular issued by MPCB dtd. 04.03.2020 regarding Amendment in siting criteria for stone crusher units in the state of Maharashtra
11. i. **SITTING CRITERIA:** The following sitting criteria shall be considered for newly establishing of Stone Crusher units. 1. Minimum distance shall require from the nearest National Highway: 1.0 Km. 2. Minimum distance shall require from the nearest State Highway: 500 meters and of major District roads and other roads: 200 meters. 3. Minimum distance shall require from human Habitation: 500 meters. 4. Sensitive areas such as Educational Institutions / Hospitals: 500 meters. 5. Place of historical monuments identified by Archaeological Survey of India: 500 meters. 6. Stone crusher should comply with other locational statutory requirements in force as per law.
12. ii. **INSTALLATION AND OPERATIONS OF STONE CRUSHING UNITS:** - 1. Each stone crusher unit shall install adequate pollution control measures including erection of G.I./M.S. sheet cover and the sprinklers before commencement of operations. 2. Crusher shall be covered and water sprinkling system shall be provided on crusher to suppress the dust generated due to material handling/loading/unloading activity. 3. Screen classifier shall be adequately covered by G.I./M.S. sheet to prevent the emission into the atmosphere due to screening/grading activity. 4. All conveyor belts shall be adequately covered by G.I./M.S. sheet only. 5. Regular wetting of roads shall be carried out to suppress the ground level dust within the premises to control the air borne dust emission due to wind velocity. 6. All approach roads and ramps shall be metalled. 7. Curtain or wall shall be provided surrounding the stone crusher unit. 8. Display board shall be provided at the entrance of stone crusher indicating survey no, name and address of owner and the unit. 9. Fine dust generated due to screening / crushing / grading shall be disposed off scientifically.
13. iii. **ENVIRONMENTAL STANDARDS:** 1. Dust containment cum suppression system for the equipment i.e. main crusher/jaw crusher, vibrating screen, etc. 2. Construction of wind breaking walls especially at charging hopper & crushing place. 3. Construction of metalled roads within the premises. Regular wetting of the ground within the premises. 4. Tree plantation along the periphery inside boundary of the Stone Crusher premises having minimum width of 5 meters, on all sides. 5. The foliage of the trees shall adequately cover area up to about 20m height.

14. Quantitative standard for the SPM. I. The suspended particulate matter measured between 3 to 10 meter from any process equipment of a stone crushing unit shall not exceed 600 microgram per m³. II. Noise pollution Control Measures: Stone Crusher units shall comply with the provisions of the Noise pollution (Regulation and Control) Rule, 2000 and as amended thereof to control Noise Pollution. III. Solid waste treatment and disposal : Solid waste i.e. fine dust generated from stone crushing unit shall store properly to avoid fugitive emission and shall be used for bricks manufacturing OR disposed off scientifically
15. iv. MISCELLANEOUS: 1. Stone Crushers unit shall strictly comply National Ambient Air Quality Standards, 2009. 2. The project proponent shall provide adequate water treatment and disposal facility for generated effluent from their activity. They shall comply with the provisions of the Water (Prevention and Control of Pollution) Act, 1974. 3. The project proponent shall provide adequate Air Pollution Control arrangement at the source. They shall comply with the provisions under the Air (Prevention and Control of Pollution) Act, 1991. 4. The remediation and restoration measure shall be taken by the project proponent in case of any environmental pollution in the surrounding area due to emission/ effluent in excess of the standards being emitted / discharged into the environment and violation of consent conditions and thereby causing environmental pollution.
16. The consent is granted with overriding effect on previous consent granted by the Board vide No. Format1.0/RO/UAN No.0000162951/CR/2309001123 Dtd. 14.09.25023 valid upto. 31.10.2025.
17. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent. (Operate/Renewal)

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1500.00	TXN2302003461	21/02/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Chhatrapati Sambhajinagar and Sub-Regional Officer, MPCB, Chhatrapati Sambhajinagar I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] Generation - As per your application the treated effluent generation is Nil.
B] Treatment - NA
C] Disposal - NA
2. A] As per your application, you have provided Septic Tank followed by Soak pit for the treatment of 0.4 CMD of sewage.
B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	Suspended Solids	Not to exceed	50
2	BOD 3 days 27°C	Not to exceed	100

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	1.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
0			0.00	-	-	Other	-

Quantitative Standards for the SPM:Suspended particulate matter shall be measured 3 to 10 meters from any process equipment of a stone crushing unit shall not exceed 600 µg/M3.

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. **A] Installation and Operations of Stone Crushing Unit:**

1. Stone crusher unit shall install adequate pollution control measures including erection of G.I./M.S. sheet cover and sprinklers before commencement of crusher.
2. Crusher shall covered and water sprinkling system shall be provided on crusher to suppress dust generated due to material handling / loading / unloading activity.
3. Screen classifier shall be adequately covered by G.I./M.S. sheet to prevent the emission into the atmosphere due to screening / grading activity.
4. All conveyor belts shall be adequately covered by G.I./M.S. sheet only.
5. Regular wetting of roads shall be carried out to suppress the ground level dust within the premises to control the air borne dust emission due to wind velocity.
6. All approach roads and ramps shall be metalled.
7. Curtain or wall shall be provided surrounding the stone crusher.
8. Display Board shall be provided at the entrance of the stone crusher indicating survey no., name, & address of the owner and the unit.
9. Fine dust generated due to screening / crushing / grading shall be disposed off scientifically.

B] Air Pollution Control Measures:

1. Dust containment cum suppression system for the equipment i.e. main crusher / jaw crusher, vibrating screen etc. shall be provided to limit emissions as below.
2. Construction of wind breaking walls especially at charging hopper & crushing place shall be provided to limit emissions as below.
3. Construction of metalled roads within the premises shall be provided. Regular wetting of the ground within the premises shall be carried out.
4. Tree plantation along the periphery inside boundary of the stone crusher premises having minimum width 5 meters, on all sides shall be developed.
5. The foliage of the trees shall adequately cover area up to about 20 mtrs. height.

C] Miscellaneous:

1. Stone crusher unit shall strictly comply National Ambient Air Quality Standards, 2009.
2. The Project Proponent shall provide adequate water treatment and disposal facility from generated effluent from their activity. They shall comply with the provisions of Water (Prevention and Control of Pollution) Act, 1974.
3. The project proponent shall provide adequate Air Pollution Control arrangement at the source. They shall comply with the provisions under the Air (Prevention and Control of Pollution) Act, 1981.
4. The remediation and restoration measure shall be taken by the project proponent in case of any environmental pollution in the surrounding area due to emission / effluent in excess of the standards being emitted / discharged into the environment and violation of Consent conditions and thereby causing environmental pollution.



SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to O	25000	15 DAYS	Compliance of Consent Condition	Continuous	31.01.2026

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV

General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. The applicant shall maintain good housekeeping.
4. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
5. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
6. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
7. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
8. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
9. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
10. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
11. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
12. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
13. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
14. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
15. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.

16. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
17. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
18. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
19. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
20. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
21. The industry should not cause any nuisance in surrounding area.
22. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
23. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
24. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
25. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
26. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
27. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
28. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.

29. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
30. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.
31. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
32. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
33. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
34. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
35. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
36. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year
37. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.
