

State Expert Appraisal Committee -1 (SEAC-1), Maharashtra

File No: SEAC-1/2025/CR.20/ SEAC-1

Date: 18/11/2025

MEETING NOTICE

To,
All Project Proponents &
All consultants,

Subject: 337th SEAC-1 Meeting held on 20th November, 2025.

Dear All,

The 337th Meeting of the State Level Expert Appraisal Committee-1, scheduled as below through video conferencing. You are requested to attend. The meeting agenda is attached herewith.

Please carefully go through the project information sheets Annexures attached herewith and complete all the required details in the prescribed format only. Kindly share copies of the presentation other documents mentioned in the instructions page attached along with relevant Annexures with the Office bearer. PP and Consultant ensure that documents should reach before **19/11/2025**.

The video conferencing link shall be shared shortly.

Date: 20th November, 2025

Time: 11.30 AM onwards

Venue: Through Video Conferencing

Your's Faithfully,
Sd/-
(Dr. Joy Thakur)
Scientist-I & Member Secretary

Copy to:

1. Secretary (Env & CC), & Member Secretary, SEIAA.
2. Senior Administrative Officer, Maharashtra Pollution Control Board, Mumbai.
3. Chief Account Officer, Maharashtra Pollution Control Board, Mumbai, with request to make necessary arrangements (T.A., sitting allowance, conveyance allowance, etc.) for the Chairman and Members.
4. Joint Secretary (Establishment) Environment & Climate Change Department, Mantralaya, Mumbai.

List of SEAC-1 Office Bearers

Sr. No.	Name	Designation	Email
1	Shri. Kamlakar B Phand	Hon. Chairman	kphandseac@gmail.com
2	Shri. Kanhaiya M Shah	Member	kms42in@gmail.com
3	Shri. Dr. S. N. Patil	Member	drsnpatil66@gmail.com
4	Prof. R. G. Chillawar	Member	rchillawar2010@gmail.com
5	Shri. Moqtik Bawase	Member	bawase74@gmail.com
7	Dr. Joy Thakur	Member Secretary	mhseac.1@gmail.com
8	Shri. Nilesh Potdar	Scientist-II	mhseac.1@gmail.com

INSTRUCTIONS TO PROJECT PROPONENT & CONSULTANT

(Revised- Sept. 2025)

1. All Project Proponent's and Consultants are requested to send Mobile Number, Name and email id's of two representatives of PP and two representatives of consultants to book for Video Conferencing and sending required information.
2. The above information shall be sent on the above information shall be sent on mhseac.1@gmail.com by **19/11/2025**.
3. Documents should not be shared through Google Drive as some members are unable to access them.
4. The Project Proponent shall ensure that the reports/documents uploaded on the Ministry's website and those circulated to SEAC members are identical. In case of any discrepancy, the project will not be appraised.
5. The information provided in the brief Write-up/Executive Summary must exactly match the data and figures in the EIA/EMP report and Form-2 submitted. Any discrepancy will invite strict action.
6. PP to ensure deposit scrutiny fees as per important notice published on 10th November, 2020 by SEIAA on ec.ecmpcb.in website & includes details in the presentation of the project.
7. Consultant must carefully scrutinize the documents, certificates, NOCs, Government's reports, proponent's project plans, EMP, CER, KML files and other information to prepare presentations.
8. Use only the prescribed formats for each sector and strictly follow the sequence mentioned therein for preparation of presentation.
9. The presentation, certificates & reports must be precise with accurate technical details.

Industrial Sector Presentation

For Industrial Projects Applied for EC, Expansion of EC, & Modifications etc.

*(Please mention, Not Applicable where the parameters are not applicable for your project)

Part I Slide No & Parameters- - -
1.Project introduction & Salient features: (Basic statistical information only):
2.Details of Existing EC, Products list, Certified Compliance Report (CCR) etc.:
3.Details of Consent to Establish (CTE) and Consent to Operate (CTO) if any: (chronology chart from first year order to current year order with brief Information), information about any Closure/Show Cause received earlier to the existing project, Compliance Report of Consent conditions
4.Comparative statement on existing CTO / EC products along with Proposed Expansion Products with quantities and total production quantities after expansion etc.:
5.Existing approved project layout plan with complete area statement and other details:
6. Proposed Conceptual Project layout plan with area statement including internal roads of 6 Mtr. width & 9 Mtr. turning radius, parking area, 33% green belt, machinery/production area, storage area, waste water treatment facility area, entry & exit etc. with latest google image of the project site.
7.Structural Stability certificate of existing building with respect to the additional load of proposed expansion units & raw materials storage etc. from Licensed Structural Engineer / Consultant:

Part II Presentation of Standard Terms of Reference (ToR) with the specific points for EIA project with including following points:
Presentation slides and Parameters:
1. Project Name / Industry Type:
2. Details of Baseline studies carried out (air, water, soil, noise, ecology) with conclusions:
3. Raw Material & final products details with process, reactions & mass Balance:
4.Details of Storage & handling of Raw Material & final products with chemical compatibility chart, PESO license requirement, if any.
5. Details of Boilers, DG sets & Fuel and Electricity requirement with source:
6.List & Nos. of equipment's used in Industry (existing & proposed)
7.Details of Air Pollution Control equipment's:
8. Details of water requirement with source of water supply:

9. Water balance chart (process, domestic, etc.) Recycle/reuse strategy and loss accountability:
10. Details of Water Pollution Control: a) Type and volume of effluents generation, b) Treatment system (ETP/STP/ZLD), c) Waste disposal and reuse plan: d) Treated water Parameter comparison with NGT/CBPCB Norms
11. Details of Solid, hazardous, and other waste streams generation with Storage, handling, and disposal methods:
12. Contour layout Plan, Storm Water drain design with calculation, Rain Water Harvesting details:
13. Green Belt Development Plan: a) Existing Green Belt (as mentioned in existing EC / CTO order) : b) Total Area (Sq. Mtrs.) and percentage%, total number of plants to be planted and actual number of plants at existing on the site and its percentage. c) Proposed Green Belt (all along the project periphery): Proposed area (Sq.Mtrs.), percentage %, number of native trees to be planted with yearly Replantation and Maintenance amount: d)List of Proposed Plant species of green canopy native trees with numbers and year wise plantation plan (Ornamental species, garden shrubs & small fruit species etc. shall not be included in the list):
14. Renewable Energy usage existing & proposed in the project:
15. Details of Heat Recovery study & usage of modern technology to minimize heat losses specifically for Metallurgical Industry:
16. Details of Life Cycle Analysis carried out for the project (Cradle to grave/Gate to gate) with recommendations:
17. Hazop & Risk Assessment Study report with recommendations:
18.Details of Occupational Safety & Health:
19. Details of Disaster Management Plan, On site & Off -site emergency preparedness plan:
20. Standard Operating Procedures (SOPs) for various aspects like chemical handling, storage & waste management:
21. Details of Environmental Cell:
22. Identification of key impacts of projects on air, water, land, socio-economic environment & Proposed mitigation measures:
23. Detail Environment Management Plan (with Capital & Recurring Monetary provisions) :
24. Socio-Economic Benefits of the project:

Part III

1. Public Hearing MoM and Compliance with financial provisions:
2. Implementation and Post Monitoring of CER Activities Plan:

(As per guidelines of MoEF & CC OM: 01/05/2018)

3. Submission of All necessary Reports, NoC's and Letters whatever applicable for the Project with Index.:

• Index (List) :

Indicate status (Yes/No) : EC, CTE, CTO, MIDC /TP Plan Approval, Water Permission, CETP Permission, Structural stability certificate, Forest clearance, CCR, CER, CHWTSDF NOC, All Undertakings etc.

*(All Slides must be arranged as per above Part I, II & III in given sequence only)

INDUSTRY- INFORMATION SHEET

***Statistical information sheet for official use only (do not include in Project Presentation).**

Meeting No./ Item No:	Proposal No:
Project:	Category:
PP:	Accreditation No:
Consultant:	Accreditation Validity:

1	Location/ Town:	Taluka/ District:
2	Plot Area: (sq/mts)	Category:(A/B/B1/B2):
3	TOR Details:	Previous EC Details:
4	Violation case: (Yes/No)	CRZ NOC Requires: (Yes/No)
5	Layout plan approval authority:	Approval plan details: (Date)
6	Approved Construction area: (Sq.Mtrs.)	No. of building:
7	Structural Stability Report: (Yes/No)	No. of floors:
8	Existing Green Belt area (Sq.Mtrs.) with % of total plot area:	No. of existing trees:
9	Proposed Green belt area (Sq.Mtrs.) with % of total plot area:	Nos. of proposed trees:
10	Previous EC compliance report details:	Certified compliance inspection date:
11	General/Specific conditions are applicable: Yes/No, if yes, gives details.	
12	Facility area: (Sq.Mtrs.)	Parking area: (Sq.Mtrs.)
13	Storage area: (Sq.Mtrs.)	

Product Details (Fill up the details)

1	Raw material (Name):
2	Consumption (MT/M):
3	Hazard category:
4	Storage space:

Production Details (Fill up the details)	
1	Product Name:
2	Existing Capacity:
3	Proposed Capacity:
4	Total Capacity:
5	Approving authority (Name):

***Note:** Use table number 1 to 10 mentioned below which are required for your project and Don't send / upload unused tables to the SEAC 1.

Table No. 1:

Water quantity (Fill up the details)	
1	Water Requirement: (CMD)
2	Source and permission: (Details)
3	Water consumption: (CMD)
4	Effluent generation: (CMD)
5	Rain water harvesting details:

Table No. 2:

Water Requirement				
	Particulars	Consumption	Loss	Effluent generation

		Existing	Prop	Total	Existing	Prop	Total	Existing	Prop	Total
1	Industrial Process									
2	Industrial cooling									
3	Boiler									
4	Domestic/ etc.									
5	Green Belt									

Table No. 3:

Sewage	
1	Sewage generation (CMD)
2	Sewage treatment and disposal

Table No. 4

Effluent generation (Fill up the details)	
1	Quantity: (CMD)
2	High TDS/ COD Quantity: (CMD)
3	Low TDS/ COD Quantity: (CMD)
4	Effluent treatment Scheme (Brief information):
5	ZLD Effluent treatment (Brief information):
6	CETP (Name & membership details)
7	Parameters of treated effluent :(PH/ TSS/ TDS/ COD/ BOD/ Heavy Metals/ Benzene/ etc.)

Table No. 5:

Solid Waste Management (Fill up the details)	
1	Type:

2	Quantity (MT/M):
3	Source:
4	Disposal:

Table No. 6

Hazardous Waste Generation & Disposal (Fill up the details)	
1	Category:
2	Source:
3	Existing & Proposed:
4	Total Quantity:
5	Disposal:

Table. No. 7

Fuel Consumption (Fill up the details)	
1	Type:
2	Quantity (TPD):
3	For (Boiler/ DG set):
4	Ash (generation%):
5	SO2 %:
6	Air pollution control measures:

Table No. 8:

Energy	
1	Source of Power:
2	Demand (KVA):
3	DG set (Capacity):

4	Renewable energy details with budget allocation:
---	--

Table No. 9:

Stack details with specification

Table No. 10:

Public Hearing	
1	Date:
2	Compliance:
3	Budget allocation:
4	Time limit for implementation:
5	MOM of public hearing attached: (Yes/ No)

EMP Implementation:

1	Total/ Capital investment: ₹	Recurring Expenditure Provisions: ₹
2	G.B./ Plantation (Total no. of trees):	Plantation Cost: ₹
3	Air/ Noise/ Water Pollution mitigation cost: ₹	
4	Employees Health checkup and insurance cost: ₹	
5	Bio- Toilet facility cost: ₹	
6	Safety, Security, Drinking Water & Solar light etc. cost: ₹	

CER Implementation:

1	Total budget: ₹
2	Budget Provisions for (a: School, b: Health Centre, c: Gram Panchayat- specify names)
School	a) Drinking Water facility with Water pipeline and RO (with AMC): ₹

	b) Construction of toilet block with water tank: ₹
Health center	a) Drinking Water facility with Water Pipeline and RO (with AMC): ₹
	b) Construction of toilet block with water tank: ₹
GP	a) Common area Drinking Water facility with Water pipeline and RO (With AMC): ₹
	b) Construction of Toilet block with water tank or plantation etc.: ₹

STONE QUARRY- INFORMATION SHEET
(Revised- Sept. 2025)

***Statistical information sheet for official use only (do not include in Project Presentation).**

Meeting No./ Item No:	Proposal No:
Project:	Category:
PP:	Accreditation No:
Consultant:	Accreditation Validity:

1	Village/Town:	Taluka:	District:
2	Gat No:	Project Area (Ha):	
3	Ownership (7/12) Area: (Ha)	8A Register-Total area: (Ha)	
4	Land use: (Agriculture/ Barren)	Terrain: (Plain/Hilly/Undulated Area etc.)	
5	Nearest Habitat/ Village Distance (mts):		
6	Sensitive Structures in the periphery of 200 Mtrs. of Stone Quarry: (School/Hospital/Residential & Public building /inhabited sites/Monuments/heritage sites/National/State Highway/Dam/River/Bridge)		
7	DSR Approval (Date/ Year) :.....		Page No.:.....
8	Mining Plan Approval & Validity:		
9	Minable Total reserve quantity (Brass):		
10	Per year excavation quantity (Brass):		
11	Life of Mine (Years):	Depth (mts):	
12	Project Cost: ₹	Scrutiny fees: ₹	
13	Nos. of Employment:		
14	Date of Joint site inspection by DMO and EIA Consultant:		
15	Cluster Certificate details with area of cluster formation from DMO:		
16	Project Site all corners Latitude & Longitude:		

EMP Implementation:

1	Total Capital investment and Recurring cost expenditure provisions in EMP....
2	Green Belt Development Plan (7.5 Mtr. Safety area, approach road & community plantation) with list of plant species and Cost provision in EMP.....
3	Air, Noise and Dust pollution mitigation plan and Cost provision in EMP.....

CER Implementation:

1	Govt. School / Z.P. School (Only) • Drinking water with water tank & RO (with AMC) • Sanitation- Construction of toilet block with water tank with AMC maintenance cost
---	--

STONE QUARRY- PRESENTATION

(Revised- Sept. 2025)

***Slide sequence must be strictly followed as mentioned.**

Slide No.	Particular's
1	KML File (showing Approach Road, Nearest habitat and adjoining Operational quarries etc. details within 200 mtr. & 500 mtr radius)
2	Total land holding as per 7/12 & 8A register (in Ha)
3	K-prat/ TILR map and site geotag photos
4	DSR Approval page & Corresponding entry No, Details
5	Grampanchayat NOC & Tharav, Forest NOC, GSDA NOC, Project Specific any other NOC if required.
6	DMO Site survey report
7	DMO Certificate on cluster formation
8	Mining plan details with approval & validity, Plates of approved mining plan showing Mine layout with area statement reserved for various activities, Year-wise production statement
9	Garland Drain Design execution
10	Consultants geological study report on (Mine site terrain, Rock structure, strata & sediments, land slope & elevation study, Pre and post monsoon groundwater study surface stability, mine feasibility report, written recommendation by consultant.)
11	Impact assessment of mining on hydro-geological conditions with respect to ground water levels, aquifer and recharge, slope and stability(if any)
12	Green Belt Development Plan (7.5 Mtr. Perimeter area information, approach road & community plantation) with list of plant species and Cost provision in EMP
13	EMP:Capital Investment & Recurring expenditure in EMP
14	EMP: Air, Noise & Dust Pollution Mitigation Plan in EMP.
15	CER: Govt. School / Z.P. School (Only) ● Drinking water with water tank & RO (with AMC) ● Sanitation- Construction of toilet block with water tank OR AMC maintenance cost
16	Affidavit for Compliance with the Hon'ble Supreme Court judgment dated 02.08.2017 in Common Cause vs Union of India, Writ Petition (C) No. 114 of 2014
17	Affidavit on Implementation of conditions of EC, EMP & CER Plan
18	Affidavit by EIA Coordinator and Project Consultant
19	Affidavit for Non-Coverage of Proposed Project Land in Western Ghat Ecological Sensitive Area's Draft Notification dated 31 st July,2024

DMO's Name & Signature:

DMO'S Site Survey Report- Format (Revised- Sept. 2025)

Date:

Sr. No.	Particulars	Details
1	Name	
2	Village / Taluka / District	
3	Area (as per 7/12)	Ha
4	Total Area as per 8 A Register	Ha
5	Date of joint site inspection by DMO and EIA Consultant	
6	Land type (Hilly/ undulating / Plain)	
7	Distance from nearest Village/ Habitat	Meter/ Kilometer
8	Proposed site Elevation levels	Max. Level..... Min. Level.... (in respect with RL)
9	Water levels in 500 Mtrs area	Pre Monsoon..... Meters Post Monsoon.... Meters
10	Mine geology structure	
11	No. of existing trees at proposed quarry site	
12	Approach road distance	Meter/ Kilometer
13	Sensitive structures near site:	Irrigation Dam/Percolation tank/Canal/ River/ Highways (if any)
14	Mine Site geo-tagged photographs (3/4 locations)	
15	Project site all corner Latitude and Longitude	
16	DMO Remarks: 1. Illegal excavation or mining on the proposed site..... 2. Removal of soil/murum/stone by way of temporary permits (if any)....Brass (mention total quantity) 3. Remarks on nearby irrigation dams, percolation tanks, roads and highways (within & beyond 500 mts).... 4. Existence of stone crusher or any other structures on proposed site.... 5. Remarks on PP's earlier stone quarry EC compliance,(if any).... (especially regarding 7.5 mts safety buffer and tree plantation).... 6. Feasibility recommendation:.....	

***Report should be on official letter with outward number and seal etc.**

Annexure 1

AFFIDAVIT

I/We, _____ (Name, designation, address), do hereby solemnly affirm and declare as under:

That this affidavit is executed on legal stamp paper and duly notarized.

1- That I/We affirm there is no violation of any Notifications issued by the Ministry of Environment, Forest and Climate Change (MoEF&CC) as on date with respect to mining operations.

2- That I/We undertake to carry out re-grassing of all disturbed areas arising from mining activities, including slopes, berms, and the 7.5 meter safety zone all along the mine lease boundary.

3- That I/We further undertake to carry out tree plantation & raising trees & 100 % survival will be achieved by replanting if necessary, in two rows staggered within the 7.5 meter safety zone and on 2M c/c on staggered each side of the approach road before mining lease & mining activities.

4- That in the event the ground water table is encountered during mining operations, prior permission from the Central Ground Water Authority (CGWA) shall be obtained before any further activity.

5- That I/We undertake to implement the committed Corporate Environment Responsibility (CER) activities within one year from the date of commencement.

Verified at _____ on this _ day of ___, 20 that the contents of this affidavit are true and correct to the best of my/our knowledge and belief and nothing material has been concealed therein.

Place: _____

Date: _____

(Signature)

Name: _____

Designation: _____

337th Meeting Agenda

Date: 20th November, 2025

Time: 11.30 AM Onwards

Sr. No.	Name of Proposal	SEIAA Statement No.	Category
1.	Environmental Clearance for proposed J m food products and processing	SIA/MH/IND2/554886/2025	EC
2.	Environmental Clearance for proposed Lohardongri Iron Ore Block area 35.94 Ha, forest land, Village- Lohardongri, Taluka - Bramhapuri, District – Chandrapur by M/s Sunflag Iron and Steel Co. Ltd	SIA/MH/MIN/558386/2025	EC
3.	Environmental Clearance for proposed stone quarry located at Area 2.60 Ha, Plot No. 04; Survey/Gut No. 222/2, (Govt. Land) Village – Amrutwadi, Taluka - Wai, District – Satara by Mr. Rajendra Prameshwar Ithape.	SIA/MH/MIN/487060/2025	Referred Back
4.	Environmental Clearance for proposed stone quarry located at Area 2.10 Ha, Plot No. 09; Survey/Gut No. 222/1, (Govt. Land) Village – Amrutwadi, Taluka - Wai, District – Satara by Shri. Vijaysinh Bhagwanrao Chavan.	SIA/MH/MIN/487062/2025	Referred Back
5.	Environmental Clearance for proposed stone quarry located at Area 2.00 Ha, Plot No. 08; Survey/Gut No. 222/1, (Govt. Land) Village – Amrutwadi, Taluka - Wai, District – Satara by Shri. Sanjay Namdeo Gaikwad.	SIA/MH/MIN/487078/2025	Referred Back
6.	Environmental Clearance for proposed stone quarry located at Area 2.00 Ha, Plot No. 10; Survey/Gut No. 222/1, (Govt. Land) Village – Amrutwadi, Taluka - Wai, District – Satara by Shri Ankush Anandrao Pawar.	SIA/MH/MIN/487059/2025	Referred Back
7.	Environmental Clearance for proposed stone quarry located at Area 2.00 Ha, Plot No. 03; Survey/Gut No. 222/2, (Govt. Land) Village – Amrutwadi, Taluka - Wai, District – Satara by Shri. Kamlakar Appaso Babar.	SIA/MH/MIN/487011/2025	Referred Back
8.	Environmental Clearance for proposed stone quarry located at Area 2.00 Ha, Plot No. 11; Survey/Gut No. 222/1, (Govt. Land) Village – Amrutwadi, Taluka - Wai, District – Satara by Shri. Vikas Devaba Pawar & Shri. Sunil Yashwant Phadtare.	SIA/MH/MIN/491025/2025	Referred Back
9.	Application for corrigendum of 3x15 (45) MTPA Low Grade Iron Ore /BHQ Beneficiation Plant at Villages Hedri, Bande and Pursalgundi, Tehsil Etapalli, Gadchiroli district, Maharashtra by LLOYDS METALS AND ENERGY LIMITED	SIA/MH/IND1/553825/2025	Corrigendum

10.	Application for revalidation of Environmental Clearance for Vayal Stone Quarry, Area 1.40 Ha, Gut No. 129 Part, Village Vayal, Tehsil Jalgaon Jamod, District Buldhana, Maharashtra by Shri. Rangrao Vinayakrao Deshmukh	SIA/MH/MIN/555938/2025	Revalidation
11.	Application for corrigendum in Transfer of Environmental Clearance of Stone Quarry at old Survey. Nos. 965, 966, 959, 960, 957, 958 (P), (New Survey nos. 384, 385, 386, 387, 389 & 390) Village Khanav, Tehsil - Khalapur, Dist. – Raigarh by ashwini infradevelopments private limited	SIA/MH/MIN/556297/2025	Corrigendum
12.	Application for Revalidation of Validity of Environmental Clearance for Stone Quarry owned by M/s. Thinkplutus LLP tarfe Shri. Suresh Vitthalrao Todkar, Shri. Sujit Padmakar Mate, Shri. Sadanand Arvind Patil & Shri. Aditya Parakashrao Patil Pund located at Survey No. 199, Village Bhandgaon, Taluka: Daund, District: Pun	SIA/MH/MIN/556620/2025	Revalidation
13.	Application for Revalidation of Validity of Environmental Clearance for Stone Quarry owned by Mr. Shrikant Shankar Butala located at Gat No: 430/1 Part, Area: 1.20 Ha, Village: Urul, Taluka: Patan, Di: Satara by Mr. Shrikant Shankar Butala	SIA/MH/MIN/557974/2025	Revalidation